



MAT MEDICS

KH. No.-232, Raipur Industrial Area, Bhagwanpur
Roorkee, Haridwar - 247661, M.- 9871386539 / 8750707704

S.No	SALT NAME	Composition
	Acotiamide Hydrochloride Hydrate SR Tablets	Each film coated Sustained release tablet contains: Acotiamide Hydrochloride Hydrate 300mg Excipients Qs Approved colour used
	Azilsartan Tablets IP 40 mg	Each uncoated tablet contains Azilsartan Kamedoxomil IP 40mg eq. to Azilsartan Medoxomil q.s. Excipients q.s. Approved colour used
	Bilastine Tablets IP 20mg	Each film coated tablet contains Bilastine IP 20mg Excipients q.s. Approved colour used
	Bilastine Tablets IP 40mg	Each film coated tablet contains Bilastine IP 40mg Excipients q.s. Approved colour used
	Bilastine & Montelukast Tablets	Each film coated tablet contains Bilastine IP 20mg Montelukast sodium IP 10mg eq. to Montelukast q.s. Excipients q.s. Approved colour used

Ticagrelor Tablets IP	Each film coated tablet contains Ticagrelor IP Excipients Approved colour used	90mg q.s.
Cilnidipine Tablets IP 20mg	Each film coated tablet contains Cilnidipine IP Excipients Approved colour used	20mg q.s.
Cilnidipine Tablets IP 5mg	Each film coated tablet contains Cilnidipine IP Excipients Approved colour used	5mg q.s.
Epalrestat Tablets IP 150mg	Each film coated tablet contains Epalrestat IP Excipients Approved colour used	150mg q.s.
Epalrestat Extended Release Tablets	Each film coated extended release tablet contains Epalrestat IP Excipients Approved colour used	150mg q.s.
Vildagliptin Tablets IP	Each uncoated tablet contains Vildagliptin IP Excipients Approved colour used	100mg q.s.
Sitagliptin Tablets IP	Each film coated tablet contains Sitagliptin Phosphate monohydrate IP eq. Sitagliptin Excipients	100mg q.s.

	Approved colour used	
Metoprolol Succinate Extended-release Tablets	Each film coated Extended-release tablet contains Metoprolol Succinate IP eq. to Metoprolol tartrate Excipients Approved colour used	12.5mg q.s.
Rosuvastatin Tablets IP	Each film coated tablet contains Rosuvastatin Calcium IP Eq. to Rosuvastatin Excipients Approved colour used	20mg q.s.
Sacubitril/ Valsartan Tablets 200mg	Each film coated tablet contains Sacubitril Valsartan IP Excipients Approved colour used	97mg 103mg q.s.
Empagliflozin Tablets 10mg	Each film coated tablet contains Empagliflozin Excipients Approved colour used	10mg q.s.
Empagliflozin Tablets 25mg	Each film coated tablet contains Empagliflozin Excipients Approved colour used	25mg q.s.
Etoricoxib Tablets IP 90 mg	Each Film coated tablet contains Etoricoxib IP Excipients Approved colour used	90mg q.s.

Ezetimibe Tablets IP 10 mg	Each uncoated tablet contains Ezetimibe IP Excipients Approved colour used	10mg q.s.
Febuxostat Tablets	Each Film coated tablet contains Febuxostat Excipients Approved colour used	40mg q.s.
Febuxostat Tablets	Each Film coated tablet contains Febuxostat Excipients Approved colour used	80mg q.s.
Gabapentin & Nortriptyline Tablet	Each Film coated tablet contains Gabapentin IP Nortriptyline Hydrochloride IP eq. to Nortriptyline Excipients Approved colour used	100 mg 10 mg q.s.
Vildagliptin & Metformin Hydrochloride Tablets IP	Each film coated tablet contains Vildagliptin IP Metformin Hydrochloride IP Excipients Approved colour used	50 mg 1000 mg q.s.
Vildagliptin & Metformin Hydrochloride Tablets IP	Each film coated tablet contains Vildagliptin IP Metformin Hydrochloride IP Excipients Approved colour used	50mg 500mg q.s.

Lafutidine Tablets 10 mg	Each film coated tablet contains Lafutidine 10 mg Excipients q.s. Approved colour used
Otilonium Bromide Tablets 40 mg	Each film coated tablet contains Otilonium Bromide 40 mg Excipients q.s. Approved colour used
Mirabegron Extended- release Tablets 25 mg	Each film coated Extended-release tablet contains Mirabegron 25 mg Excipients q.s. Approved colour used
Mirabegron Extended Release 25 mg & Solifenacin Succinate 5 mg	Each film coated Bilayered tablet contains Mirabegron (As Extended Release) 25mg Solifenacin Succinate IP 5mg Excipients q.s. Approved colour used
Acebrophylline Sustained-release & Montelukast Tablets	Each film coated tablet contains Acebrophylline (As sustained Release) 200mg Montelukast sodium IP eq. to Montelukast 10mg Excipients q.s. Approved colour used
Sodium Bicarbonate Tablets USP 500 mg	Each film coated tablet contains Sodium Bicarbonate USP 500mg Excipients q.s. Approved colour used

Pregabalin & Nortriptyline Tablets	Each film coated tablet contains Pregabalin IP 10mg Nortriptyline Hydrochloride IP eq. to Nortriptyline 75mg Excipients q.s. Approved colour used
Prucalopride Tablets 2 mg	Each film coated tablets contains Prucalopride Succinate eq. to Prucalopride 2mg Excipients Qs Approved colour used
Dutasteride & Silodosin Tablets	Each film coated tablets contains Dutasteride IP 0.5mg Silodosin 8mg Excipients Qs Approved colour used
Pitavastatin Tablets 2 mg	Each film coated tablet contains Pitavastatin Calcium IP eq. to Pitavastatin 2mg Excipients q.s. Approved colour used
Telmisartan (IR) & Metoprolol (ER) Tablets	Each Uncoated Bilayered Tablet Contains Telmisartan IP 40mg (In immediate release form) Metoprolol Succinate IP 23.75mg eq. to Metoprolol tartrate 25mg (In extended release form) Excipients Qs Approved colour used
Ursodeoxycholic Acid Tablets IP 300 mg	Each film coated tablet contains

	Ursodeoxycholic Acid IP Excipients Approved colour used	300mg Qs
Voglibose Mouth Dissolving Tablets 0.2 mg	Each Uncoated Mouth Dissolving Tablet Contains Voglibose IP Excipients Approved colour used	0.2mg q.s.
Voglibose Mouth Dissolving Tablets 0.3 mg	Each Uncoated Mouth Dissolving Tablets Contains Voglibose IP Excipients Approved colour used	0.3mg q.s.
Acebrophylline & N-Acetylcysteine Tablets	Each Film coated tablet contains Acebrophylline N-Acetylcysteine BP Excipients Approved colour used	100mg 600mg q.s.
Chlorthalidone tablets IP 12.5 mg	Each Uncoated tablet contains Chlorthalidone IP Excipients Approved colour used	12.5mg q.s.
Sitagliptin & Dapagliflozin Tablets	Each film coated tablet contains Sitagliptin Phosphate Monohydrate IP equivalent to Sitagliptin Dapagliflozin Propanediol USP equivalent to Dapagliflozin Excipients Approved colour used	100mg 10mg q.s.
Dapagliflozin & Metformin Hychloride	Each film coated Bilayered tablet contains	

(Extended-release) Tablets	Dapagliflozin Propanediol Monohydrate eq. to Dapagliflozin Metformin Hydrochloride IP (in extended-release form) Excipients Approved colour used	10mg 1000mg q.s.
Linagliptin & Metformin Hydrochloride Tablets 2.5 mg/1000 mg	Each film coated tablet contains Linagliptin Metformin Hydrochloride IP Excipients Approved colour used	2.5mg 1000mg q.s.
Pitavastatin Tablets 4 mg	Each film coated tablets contains Pitavastatin Calcium IP eq. to Pitavastatin Excipients Approved colour used	4mg q.s.
Zinc Sulfate Tablets BP	Each film-coated tablets contains Zinc Sulfate Monohydrate IP eq. to Elemental Zinc Excipients Approved colour used	150mg 54.6mg q.s.
Simethicone Tablets 140 mg	Each Film Coated Tablet Contains Simethicone IP Excipients Approved colour used	140mg q.s.
Acebrophylline (SR), Fexofenadine HCl & Montelukast sodium Tablets	Each Film Coated Tablet Contains Acebrophylline IP(As sustained Release form) Fexofenadine Hydrochloride Montelukast sodium IP eq. to Montelukast	200mg 120mg 10mg

	Excipients Approved colour used	q.s.
Prucalopride Tablets 1mg	Each Film Coated Tablet Contains Prucalopride Succinate eq. to Prucalopride Excipients Approved colour used	1mg Qs
Rosuvastatin Tablets IP 40 mg	Each Film Coated Tablet Contains Rosuvastatin calcium IP Equivalent to Rosuvastatin Excipients Approved colour used	40mg q.s.
Azithromycin Tablets IP 250 mg	Each Film Coated Tablet Contains Azithromycin Dihydrate IP equivalent to Azithromycin Anhydrous Excipients Approved colour used	250mg q.s.
Azithromycin Tablets IP 500 mg	Each Film Coated Tablet Contains Azithromycin IP (As Dihydrate) eq. to Anhydrous Azithromycin Excipients Approved colour used	500mg q.s.
Trimetazidine Hydrochloride modified Release Tablets 35 mg	Each Film Coated modified-release tablet contains Trimetazidine Hydrochloride IP Excipients Approved colour used	35mg q.s.
Glimepiride & Metformin Hydrochloride (SR) Tablets IP	Each uncoated bilayered tablet contains Glimepiride IP Metformin Hydrochloride IP (As sustained release) Excipients	1mg 500mg Qs

	Approved colour used	
Glimepiride & Metformin Hydrochloride (SR) Tablets IP	Each uncoated bilayered tablet contains Glimepiride IP Metformin Hydrochloride IP(As sustained release) Excipients Approved colour used	2mg 500mg Qs
Glimepiride & Metformin Hydrochloride (SR) Tablets IP	Each uncoated bilayered tablet contains Glimepiride IP Metformin Hydrochloride IP (As sustained release form) Excipients Approved colour used	2mg 1000mg Qs
Glimepiride & Metformin Hydrochloride Prolonged -release Tablets IP	Each uncoated bilayered tablet contains Glimepiride IP Metformin Hydrochloride IP (in Prolonged -release form) Excipients Approved colour used	1mg 1000mg Qs
Glimepiride, Pioglitazone Hydrochloride & Metformin Hydrochloride (SR) Tablets	Each uncoated bilayered tablet contains Glimepiride IP Pioglitazone Hydrochloride IP equivalent to Pioglitazone Metformin Hydrochloride IP (in Sustained release form) Excipients Approved colour used	1mg 15mg 500mg
Glimepiride, Pioglitazone Hydrochloride & Metformin Hydrochloride (SR) Tablets	Each uncoated bilayered tablet contains Glimepiride IP Pioglitazone Hydrochloride IP equivalent to Pioglitazone Metformin Hydrochloride IP (in Sustained release form) Excipients Approved colour used	2mg 15mg 500mg Qs

Vitamin C, Vitamin D3 & Zinc Chewable Tablets	<p>Each Uncoated Chewable Tablet Contains:</p> <p>Vitamin C IP 500mg</p> <p>Vitamin D3 IP 1000IU</p> <p>Zinc Sulphate Monohydrate IP eq. to Elemental Zinc 5mg</p> <p>Excipients Qs</p> <p>Approved colour used</p>
(Methylcobalamin, Alpha Lipoic Acid, Pyridoxine Hydrochloride, Folic Acid & Vitamin D3 Tablets)	<p>Each film coated tablet contains</p> <p>Methylcobalamin IP 1500mcg</p> <p>Alpha Lipoic Acid USP 100mg</p> <p>Pyridoxine Hydrochloride IP 3mg</p> <p>Folic Acid IP 1.5mg</p> <p>Vitamin D3 IP 1000IU</p> <p>Excipients</p> <p>Approved colour used</p>
Methylcobalamin, Pyridoxine HCl, Folic Acid & Vitamin D3 Tablets	<p>Each film coated tablet contains</p> <p>Methylcobalamin IP 1500mcg</p> <p>Pyridoxine Hydrochloride IP 10mg</p> <p>Folic Acid IP 5mg</p> <p>Vitamin D3 IP 1000IU</p> <p>Excipients q.s.</p> <p>Approved colour used</p>
Calcium & Vitamin D3 Tablets IP	<p>Each film-coated tablets contains</p> <p>1.25 g of calcium carbonate from An organic source (Oyster Shell) equivalent to Elemental Calcium 500mg</p> <p>Cholecalciferol IP (Vitamin D3) (As stabilized form) 250mg</p> <p>Excipients Qs</p> <p>Approved colour used</p>

Pancreatin,Bile Constituents &Activated Dimethicone tablets	Each enteric coated tablet contains Pancreatin IP 192mg Bile Constituents 25mg Activated Dimethicone IP 40mg Excipients q.s. Approved colour used
Telmisartan Tablet IP 40mg	Each film coated tablet contains Telmisartan IP 40mg Excipients Q.s. Approved colour used
Pantoprazole Gastro- Resistant Tablet IP 40mg	Each gastro resistance tablet contains Pantoprazole Sodium IP 40mg eq. to pantoprazole Excipients Q.s. Approved colour used
Rosuvastatin Tablet IP 10mg	Each film coated tablet contains Rosuvastatin IP 10mg Excipients Q.s.
Sitagliptin & Metformin Hydrochloride Tablet	Each film coated tablet contains Sitagliptin IP 50mg Metformin Hydrochloride IP 500mg Excipients Q.s.
Etoricoxib & Thiocolchicoside Tablet	Each film coated tablet contains Etoricoxib IP 60mg Thiocolchicoside IP 4mg Excipients Q.s. Approved colour used

Acotiamide Tablets 100mg	Each film coated tablet contains Acotiamide Hydrochloride Hydrate IP Excipients Q.s. Approved colour used	100mg
Vildagliptin Tablet IP 50mg	Each uncoated tablet contains: Vildagliptin IP Excipients Q.s. Approved colour used	50mg
Gabapentin & Nortriptyline Tablet	Each film coated tablet contains: Gabapentin IP Nortriptyline IP Excipients Q.s. Approved colour used	400mg 10mg
Pantoprazole Sodium Gastro-Resistant & Domperidone Prolonged-Release Capsule IP	Each hard gelatin Capsule contains Pantoprazole Sodium Eq. Pantoprazole IP (As Gastro-Resistant Pellets) Domperidone IP (As Prolonged-Release Pellets) Excipients Q.s. Approved colors used in empty capsule shells	40mg 30mg
Acebrophylline Capsules 100mg.	Each hard gelatin Capsule contains Acebrophylline Excipients Q.s. Approved colors used in empty capsule shells	100mg
Rosuvastatin Calcium, Aspirin & Clopidogrel Bisulphate Capsules	Each hard gelatin Capsule contains Rosuvastatin Calcium IP Eq. to Rosuvastatin (As Pellets) Aspirin (As Enteric Coated Pellets) IP	10mg 75mg

	<p>Clopidogrel Bisulphate IP Eq. to Clopidogrel (As Pellets) Excipients Q.s. Approved colors used in empty capsule shells</p>	75mg
Rosuvastatin & Clopidogrel Capsules	<p>Each hard gelatin Capsule contains Rosuvastatin Calcium IP Eq. to Rosuvastatin (As Pellets) Clopidogrel Bisulphate IP Eq. to Clopidogrel (As Pellets) Excipients Q.s. Approved colors used in empty capsule shells</p>	<p>20mg 75mg</p>
Dexlansoprazole Delayed Release Capsules 30mg	<p>Each hard gelatin Capsule contains Dexlansoprazole IP (As Enteric Coated Pellets) Excipients Q.s. Approved colors used in empty capsule shells</p>	30mg
Oxaceprol Capsule 200mg	<p>Each hard gelatin Capsule contains Oxaceprol Excipients Q.s. Approved colors used in empty capsule shells</p>	200mg
Omeprazole Gastro-resistant Capsules IP	<p>Each hard gelatin Capsule contains Omeprazole IP Excipients Q.s. Approved colors used in empty capsule shells</p>	20mg
Simethicone Capsule 140mg	<p>Each hard gelatin Capsule contains Simethicone IP Excipients Q.s. Approved colors used in empty capsule shells</p>	140mg

Mupirocin Ointment IP 2% w/w	Mupirocin IP In a Cream Base Q.s.	2%w/w
Choline Salicylate & Benazalkonium chloride Gel	Choline Salicylate Solution BP Eq. to Choline Salicylate Lignocaine hydrochloride IP Preservative: Benazalkonium chloride Solution IP In a Cream Base Q.s.	0.09%w/w 0.02%w/w 0.01%w/w
Clotrimazole Cream IP 1% w/w	Clotrimazole IP In a Cream Base Q.s.	1%w/w
Diclofenac Sodium, Linseed oil, Menthol & Methyl Salicylate Cream	Diclofenac Sodium IP Linseed oil BP Menthol IP Methyl Salicylate IP In a Cream Base Q.s.	1%w/w 3%w/w 5%w/w 10%w/w
Betamethasone & Neomycin Cream	Betamethasone Valerate IP Neomycin Sulphate IP In a Cream Base Qs.	0.1%w/w 0.5%w/w
Calcium Dobesilate, Lignocaine, Hydrocortisone & Zinc Cream	Calcium Dobesilate monohydrate IP eq. to anhydrous Calcium Dobesilate Lignocaine hydrochloride IP eq. to anhydrous Lignocaine Hydrocortisone Acetate IP Zinc(As zinc oxide IP) IP Cream Base	0.25%w/w 3%w/w 0.25%w/w 5%w/w q.s.
Fluticasone Cream IP 0.05% w/w	Fluticasone Propionate IP In a Cream Base Qs.	0.05%w/w

Mometasone Cream IP 0.1% w/w	Mometasone furoate IP In a Cream Base Qs.	0.1%w/w
Dried Aluminium Hydroxide, Magnesium Hydroxide, Simethicone, & Menthol-Suspension	Each 10ml. Contains: Dried Aluminium hydroxide IP Magnesium hydroxide IP Simethicone IP Menthol In a Flavoured Sorbitol Base Q.s. Approved colour used	830mg 185mg 25mg 1.5mg
Oxetacaine, Dried Aluminium Hydroxide & Magnesium Hydroxide Gel	Each 5ml. Contains: Oxetacaine BP Aluminium Hydroxide IP(Added as aluminum hydroxide paste eq. to 0.380gm of dried Aluminium hydroxide gel) Magnesium Hydroxide IP (Added as aluminum hydroxide paste) In a Flavoured Syrupy Base Q.s. Approved colour used	10mg 0.291gm 98mg
Lactulose Solution USP	Each 15ml. Contains: Lactulose Concentrate IP Eq. to Lactulose In a Flavoured Syrupy Base Approved colour used	10gm
Sucalfate & Oxetacaine Suspension	Each 10ml. Contains: Sucalfate USP Oxetacaine BP In a Flavoured Syrupy Base Q.s. Approved colour used	1gm 20mg
Polyethylene Glycol, sodium Chloride, Sodium Bi Carbonate	Each 25 ml contains: Polyethylene Glycol 3350 USP Sodium Chloride IP	13.125gm 0.3507gm

& Potassium Chloride Concentrate for Oral Solution	Sodium Bi Carbonate IP Potassium Chloride IP In a Flavoured Syrupy Base Q.s. Approved colour used	0.1785gm 0.0466gm
Lycopene, Niacinamide, Pyridoxine hydrochloride, Biotin,Zinc Sulphate, Cyanocobalamine, L-Lysine monohydrochloride & Minerals Syrup	Each 5ml. Contains: Lycopene 10% USP Niacinamide IP Pyridoxine Hydrochloride IP Folic Acid IP Biotin IP Zinc Sulphate IP Iodine as Potassium iodate IP Cyanocobalamine IP L-Lysine monohydrochloride USP Sodium Selenate Eq. to elemental selenium USP Choline Bi-Tartrate In a Flavoured Syrupy Base Q.s. Approved colour used	1000mcg 45mg 1mg 1mg 50mcg 11mg 10mcg 5mcg 30mg 10mcg 30mg
Potassium Citrate, Magnesium Citrate & Vitamin B-6 Oral Solution	Each 5ml. Contains: Potassium Citrate IP Magnesium Citrate USP Vitamin B-6 IP In a Flavoured palatable Base Q.s. Approved colour used	1100mg 375mg 20mg
Diacerein Tablets 50mg	Each film coated tablet contains Diacerein IP Excipients Q.s. Approved colour used	50 mg

Telmisartan Dispersible Tablets 40mg	Each uncoated dispersible tablet contains Telmisartan IP Excipients Q.s. Approved colour used	40 mg
Telmisartan & Hydrochlorothiazide Tablets IP	Each Uncoated bilayered tablet contains Telmisartan IP Hydrochlorothiazide IP Excipients Q.s. Approved colour used	40 mg 12.5 mg
Telmisartan & Amlodipine Tablets IP 40 mg/5 mg	Each uncoated bilayered tablet contains Telmisartan IP Amlodipine Besilate IP eq. to amlodipine Excipients Q.s. Approved colour used	40 mg 5 mg
Metoprolol Succinate(ER) Tablets IP 25 mg	Each film coated extended release Metoprolol Succinate IP eq. to metoprolol tartrate Excipients Q.s. Approved colour used	25 mg
Metoprolol Succinate (ER) Tablets IP 50 mg	Each film coated extended release Metoprolol Succinate IP equivalent to metoprolol tartrate Excipients Q.s. Approved colour used	50 mg
Sitagliptin Tablets IP	Each film coated tablet contains: Sitagliptin Phosphate monohydrate equivalent to sitagliptin Excipients Q.s. Approved colour used	IP

Sitagliptin & Metformin Hydrochloride Tablets	Each film coated tablet contains: Sitagliptin Phosphate Monohydrate IP Metformin Hydrochloride IP Approved colour used	50mg 500mg
Sacubitril/ Valsartan Tablets 50 mg	Each film coated tablet contains: Sacubitril Valsartan Excipients Q.s. Approved colour used	24mg 26mg
Sacubitril/ Valsartan Tablets 100 mg	Each film coated tablet contains: Sacubitril Valsartan Excipients Q.s. Approved colour used	49mg 51mg
Apixaban Tablet 2.5 mg	Each film coated tablet contains: Apixaban Excipients Q.s. Approved colour used	2.5mg
Apixaban Tablet 5 mg	Each film coated tablet contains: Apixaban Excipients Q.s. Approved colour used	5mg
Linagliptin Tablets 2.5 mg	Each film coated tablet contains: Linagliptin Excipients Q.s. Approved colour used	2.5mg
Linagliptin Tablets 5 mg	Each film coated tablet contains:	

	Linagliptin Excipients Q.s. Approved colour used	5mg
Dapagliflozin Tablets 10 mg	Each film coated tablet contains: Dapagliflozin Propanediol Monohydrate Excipients Q.s. Approved colour used	10mg
Methylcobalamin Pyridoxine Hydrochloride, Folic Acid & Vitamin D3 Tablets	Each film coated tablet contains: Methylcobalamin IP Pyridoxine Hydrochloride IP Folic Acid IP Vitamin D3 IP Excipients Q.s. Approved colour used	1500mcg 10mg 5mg 1000IU
Methylcobalamin, Vitamin D3, Folic Acid & Pyridoxine HCl Tablets	Each film coated tablet contains: Methylcobalamin IP Vitamin D3 IP Folic Acid IP Pyridoxine HCl IP Excipients Q.s. Approved colour used	1500mcg 1000IU 5mg 3mg
Aspirin gastro resistant & Rosuvastatin Capsules	Each Hard Gelatin Capsule contains: Rosuvastatin Calcium IP equivalent to Rosuvastatin (as pellets) Aspirin IP (As gastro resistant pellets) Excipients Q.s. Approved colour used	10mg 75mg

Aspirin gastro resistant & Rosuvastatin Capsules	Each Hard Gelatin Capsule contains: Rosuvastatin Calcium IP equivalent to Rosuvastatin (as pellets) 20mg Aspirin IP (As gastro resistant) pellets) 75mg Excipients Q.s. Approved colour used
Rabeprazole (EC) and Domperidone sustained Release capsule	Each Hard Gelatin capsule contains: Rabeprazole Sodium IP(As enteric Coated pellets) 20mg Domperidone IP (As sustained Release Pellets) 30mg Excipients Q.s. Approved colour used
Dextromethorphan Hydrobromide, Phenylephrine Hydrochloride & Chlorpheniramine Maleate Syrup	Each 5ml contains: Dextromethorphan Hydrobromide IP 10 mg Phenylephrine Hydrochloride IP 5 mg Chlorpheniramine Maleate IP 2 mg In a flavoured base q.s. Colour: Ponceau 4R
Sitagliptin Phosphate & Metformin Hydrochloride Tablets	Each film coated tablet contains: Sitagliptin Phosphate Monohydrate IP eq. to Sitagliptin 50 mg Metformin Hydrochloride IP 1000 mg Excipients q.s. Colour: Red oxide of iron
Sitagliptin Phosphate & Metformin Hydrochloride Tablets	Each film coated tablet contains: Sitagliptin Phosphate Monohydrate IP eq. to Sitagliptin 50 mg Metformin Hydrochloride IP 500 mg Excipients q.s. Colour: Red oxide of iron

Sitagliptin & Metformin Hydrochloride Tablets	Each film coated tablet contains: Sitagliptin Phosphate Monohydrate IP eq. to Sitagliptin Metformin Hydrochloride IP Excipients Colours: Iron oxide yellow, Iron oxide red & Titanium Dioxide IP	50 mg 500 mg q.s.
Epalrestat Tablets IP 50 mg	Each film coated tablet contains: Epalrestat IP Excipients Colour: Red Oxide of iron	50 mg q.s.
Methylcobalamin Tablets 1500mcg	Each film coated tablet contains: Methylcobalamin IP Excipients Colour: Approved colour used.	1500mcg q.s.
Methylcobalamin Tablets 750mcg	Each film coated tablet contains: Methylcobalamin IP Excipients Colour: Approved colour used.	750mcg q.s.
Methylcobalamin Tablets 500mcg	Each film coated tablet contains: Methylcobalamin IP Excipients Colour: Approved colour used.	500mcg q.s.
Methylcobalamin, Pyridoxine Hydrochloride, Folic Acid & Vitamin D3 Tablets	Each film coated tablet contains: Methylcobalamin IP Pyridoxine Hydrochloride IP Folic Acid IP Vitamin D3 IP Excipients	1500mcg 10mg 5mg 1000 IU q.s.

	Colour: Approved colour used
Calcium and Vitamin D3 Tablets IP	<p>Each film coated tablet contains:</p> <p>Calcium Carbonate IP 1.25gm from an organic source (oyster shell) eq. to elemental calcium 500mg Vitamin D3 IP 250 IU (As stabilized form) Excipients q.s. Colour: Approved colour used</p>
Trypsin Chymotrypsin Tablets	<p>Each enteric coated tablets contains:</p> <p>50,000 armour units of enzymetic activity supplied by a purified concentrate which has specific trypsin & chymotrypsin activity in a ratio 6:1 Colours: Ponceau 4R & Sunset yellow FCF</p>
Lactulose Solution USP	<p>Each 15 ml contains:</p> <p>Lactulose concentrate IP eq. to Lactulose 70% 10gm in a flavoured syrup base Colour: Approved colour used</p>
Vitamin C & Zinc chewable Tablets	<p>Each uncoated chewable tablet contains:</p> <p>Ascorbic Acid IP 100 mg Sodium Ascorbate IP 450 mg eq. to Ascorbic acid 400 mg zinc citrate usp eq. to elemental zinc 5 mg Excipients q.s. Colour: Sunset yellow FCF</p>
Diacerein Capsules IP 50 mg	Each hard gelatin capsule contains

	Diacerein IP Excipients Q.s. Approved colour used	50mg
Dapagliflozin Tablets 5 mg	Each film coated tablet contains: Dapagliflozin Propanediol Monohydrate Excipients Q.S. Approved colour used	5mg
Enteric Coated Rabeprazole Sodium & Levosulpride Sustained Released Capsules	Each hard gelatin Capsule contains Rabeprazole Sodium IP (As Enteric Coated Pellets) Levosulpride (As Sustained Released Pellets) Excipients Q.s. Approved colors used in empty capsule shells	20mg 75mg
Sodium Alginate, Sodium Bicarbonate and Calcium Carbonate Oral Suspension	Each 5 ml contains: Sodium Alginate IP Sodium Bicarbonate IP Calcium Carbonate- IP In a Flavoured Syrupy Base Q.s. Approved colour used	250mg 133.5mg 80mg
Digestive Enzymes Syrup	Each 5ml. Contains: Diastase (1:2000) IP(fungal Diastase Derived from Aspergillus Oryzae, Digests not less than 100gm, of cooked starch) Pepsin (1:3000) IP (Digests not less than 30gm, of coagulated Egg albumin) In a Flavoured Syrupy Base Q.s. Approved colour used	50mg 10mg
Telmisartan, Amlodipine and Hydrochlorothiazide tablets	Each uncoated tablet contains: Telmisartan IP	40 mg

	Hydrochlorothiazide IP	12.5mg
	Amlodipine Besilate IP	
	eq. to Amlodipine	5mg
	Excipients	q.s.
Paracetamol Tablets IP 500mg	Each uncoated tablet contains: Paracetamol IP	500mg
	Excipients	q.s.
Levocetirizine Tablets IP 5mg	Each film coated tablet contains: Levocetirizine hydrochloride IP	5mg
	Excipients	q.s.
	Colour: Titanium Dioxide IP	
Levocetirizine Tablets IP 10mg	Each film coated tablet contains: Levocetirizine hydrochloride IP	10mg
	Excipients	q.s.
	Colour: Titanium Dioxide IP	
Cyclobenzaprine Hydrochloride(ER) Capsules 15mg	Each hard gelatin capsule contains: Cyclobenzaprine Hydrochloride IP (As extended-release pellets)	15mg
	Excipients	q.s.
	Approved colour used in empty hard gelatin capsule shells	
Montelukast and Levocetirizine Tablets IP	Each film coated tablet contains: Montelukast sodium IP	
	eq. to montelukast	10mg
	Levocetirizine hydrochloride IP	5mg
	Excipients	q.s.
	Colour: Approved colour used	
Paracetamol Tablets IP 650mg	Each uncoated tablet contains:	

	Paracetamol IP Excipients	650mg q.s.
Fluconazole Tablets IP 300mg	Each uncoated tablet contains: Fluconazole IP Excipients Colour: Approved colour used	300mg q.s.
PRAZOSIN HYDROCHLORIDE SUSTAINED RELEASE TABLETS 5mg	Each film coated sustained-release tablet contains: Prazosin Hydrochloride IP eq. to Prazosin Excipients Colour: Approved colour used	5mg q.s.
TRYPSIN, BROMELAIN AND RUTOSIDE TRIHYDRATE TABLETS	Each enteric coated tablet contains: Trypsin BP Bromelain Rutoside trihydrate BP Excipients Colour: Approved colour used	96mg 180mg 200mg q.s.
CITICOLINE TABLETS IP 500mg	Each film coated tablet contains: Citicoline Sodium IP eq. Citicoline Excipients Colour: Approved colour used	500mg q.s.
LEVOSULPIRIDE TABLETS	Each uncoated tablet contains: Levosulpiride Excipients Colour: Approved colour used	25mg q.s.

ALLOPURINOL TABLETS IP 300MG	Each uncoated tablet contains: Allopurinol IP 300mg Excipients q.s.
APREMILAST TABLETS 30mg	Each film coated tablet contains: Apremilast 30mg Excipients q.s. Colour: Approved colour used
PANTOPRAZOLE AND DOMPERIDONE TABLETS	Each enteric coated tablet contains: Pantoprazole Sodium IP 40mg eq. to pantoprazole Domperidone IP 10mg
CITICOLINE AND PIRACETAM TABLETS	Each film coated tablet contains: Citicoline Sodium IP 500mg eq. to Citicoline Piracetam IP 800mg Excipients q.s. Colour: Approved colour used
SOLUTION OF SORBITOL AND TRICHOLINE CITRATE	Each 10 ml contains: Tricholine citrate 0.56 g Sorbitol solution(70%) IP 7.15 g (non-crystallising) Excipients q.s. Colour: Approved colour used
CLOPIDOGREL TABLETS IP 75mg	Each film coated tablet contains: Clopidogrel Bisulphate IP 75mg eq. to Clopidogrel Excipients q.s.

	Colour: Approved colour used
FERROUS ASCORBATE AND FOLIC ACID TABLETS IP	<p>Each film coated tablet contains:</p> <p>Ferrous ascorbate IP 100mg</p> <p>eq. to elemental iron</p> <p>Folic acid IP 1.5mg</p> <p>Excipients q.s.</p> <p>Colour: Approved colour used</p>
ACECLOFENAC, PARACETAMOL And SERRATIOPEPTIDASE TABLETS	<p>Each film coated tablet contains:</p> <p>Aceclofenac IP 100mg</p> <p>Paracetamol IP 325mg</p> <p>Serratiopeptidase IP 15mg</p> <p>(30,000 units of serratiopeptidase enteric coated granules)</p> <p>Excipients q.s.</p> <p>Colour: Approved colour used</p>
ETODOLAC And THIOCOLCHICOSIDE TABLETS	<p>Each film coated tablet contains:</p> <p>Etodolac IP 400mg</p> <p>Thiocolchicoside IP 4mg</p> <p>Excipients q.s.</p> <p>Colour: Approved colour used</p>
EMPAGLIFLOZIN and LINAGLIPTIN TABLETS	<p>Each film coated tablet contains:</p> <p>Empagliflozin 25mg</p> <p>Linagliptin 5mg</p> <p>Excipients q.s.</p> <p>Colour: Approved colour used</p>
CLOPIDOGREL And ASPIRIN	Each uncoated bilayered tablet contains:

TABLETS IP	Clopidogrel Bisulphate IP eq. to Clopidogrel Aspirin IP Excipients Colour: Approved colour used	75mg 75mg q.s.
PANTOPRAZOLE SODIUM(EC) & CINITAPRIDE(SR) CAPSULES	Each hard gelatin capsule contains: Pantoprazole Sodium IP eq. to pantoprazole (As enteric coated pellets) Cinitapride Hydrogen Tartrate eq. to Cinitapride (as sustained release pellets) Excipients Colour: Approved colour used	40mg 3mg q.s.
SIMETHICONE CAPSULES USP	Each hard gelatin capsule contains: Simethicone IP Excipients Colour: Approved colour used in empty capsule shell	140mg q.s.
EMPAGLIFLOZIN and METFORMIN HYDROCHLORIDE TABLETS	Each film coated tablet contains: Empagliflozin Metformin Hydrochloride IP Excipients Colour: Approved colour used	5mg 500mg q.s.
CHLORTHALIDONE TABLETS IP 6.25mg	Each uncoated tablet contains: Chlorthalidone IP Excipients	6.25mg q.s.
PREGABALIN AND METHYLCOBALAMIN	Each hard gelatin capsule contains:	

CAPSULES IP	Pregabalin IP Methylcobalamin IP Excipients Approved colour used in capsule shells	75mg 750mcg q.s.
AMLODIPINE TABLETS IP 5mg	Each uncoated tablet contains: Amlodipine Besilate IP eq. to Amlodipine Excipients	5mg q.s.
PYRAZINAMIDE TABLETS IP	Each uncoated tablet contains: Pyrazinamide IP Excipients	500mg
TELMISARTAN, AMLODIPINE AND HYDROCHLOROTHIAZIDE TABLETS	Each uncoated tablet contains: Telmisartan IP Amlodipine Besilate IP eq. to Amlodipine Hydrochlorothiazide IP Excipients	80mg 5mg 12.5mg q.s.
SOLIFENACIN SUCCINATE TABLETS IP 5mg	Each film coated tablet contains: Solifenacin succinate IP Excipients Colour: Approved colour used	5mg q.s.
ROSUVASTATIN, ASPIRIN AND CLOPIDOGREL CAPSULES	Each hard gelatin capsule contains: Rosuvastatin calcium IP eq. to Rosuvastatin (as pellets) Aspirin IP (as enteric coated pellets)	20mg 75mg

	Clopidogrel Bisulphate IP eq. to Clopidogrel (as pellets) Excipients Approved colour used in capsule shells	75mg q.s.
ACECECLOFENAC AND PARACETAMOL TABLETS IP	Each film coated tablet contains: Aceclofenac IP Paracetamol IP Excipients Colour: Approved colour used	100mg 325mg q.s.
BENAZEPRIL HYDROCHLORIDE TABLETS IP 5mg	Each uncoated tablet contains: Benazepril Hydrochloride IP Excipients	5mg q.s.
ALFACALCIDOL CAPSULES 1mcg	Each hard gelatin capsule contains: Alfacalcidol IP Excipients	1mcg q.s.
DISPERSIBLE TABLETS OF RIFAMPICIN ISONIAZIDE AND PYRAZINAMIDE	Each uncoated dispersible tablet contains: Rifampicin IP Isoniazid IP Pyrazinamide IP Excipients Colour: Approved colour used	100mg 50mg 300mg q.s.
ACTIVATED CHARCOAL And SIMETHICONE CAPSULES	Each hard gelatin capsule contains: Activated charcoal IP Simethicone IP	250mg 80mg

	Excipients Colour: Approved colour used	q.s.
TENELIGLIPTIN AND METFORMIN HYDROCHLORIDE(SR) TABLETS IP	Each uncoated bilayered tablet contains: Teneligliptin Hydrobromide hydrate IP eq. to teneligliptin Metformin Hydrochloride IP (as sustained release) Excipients Colour: Approved colour used	20mg 500mg q.s.
RIFAMPICIN AND ISONIAZID TABLETS IP	Each film coated tablet contains: Rifampicin IP Isoniazid IP Excipients Colour: Approved colour used	450mg 300mg q.s.
PYRAZINAMIDE TABLETS IP	Each uncoated tablet contains: Pyrazinamide IP Excipients	750mg
DICLOFENAC DIETHYLAMINE, LINSEED OIL, METHYL SALICYLATE AND MENTHOL GEL	Diclofenac Diethylamine IP eq. to Diclofenac Sodium Linseed Oil BP Methyl Salicylate IP Menthol IP Benzyl Alcohol IP (As preservative) Gel Base	1.16% w/w 1.0%w/w 3.0% w/w 10.0% w/w 5.0% w/w 1.0% w/w q.s.
TELMISARTAN & AMLODIPINE	Each uncoated bilayered tablet contains	

TABLETS IP 40 mg/5 mg	Telmisartan IP Amlodipine Besilate IP eq. to amlodipine Excipients Approved colour used	40mg 5mg q.s.
TOFACITINIB TABLETS IP 5mg	Each film coated tablet contains: Tofacitinib citrate IP eq. to Tofacitinib Excipients Colour: Approved colour used	5mg q.s.
CILNIDIPINE TABLETS IP 10mg	Each film coated tablet contains: Cilnidipine IP Excipients Colour: Approved colour used	10mg q.s.
OBETICHOLIC ACID TABLETS 10mg	Each film coated tablet contains: Obeticholic acid Excipients Colour: Approved colour used	10mg q.s.
DISODIUM HYDROGEN CITRATE SYRUP	Each 5ml contains: Disodium Hydrogen Citrate BP Excipients Colour: Tartrazine	1.53g q.s.
PANCREATIN MINIMICROSPHERES CAPSULES	Each hard gelatin capsule contains: Pancreatin minimicrospheres eq. to Pancreatin IP Excipients Colour: Approved colour used	150mg q.s.
URSODEOXYCHOLIC ACID TABLETS	Each film coated tablet contains:	

IP 450mg	Ursodeoxycholic Acid IP Excipients Colour: Approved colour used	450mg q.s.
BISOPROLOL TABLETS IP 5 mg	Each film coated tablet contains: Bisoprolol fumarate IP Excipients Colour: Approved colour used	5mg q.s.
MESALAMINE PROLONGED-RELEASE TABLETS IP 1200mg	Each enteric coated prolonged-release tablet contains: Mesalamine IP Excipients Colour: Approved colour used	1200mg q.s.
OXCARBAZEPINE EXTENDED-RELEASE TABLETS 600mg	Each film coated extended-release tablet contains: Oxcarbazepine IP Excipients Colour: Approved colour used	600mg q.s.
EMPAGLIFLOZIN and LINAGLIPTIN TABLETS	Each film coated tablet contains: Empagliflozin Linagliptin Excipients Colour: Approved colour used	10mg 5mg q.s.
LEFLUNOMIDE TABLETS IP 10mg	Each film coated tablet contains: Leflunomide IP Excipients Colour: Approved colour used	10mg q.s.
PANCREATIN MINIMICROSPHERES CAPSULES	Each hard gelatin capsule contains: Pancreatin minimicrospheres eq. to Pancreatin IP	400mg

	Excipients	q.s.
	Colour: Approved colour used	
OXCARBAZEPINE EXTENDED- RELEASE TABLETS 300mg	Each film coated extended-release tablet contains: Oxcarbazepine IP Excipients Colour: Approved colour used	300mg q.s.
EMPAGLIFLOZIN and METFORMIN HYDROCHLORIDE TABLETS	Each film coated tablet contains: Empagliflozin Metformin Hydrochloride IP Excipients Colour: Approved colour used	12.5mg 500mg q.s.
ESOMEPRAZOLE(Enteric Coated) And LEVOSULPIRIDE(Sustained Release) CAPSULES	Each hard gelatin capsule contains: Esomeprazole magnesium trihydrate IP eq. to esomeprazole (as enteric coated pellets) Levosulpiride (as sustained release pellets) Excipients	40mg 75mg q.s.
AMLODIPINE TABLETS IP 2.5mg	Each uncoated tablet contains: Amlodipine Besilate IP eq. to Amlodipine Excipients	2.5mg q.s.
TRYPSIN, BROMELAIN AND RUTOSIDE TRIHYDRATE TABLETS	Each enteric coated tablet contains: Trypsin BP Bromelain Rutoside trihydrate BP Excipients Colour: Approved colour used	48mg 90mg 100mg q.s.

LEFLUNOMIDE TABLETS IP 20mg	Each film coated tablet contains: Leflunomide IP 20mg Excipients q.s. Colour: Approved colour used
PREGABALIN AND DULOXETINE(Delayed-release) CAPSULES	Each hard gelatin capsule contains: Pregabalin IP 75mg Duloxetine Hydrochloride IP 20mg eq. to Duloxetine (As delayed-release pellets) Excipients q.s. Colour: Approved colour used
OXCARBAZEPINE EXTENDED-RELEASE TABLETS 150mg	Each film coated extended-release tablet contains: Oxcarbazepine IP 150mg Excipients q.s. Colour: Approved colour used
TORSEMIDE TABLETS IP 10mg	Each uncoated tablet contains: Torsemide IP 10mg Excipients q.s.
MAGNESIUM HYDROXIDE, SIMETHICONE, SODIUM CARBOXYMETHYLCELLULOSE AND DRIED ALUMINIUM HYDROXIDE GEL	Each 10ml contains: Magnesium hydroxide IP 185mg (added as paste) Simethicone IP 50mg Sodium carboxymethylcellulose IP 100mg Dried aluminium hydroxide gel IP 830mg (added as paste) in a flavoured sugar-free base Colour: Sunset yellow FCF
LIQUID PARAFFIN and MILK OF MAGNESIA ORAL EMULSION	Each 15ml contains: Liquid paraffin IP 3.75ml

	Milk of magnesia IP Colour: Approved colour used	11.25ml
EMPAGLIFLOZIN and METFORMIN HYDROCHLORIDE TABLETS	Each film coated tablet contains: Empagliflozin Metformin Hydrochloride IP Excipients Colour: Approved colour used	12.5mg 1000mg q.s.
PANCREATIN MINIMICROSPHERES CAPSULES	Each hard gelatin capsule contains: Pancreatin minimicrospheres eq. to Pancreatin IP Excipients Colour: Approved colour used	300mg q.s.
HYDROXYCHLOROQUINE TABLETS IP 200mg	Each film coated tablet contains: Hydroxychloroquine Sulphate IP Colour: Titanium Dioxide IP	200mg
CHLOROQUINE PHOSPHATE TABLETS IP 500mg	Each film coated tablet contains: Chloroquine Phosphate IP Colour: Titanium Dioxide IP	500mg
URSODEOXYCHOLIC ACID TABLETS IP 150mg	Each film coated tablet contains: Ursodeoxycholic Acid IP Excipients Colour: Approved colour used	150mg q.s.
LEVETIRACETAM TABLETS IP 500mg	Each film coated tablet contains: Levetiracetam IP Excipients Colour: Approved colour used	500mg q.s.

DIVALPROEX PROLONGED-RELEASE TABLETS IP 250mg	Each film coated prolonged-release tablet contains: Divalproex Sodium IP eq. to Valproic acid 250mg Excipients q.s. Colour: Approved colour used
PRAZOSIN HYDROCHLORIDE SUSTAINED RELEASE TABLETS 2.5mg	Each film coated sustained-release tablet contains: Prazosin Hydrochloride IP eq. to Prazosin 2.5mg Excipients q.s. Colour: Approved colour used
OBETICHOLIC ACID TABLETS 5mg	Each film coated tablet contains: Obeticholic acid 5mg Excipients q.s. Colour: Approved colour used
BISOPROLOL TABLETS IP 2.5 mg	Each film coated tablet contains: Bisoprolol fumarate IP 2.5mg Excipients q.s. Colour: Approved colour used
MONTELUKAST TABLETS IP	Each film coated tablet contains: Montelukast Sodium IP eq. to Montelukast 10mg Excipients q.s. Colour: Titanium Dioxide IP
METFORMIN TABLETS IP 1000 mg	Each uncoated tablet contains: Metformin Hydrochloride IP 1000 mg Excipients q.s.

<p>PREGABALIN And METHYLCOBALAMIN TABLETS</p>	<p>Each film coated tablet contains:</p> <table border="0"> <tr> <td>Pregabalin</td> <td>IP</td> <td>75mg</td> </tr> <tr> <td>Methylcobalamin</td> <td>IP</td> <td>750mcg</td> </tr> <tr> <td>Excipients</td> <td></td> <td>q.s.</td> </tr> <tr> <td colspan="3">Colour: Approved colour used</td> </tr> </table>	Pregabalin	IP	75mg	Methylcobalamin	IP	750mcg	Excipients		q.s.	Colour: Approved colour used														
Pregabalin	IP	75mg																							
Methylcobalamin	IP	750mcg																							
Excipients		q.s.																							
Colour: Approved colour used																									
<p>URSODEOXYCHOLIC ACID(SR) TABLETS 450mg</p>	<p>Each film coated Sustained release tablet contains:</p> <table border="0"> <tr> <td>Ursodeoxycholic Acid</td> <td>IP</td> <td>450mg</td> </tr> <tr> <td>Excipients</td> <td></td> <td>q.s.</td> </tr> <tr> <td colspan="3">Colour: Approved colour used</td> </tr> </table>	Ursodeoxycholic Acid	IP	450mg	Excipients		q.s.	Colour: Approved colour used																	
Ursodeoxycholic Acid	IP	450mg																							
Excipients		q.s.																							
Colour: Approved colour used																									
<p>DOXYCYCLINE And LACTIC ACID BACILLUS CAPSULES</p>	<p>Each hard gelatin capsule contains:</p> <table border="0"> <tr> <td>Doxycycline Hydrochloride</td> <td>IP</td> <td></td> </tr> <tr> <td>Eq. to Doxycycline</td> <td></td> <td>100mg</td> </tr> <tr> <td>Lactic Acid Bacillus</td> <td>IP</td> <td>5 Billion spores</td> </tr> <tr> <td>Excipients</td> <td></td> <td>q.s.</td> </tr> <tr> <td colspan="3">Colour: Approved colour used in empty capsule shell</td> </tr> </table>	Doxycycline Hydrochloride	IP		Eq. to Doxycycline		100mg	Lactic Acid Bacillus	IP	5 Billion spores	Excipients		q.s.	Colour: Approved colour used in empty capsule shell											
Doxycycline Hydrochloride	IP																								
Eq. to Doxycycline		100mg																							
Lactic Acid Bacillus	IP	5 Billion spores																							
Excipients		q.s.																							
Colour: Approved colour used in empty capsule shell																									
<p>PARACETAMOL, PHENYLEPHRINE, CETIRIZINE HYDROCHLORIDE, SODIUM CITRATE, DEXTROMETHORPHAN And MENTHOL SUSPENSION</p>	<p>Each 5ml contains:</p> <table border="0"> <tr> <td>Paracetamol</td> <td>IP</td> <td>250mg</td> </tr> <tr> <td>Phenylephrine Hydrochloride</td> <td>IP</td> <td>5mg</td> </tr> <tr> <td>Cetirizine Hydrochloride</td> <td>IP</td> <td>2.5mg</td> </tr> <tr> <td>Sodium citrate</td> <td>IP</td> <td>25mg</td> </tr> <tr> <td>Dextromethorphan Hydrobromide</td> <td>IP</td> <td>5mg</td> </tr> <tr> <td>Menthol</td> <td>IP</td> <td>1mg</td> </tr> <tr> <td>Flavoured syrupy base</td> <td></td> <td>q.s.</td> </tr> <tr> <td colspan="3">Colour: Sunset yellow FCF</td> </tr> </table>	Paracetamol	IP	250mg	Phenylephrine Hydrochloride	IP	5mg	Cetirizine Hydrochloride	IP	2.5mg	Sodium citrate	IP	25mg	Dextromethorphan Hydrobromide	IP	5mg	Menthol	IP	1mg	Flavoured syrupy base		q.s.	Colour: Sunset yellow FCF		
Paracetamol	IP	250mg																							
Phenylephrine Hydrochloride	IP	5mg																							
Cetirizine Hydrochloride	IP	2.5mg																							
Sodium citrate	IP	25mg																							
Dextromethorphan Hydrobromide	IP	5mg																							
Menthol	IP	1mg																							
Flavoured syrupy base		q.s.																							
Colour: Sunset yellow FCF																									
<p>ALPHA LIPOIC ACID, METHYLCOBALAMIN, VITAMIN B6, FOLIC ACID, BENFOTIAMINE, BIOTIN, CHROMIUM PICOLINATE CAPSULES</p>	<p>Each hard gelatin capsule contains:</p> <table border="0"> <tr> <td>Alpha Lipoic Acid</td> <td>USP</td> <td>100mg</td> </tr> <tr> <td>Methylcobalamin</td> <td>IP</td> <td>1500mcg</td> </tr> <tr> <td>Vitamin B6</td> <td>IP</td> <td>3mg</td> </tr> </table>	Alpha Lipoic Acid	USP	100mg	Methylcobalamin	IP	1500mcg	Vitamin B6	IP	3mg															
Alpha Lipoic Acid	USP	100mg																							
Methylcobalamin	IP	1500mcg																							
Vitamin B6	IP	3mg																							

	Folic Acid IP Benfotiamine Biotin IP Chromium Picolinate IP eq. to Chromium Excipients Approved colors used in empty capsule shells	1.5mg 50mg 5mg 200mcg q.s.
TENELIGLIPTIN And PIOGLITAZONE TABLETS	Each uncoated bilayered tablet contains: Teneligliptin Hydrobromide hydrate IP eq. to teneligliptin Pioglitazone hydrochloride IP eq. to Pioglitazone Excipients Colour: Approved colour used	20mg 15mg q.s.
VITAMIN C CHEWABLE TABLETS 500 mg	Each uncoated chewable tablet contains: Ascorbic acid IP Sodium Ascorbate IP eq. to Ascorbic acid Excipients Colour: Sunset yellow FCF	100mg 450mg 400mg q.s.
LIQUID PARAFFIN, MILK OF MAGNESIA & SODIUM PICOSULFATE ORAL EMULSION	Each 5ml contains: Liquid Paraffin IP Milk of Magnesia IP Sodium Picosulfate BP Colours: Carmoisine & ponceau 4R	1.25 ml 3.75 ml 3.33 mg
LACTITOL MONOHYDRATE SYRUP 66.67% W/V	Each 15ml of syrup contains: Lactitol monohydrate BP Benzoic acid IP	10g 0.0225g

	(as preservative) Flavoured base	q.s.
BILASTINE & MONTELUKAST SUSPENSION	Each 5ml suspension contains: Bilastine IP Montelukast sodium IP eq. to Montelukast Flavoured syrupy base Colour: Sunset yellow FCF	10mg 4mg q.s.
BENZYDAMINE HYDROCHLORIDE And CHLORHEXIDINE GLUCONATE MOUTHWASH	Each 15ml contains: Benzylamine Hydrochloride BP Chlorhexidine gluconate solution IP eq. to Chlorhexine Gluconate Flavoured aqueous base Colours: Brilliant blue FCF & Tartrazine	22.5 mg 18 mg q.s.
SERTACONAZOLE NITRATE And BECLOMETHASONE DIPROPIONATE CREAM IP	Sertaconazole nitrate IP Beclomethasone Dipropionate IP Cream base	2.00% w/w 0.025% w/w q.s.
PREGABALIN CAPSULES IP 300 mg	Each hard gelatin capsule contains: Pregabalin IP Excipients	300 mg q.s.
CO-TRIMOXAZOLE TABLETS BP	Each uncoated tablet contains: Trimethoprim BP Sulphamethoxazole BP Excipients	80 mg 400 mg q.s.

METFORMIN TABLETS IP 500 mg	Each uncoated tablet contains: Metformin Hydrochloride IP 500 mg Excipients q.s.
PYRAZINAMIDE TABLETS IP	Each uncoated tablet contains: Pyrazinamide IP 1000mg Excipients
ALPHA KETOANALOGUES & ESSENTIAL AMINO ACID TABLETS	Each film coated tablet contains: Calcium-3-methyl-2-oxovalerate (α -Ketoanalogue of isoleucine, Calcium salt) 67mg Calcium-4-methyl-2-oxovalerate (α -Ketoanalogue of leucine, Calcium salt) 101mg Calcium-2-oxo-3-phenylpropionate (α -Ketoanalogue of phenylalanine, Calcium salt) 68mg Calcium-3-methyl-2-oxobutyrate (α -Ketoanalogue of valine, Calcium salt) 86mg Calcium-DL-2-hydroxy-4-(methylthio)-butyrate (α -hydroxyanalogue of methionine, Calcium salt) 59mg L-Lysine Acetate USP 105mg L-Threonine IP 53mg L-Tryptophan IP 23mg L-Histidine USP 38mg L-Tyrosine USP 30mg Total nitrogen content/ tablet 36mg Calcium/ tablet 0.05g Colour: Ponceau 4R
SODIUM BICARBONATE TABLETS USP 1000 mg	Each film coated tablet contains: Sodium Bicarbonate USP 1000 mg Excipients q.s. Colour: Approved colour used

ESCITALOPRAM TABLETS IP 10mg	Each film coated tablet contains: Escitalopram oxalate IP Eq. to Escitalopram Excipients Colour: Approved colour used	10mg q.s.
LOSARTAN POTASSIUM TABLETS IP 50 mg	Each film coated tablet contains: Losartan potassium IP Excipients Colour: Approved colour used	50 mg q.s.
TOLPERISONE HYDROCHLORIDE And ETODOLAC TABLETS	Each film coated tablet contains: Tolperisone Hydrochloride Etodolac IP Excipients Colour: Sunset yellow FCF	150 mg 200 mg q.s.
BENZYDAMINE HYDROCHLORIDE MOUTHWASH BP	Benzydamine Hydrochloride BP Flavoured aqueous base Colour: Brilliant blue FCF	0.15% w/v q.s.
PARACETAMOL, PHENYLEPHRINE HYDROCHLORIDE AND CHLORPHENIRAMINE MALEATE TABLETS	Each uncoated tablet contains: Paracetamol IP Phenylephrine hydrochloride IP Chlorpheniramine maleate IP Excipients	500mg 10mg 2mg q.s.
DROTAVERINE HYDROCHLORIDE AND MEFENAMIC ACID TABLETS	Each film coated tablet contains: Drotaverine hydrochloride IP Mefenamic acid IP	80mg 250mg

	Excipients	q.s.
	Colour: Approved colour used	
EFONIDIPINE HYDROCHLORIDE ETHANOLATE TABLETS 40mg	Each film coated tablet contains: Efonidipine Hydrochloride Ethanolate Excipients Colour: Approved colour used	40mg q.s.
DOXOFYLLINE, AMBROXOL HYDROCHLORIDE AND MONTELUKAST TABLETS	Each film coated tablet contains: Doxofylline IP Ambroxol Hydrochloride IP Montelukast sodium IP eq. to Montelukast Excipients Colour: Approved colour used	400mg 30mg 10mg q.s.
PREGABALIN EXTENDED RELEASE TABLETS 82.5 mg	Each film coated Extended Release tablet contains: Pregabalin IP Excipients Colour: Approved colour used	82.5mg q.s.
PREGABALIN AND NORTRIPTYLINE TABLETS	Each film coated tablet contains: Pregabalin IP Nortriptyline Hydrochloride IP eq. to Nortriptyline Excipients Colour: Approved colour used	75mg 10mg q.s.
ISOXSUPRINE HYDROCHLORIDE SUSTAINED-RELEASE TABLETS	Each uncoated sustained release tablets contains: Isoxsuprine hydrochloride IP Excipients	40mg q.s.
SILODOSIN CAPSULES 8mg	Each hard gelatin capsule contains:	

	Silodosin Excipients Approved colour used in capsule shells	8mg q.s.
LEVETIRACETAM TABLETS IP 1000mg	Each film coated tablet contains: Levetiracetam IP Excipients Colour: Approved colour used	1000mg q.s.
ISOXSUPRINE HYDROCHLORIDE SUSTAINED-RELEASE TABLETS	Each uncoated sustained release tablets contains: Isoxsuprine hydrochloride IP Excipients	10mg q.s.
ATORVASTATIN and ASPIRIN CAPSULES IP	Each hard gelatin capsule contains: Atorvastatin calcium IP eq. to Atorvastatin (as pellets) Aspirin IP (as pellets) Excipients Colour: Approved colour used	20mg 75mg q.s.
GLIMEPIRIDE TABLETS IP 1mg	Each uncoated tablet contains: Glimepiride IP Excipients Colour: Approved colour used	1mg q.s.
SILODOSIN CAPSULES 4mg	Each hard gelatin capsule contains: Silodosin Excipients Approved colour used in capsule shells	4mg q.s.
TRYPSIN, BROMELAIN, RUTOSIDE	Each enteric coated tablet contains:	

TRIHYDRATE & PAPAIN TABLETS	Trypsin BP Bromelain Rutoside trihydrate BP Papain IP Colour: Approved colour used	96 mg 180 mg 200 mg 120 mg
CARVEDILOL TABLETS IP 3.125mg	Each uncoated tablet contains: Carvedilol IP Excipients	3.125mg q.s.
RAMIPRIL TABLETS IP 2.5mg	Each uncoated tablet contains: Ramipril IP Excipients Colour: Approved colour used	2.5mg q.s.
BETAHISTINE HYDROCHLORIDE TABLETS IP 24mg	Each uncoated tablet contains: Betahistine hydrochloride IP Excipients	24mg q.s.
LOSARTAN POTASSIUM TABLETS IP 25 mg	Each film coated tablet contains: Losartan potassium IP Excipients Colour: Approved colour used	25 mg q.s.
GLIMEPIRIDE TABLETS IP 2mg	Each uncoated tablet contains: Glimepiride IP Excipients Colour: Approved colour used	2mg q.s.
METFORMIN TABLETS IP 850 mg	Each uncoated tablet contains: Metformin Hydrochloride IP	850 mg

	Excipients	q.s.
SITAGLIPTIN And METFORMIN HYDROCHLORIDE TABLETS	Each film coated tablet contains: Sitagliptin Phosphate Monohydrate IP eq. to Sitagliptin Metformin Hydrochloride IP Excipients Colour: Approved colour used	100mg 1000mg q.s.
FEXOFENADINE HYDROCHLORIDE and MONTELUKAST SUSPENSION	Each 5 ml contains: Fexofenadine Hydrochloride IP Montelukast sodium IP eq. to Montelukast Excipients Colour: Approved colour used	30mg 4mg q.s.
RANOLAZINE EXTENDED-RELEASE TABLETS 1000mg	Each film coated extended release tablet contains: Ranolazine Excipients Colour: Approved colour used	1000mg q.s.
NEBIVOLOL TABLETS IP 5mg	Each uncoated tablet contains: Nebivolol Hydrochloride IP eq. to Nebivolol Excipients	5mg q.s.
PAROXETINE PROLONGED RELEASE TABLETS IP 12.5mg	Each film coated prolonged release tablet contains: Paroxetine Hydrochloride IP eq. to Paroxetine	12.5mg

	Excipients Colour: Approved colour used	q.s.
CARVEDILOL TABLETS IP 6.25mg	Each uncoated tablet contains: Carvedilol IP Excipients Colour: Approved colour used	6.25mg q.s.
BETAHISTINE HYDROCHLORIDE TABLETS IP 8mg	Each uncoated tablet contains: Betahistine hydrochloride IP Excipients	8mg q.s.
LEVETIRACETAM TABLETS IP 250mg	Each film coated tablet contains: Levetiracetam IP Excipients Colour: Approved colour used	250mg q.s.
RANOLAZINE SUSTAINED RELEASE TABLETS 500mg	Each film coated sustained release tablet contains: Ranolazine Excipients Colour: Approved colour used	500mg q.s.
BETAHISTINE HYDROCHLORIDE TABLETS IP 16mg	Each uncoated tablet contains: Betahistine hydrochloride IP Excipients	16mg q.s.
TRIMETAZIDINE HYDROCHLORIDE CONTROLLED RELEASE CAPSULES	Each hard gelatin capsule contains: Trimetazidine Hydrochloride IP (as controlled release)	80mg

	Excipients Approved colour used in capsule shells	q.s.
ITRACONAZOLE CAPSULES IP 200mg	Each hard gelatin capsule contains: Itraconazole IP Excipients Colour: Approved colour used	200mg q.s.
NITROFURANTOIN SUSTAINED- RELEASE TABLETS 100mg	Each film coated sustained-release tablet contains: Nitrofurantoin IP Excipients Colour: Approved colour used	100mg q.s.
QUETIAPINE TABLETS IP 25mg	Each film coated tablet contains: Quetiapine fumarate IP eq. to Quetiapine Excipients Colour: Approved colour used	25mg q.s.
DILTIAZEM HYDROCHLORIDE SUSTAINED RELEASE TABLETS	Each film coated sustained-release tablet contains: Diltiazem Hydrochloride IP Excipients Colour: Approved colour used	120mg q.s.
AMITRIPTYLINE TABLETS IP 25mg	Each film coated tablet contains: Amitriptyline Hydrochloride IP Excipients Colour: Approved colour used	25mg q.s.
RANITIDINE TABLETS IP 150mg	Each film coated tablet contains:	

	Ranitidine hydrochloride IP eq. to Ranitidine Excipients Colour: Approved colour used	150mg q.s.
TAMSULOSIN HYDROCHLORIDE PROLONGED-RELEASE TABLETS 0.4mg	Each film coated prolonged release tablet contains: Tamsulosin Hydrochloride IP Excipients Colour: Approved colour used	0.4mg q.s.
DULOXETINE GASTRO-RESISTANT TABLETS IP 30mg	Each gastro-resistant tablet contains: Duloxetine hydrochloride IP eq. to Duloxetine Excipients Colour: Approved colour used	30mg q.s.
ESOMEPRAZOLE(Enteric coated) and ITOPRIDE HYDROCHLORIDE(Sustained release) CAPSULES	Each hard gelatin capsule contains: Esomeprazole Magnesium Trihydrate IP eq. to Esomeprazole (As enteric coated pellets) Itopride Hydrochloride IP (As sustained release pellets) Excipients Approved colour used in capsule shells & pellets	40mg 150mg q.s.
CLONAZEPAM TABLETS IP 0.5mg	Each uncoated tablet contains: Clonazepam IP Excipients	0.5mg q.s.
FLUCONAZOLE TABLETS IP 50mg	Each uncoated tablet contains: Fluconazole IP Excipients	50mg q.s.

NITROFURANTOIN TABLETS IP 100mg	Each film coated tablet contains: Nitrofurantoin IP 100mg Excipients q.s. Colour: Approved colour used
GLYCERYL TRINITRATE TABLETS IP 2.6mg	Each uncoated tablet contains: Diluted Glycerol trinitrate IP 2.6mg eq. to Glycerol trinitrate q.s. Excipients q.s. Colour: Approved colour used
TRANEXAMIC ACID TABLETS IP 500mg	Each film coated tablet contains: Tranexamic acid IP 500mg Excipients q.s. Colour: Approved colour used
INDAPAMIDE SUSTAINED-RELEASE TABLETS IP 1.5mg	Each film coated sustained release tablet contains: Indapamide IP 1.5mg Excipients q.s. Colour: Approved colour used
DILTIAZEM HYDROCHLORIDE SUSTAINED RELEASE TABLETS	Each film coated sustained-release tablet contains: Diltiazem Hydrochloride IP 90mg Excipients q.s. Colour: Approved colour used
MIRTAZAPINE TABLETS IP 15mg	Each film coated tablet contains: Mirtazapine IP 15mg Excipients q.s. Colour: Approved colour used
IBUPROFEN TABLETS IP 200mg	Each film coated tablet contains: Ibuprofen IP 200mg

	Excipients Colour: Approved colour used	q.s.
IRBESARTAN AND HYDROCHLOROTHIAZIDE TABLETS IP	Each film coated tablet contains: Irbesartan IP Hydrochlorothiazide IP Excipients Colour: Approved colour used	150mg 12.5mg q.s.
ACECLOFENAC TABLETS IP 100mg	Each film coated tablet contains: Aceclofenac IP Excipients Colour: Approved colour used	100mg q.s.
METOCLOPRAMIDE HYDROCHLORIDE TABLETS IP 10mg	Each uncoated tablet contains: Metoclopramide Hydrochloride IP eq. to anhydrous Metoclopramide Excipients	10mg q.s.
FENOFIBRATE TABLETS IP 145mg	Each film coated tablet contains: Fenofibrate IP Excipients Colour: Approved colour used	145mg q.s.
REPAGLINIDE TABLETS IP 1mg	Each uncoated tablet contains: Repaglinide IP Excipients	1mg q.s.
ROSUVASTATIN And FENOFIBRATE TABLETS IP	Each film coated tablet contains: Rosuvastatin calcium IP	

	eq. to Rosuvastatin Fenofibrate IP Excipients Colour: Approved colour used	10mg 67mg q.s.
ONDANSETRON ORALLY DISINTEGRATING TABLETS IP 4mg	Each uncoated orally disintegrating tablet contains: Ondansetron Hydrochloride IP eq. to Ondansetron Excipients	4mg q.s.
TELMISARTAN AND HYDROCHLOROTHIAZIDE TABLETS IP	Each uncoated bilayered tablet contains: Telmisartan IP Hydrochlorothiazide IP Excipients Colour: Approved colour used	80mg 12.5mg q.s.
ACARBOSE TABLETS IP 25mg	Each uncoated tablet contains: Acorbase IP Excipients	25mg q.s.
ONDANSETRON ORALLY DISINTEGRATING TABLETS IP 8mg	Each uncoated orally disintegrating tablet contains: Ondansetron Hydrochloride IP eq. to Ondansetron Excipients	8mg q.s.
REPAGLINIDE TABLETS IP 2mg	Each uncoated tablet contains: Repaglinide IP Excipients	2mg q.s.
IRBESARTAN TABLETS IP 150mg	Each uncoated tablet contains: Irbesartan IP	150mg

	Excipients	q.s.
DICLOFENAC SODIUM AND PARACETAMOL TABLETS IP	Each uncoated tablet contains: Diclofenac sodium IP Paracetamol IP Excipients	50mg 325mg q.s.
NICORANDIL TABLETS IP 5mg	Each uncoated tablet contains: Nicorandil IP Excipients	5mg q.s.
ROSUVASTATIN And FENOFIBRATE TABLETS IP	Each film coated tablet contains: Rosuvastatin calcium IP eq. to Rosuvastatin Fenofibrate IP Excipients Colour: Approved colour used	5mg 67mg q.s.
RIFAXIMIN TABLETS BP 400mg	Each film coated tablet contains: Rifaximin BP Excipients Colour: Approved colour used	400mg q.s.
MIRABEGRON EXTENDED RELEASE TABLETS 50mg	Each film coated extended release tablet contains: Mirabegron IP Excipients Colour: Approved colour used	50mg q.s.
MIRABEGRON EXTENDED RELEASE 25mg	Each film coated bilayered tablet contains:	

and SOLIFENACIN SUCCINATE 5mg TABLETS	Mirabegron IP (As extended-release) Solifenacin Succinate IP Excipients Colour: Approved colour used	25mg 5mg q.s.
DONEPEZIL HYDROCHLORIDE TABLETS IP 10mg	Each film coated tablet contains: Donepezil Hydrochloride IP Excoipients Colour: Approved colour used	10mg q.s.
RIFAXIMIN TABLETS BP 550mg	Each film coated tablet contains: Rifaximin BP Excipients Colour: Approved colour used	550mg q.s.
NEBIVOLOL TABLETS IP 2.5mg	Each uncoated tablet contains: Nebivolol Hydrochloride IP eq. to Nebivolol Excipients	2.5mg q.s.
AMANTADINE HYDROCHLORIDE TABLETS 100mg	Each uncoated tablet contains: Amantadine Hydrochloride IP Excipients	100mg q.s.
DOXYLAMINE SUCCINATE, PYRIDOXINE HYDROCHLORIDE AND FOLIC ACID TABLETS	Each film coated tablet contains: Doxylamine succinate USP Pyridoxine Hydrochloride IP Folic acid IP Excipients	10mg 10mg 2.5mg q.s.

	Colour: Approved colour used	
ONDANSETRON TABLETS IP 4mg	Each film coated tablet contains: Ondansetron Hydrochloride IP eq. to Ondansetron Excipients Colour: Approved colour used	4mg q.s.
ONDANSETRON TABLETS IP 8mg	Each film coated tablet contains: Ondansetron Hydrochloride IP eq. to Ondansetron Excipients Colour: Approved colour used	8mg q.s.
ATORVASTATIN and ASPIRIN CAPSULES IP	Each hard gelatin capsule contains: Atorvastatin calcium IP eq. to Atorvastatin (as pellets) Aspirin IP (as pellets) Excipients Colour: Approved colour used in capsule shells & pellets	10mg 75mg q.s.
QUETIAPINE TABLETS IP 50mg	Each film coated tablet contains: Quetiapine fumarate IP eq. to Quetiapine Excipients Colour: Approved colour used	50mg q.s.
LEVETIRACETAM TABLETS IP 750mg	Each film coated tablet contains: Levetiracetam IP Excipients Colour: Approved colour used	750mg q.s.

REPAGLINIDE TABLETS IP 0.5mg	Each uncoated tablet contains: Repaglinide IP Excipients	0.5mg q.s.
ACARBOSE TABLETS IP 50mg	Each uncoated tablet contains: Acorbase IP Excipients	50mg q.s.
FENOFIBRATE TABLETS IP 160mg	Each film coated tablet contains: Fenofibrate IP Excipients Colour: Approved colour used	160mg q.s.
ESOMEPRAZOLE GASTRO-RESISTANT TABLETS IP 40mg	Each gastro-resistant tablet contains: Esomeprazole magnesium trihydrate IP eq. to Esomeprazole Excipients Colour: Approved colour used	40mg q.s.
ALLOPURINOL TABLETS IP 100MG	Each uncoated tablet contains: Allopurinol IP Excipients	100mg q.s.
OFLOXACIN AND ORNIDAZOLE TABLETS IP	Each film coated tablet contains: Ofloxacin IP Ornidazole IP Excipients Colour: Approved colour used	200mg 500mg q.s.
PIOGLITAZONE TABLETS IP 15mg	Each uncoated tablet contains:	

	Pioglitazone Hydrochloride IP eq. to Pioglitazone Excipients	15mg q.s.
PIOGLITAZONE TABLETS IP 30mg	Each uncoated tablet contains: Pioglitazone Hydrochloride IP eq. to Pioglitazone Excipients	30mg q.s.
PITAVASTATIN TABLETS 2mg	Each film coated tablet contains: Pitavastatin calcium IP eq. to Pitavastatin Excipients Colour: Approved colour used	2mg q.s.
PITAVASTATIN TABLETS 4mg	Each film coated tablet contains: Pitavastatin calcium IP eq. to Pitavastatin Excipients Colour: Approved colour used	4mg q.s.
IBANDRONIC ACID TABLETS 150mg	Each film coated tablet contains: Ibandronic acid monosodium monohydrate eq. to Ibandronic Acid Excipients Colour: Approved colour used	150mg q.s.
ALLOPURINOL TABLETS IP 100MG	Each uncoated tablet contains: Allopurinol IP Excipients	100mg q.s.

SEVELAMER CARBONATE TABLETS 800mg	Each film coated tablet contains: Sevelamer Carbonate Excipients Colour: Approved colour used	800mg q.s.
SEVELAMER CARBONATE TABLETS 400mg	Each film coated tablet contains: Sevelamer Carbonate Excipients Colour: Approved colour used	400mg q.s.
HYDROXYCHLOROQUINE TABLETS IP 300mg	Each film coated tablet contains: Hydroxychloroquine Sulphate IP Colour: Approved colour used	300mg
HYDROXYCHLOROQUINE TABLETS IP 400mg	Each film coated tablet contains: Hydroxychloroquine Sulphate IP Colour: Approved colour used	400mg
CHOLECALCIFEROL CHEWABLE TABLETS 60,000 IU	Each uncoated chewable tablet contains: Cholecalciferol IP (As stabilized) Excipients Colour: Approved colour used	60,000 IU q.s.
SERTALINE TABLETS IP 50mg	Each film coated tablet contains: Sertaline Hydrochloride IP eq. to Sertaline Excipients Colour: Approved colour used	50mg q.s.
ETHAMBUTOL TABLETS IP	Each uncoated tablet contains:	

	Ethambutol Hydrochloride IP Excipients	800mg q.s.
CALCIUM CITRATE MALATE, VITAMIN D3, L-METHYL FOLATE, BORON & METHYLCOBALAMIN TABLETS	Each film coated tablet contains: Calcium citrate malate IP eq. to elemental calcium Vitamin D3 IP L-Methyl folate Boron Methylcobalamin IP Excipients Colour: Approved colour used	1180mg 250mg 1000 IU 468mcg 1.5mg 1500mcg q.s.
RANITIDINE AND SIMETHICONE TABLETS	Each film coated tablet contains: Ranitidine Hydrochloride IP eq. to Ranitidine Simethicone IP Excipients Colour: Approved colour used	150mg 50mg q.s.
RIFAXIMIN ORAL SUSPENSION	Each 5 ml suspension contains: Rifaximin BP Excipients In a flavoured syrup base Colour: Approved colour used	100mg q.s.
SUCRALFATE SUSPENSION	Each 10ml contains: Sucralfate IP In a flavoured syrupy base Colour: Approved colour used	1000mg

FERROUS ASCORBATE, FOLIC ACID AND ZINC TABLETS	Each film coated tablet contains: Ferrous ascorbate IP eq. to elemental iron Folic acid IP Zinc sulphate monohydrate IP eq. to elemental zinc Excipients	100mg 1.5mg 22.5mg q.s.
FERROUS ASCORBATE (SR) AND L-METHYLFOLATE TABLETS	Each film coated tablet contains: Ferrous ascorbate IP eq. to elemental iron (in sustained release form) Calcium L-Methyltetrahydrofolate usp eq. to L-Methylfolate Excipients Colour: Approved colour used	100mg 0.5mg q.s.
VOGLIBOSE, GLIMEPIRIDE & METFORMIN HYDROCHLORIDE SUSTAINED-RELEASE TABLETS	Each uncoated bilayered tablet contains: Voglibose IP Glimepiride IP Metformin Hydrochloride IP (As sustained release) Excipients Colour: Approved colour used	0.2mg 1mg 500mg q.s.
GLICLAZIDE PROLONGED-RELEASE TABLETS IP 30mg	Each uncoated prolonged-release tablet contains: Gliclazide IP Excipients	30mg q.s.

<p>FUNGAL DIASTASE, PAPAIN AND ACTIVATED CHARCOAL TABLETS</p>	<p>Each sugar coated tablet contains:</p> <table border="0"> <tr> <td>Fungal diastase(1:1800) IP</td> <td>100mg</td> </tr> <tr> <td>Papain IP</td> <td>60mg</td> </tr> <tr> <td>Activated charcoal IP</td> <td>75mg</td> </tr> <tr> <td>Excipients</td> <td>q.s.</td> </tr> </table> <p>Colour: Approved colour used</p>	Fungal diastase(1:1800) IP	100mg	Papain IP	60mg	Activated charcoal IP	75mg	Excipients	q.s.		
Fungal diastase(1:1800) IP	100mg										
Papain IP	60mg										
Activated charcoal IP	75mg										
Excipients	q.s.										
<p>ALUMINIUM HYDROXIDE, MAGNESIUM HYDROXIDE AND SIMETHICONE ORAL SUSPENSION IP</p>	<p>Each 5ml contains:</p> <table border="0"> <tr> <td>Dried aluminium hydroxide IP</td> <td></td> </tr> <tr> <td>eq. to Aluminium Hydroxide</td> <td>250mg</td> </tr> <tr> <td>Magnesium Hydroxide IP</td> <td>250mg</td> </tr> <tr> <td>Simethicone IP</td> <td>50mg</td> </tr> <tr> <td>Flavoured base</td> <td>q.s.</td> </tr> </table> <p>Colour: Approved colour used</p>	Dried aluminium hydroxide IP		eq. to Aluminium Hydroxide	250mg	Magnesium Hydroxide IP	250mg	Simethicone IP	50mg	Flavoured base	q.s.
Dried aluminium hydroxide IP											
eq. to Aluminium Hydroxide	250mg										
Magnesium Hydroxide IP	250mg										
Simethicone IP	50mg										
Flavoured base	q.s.										
<p>FEXOFENADINE & MONTELUKAST SUSPENSION</p>	<p>Each 5ml contains:</p> <table border="0"> <tr> <td>Fexofenadine IP</td> <td>30mg</td> </tr> <tr> <td>Montelukast sodium IP</td> <td></td> </tr> <tr> <td>eq. to montelukast</td> <td>4mg</td> </tr> <tr> <td>Flavoured syrupy base</td> <td>q.s.</td> </tr> </table> <p>Colour: Approved colour used</p>	Fexofenadine IP	30mg	Montelukast sodium IP		eq. to montelukast	4mg	Flavoured syrupy base	q.s.		
Fexofenadine IP	30mg										
Montelukast sodium IP											
eq. to montelukast	4mg										
Flavoured syrupy base	q.s.										
<p>PREDNISOLONE SODIUM PHOSPHATE ORAL SOLUTION BP</p>	<p>Each 5ml contains:</p> <table border="0"> <tr> <td>Prednisolone sodium phosphate IP</td> <td></td> </tr> <tr> <td>eq. to Prednisolone</td> <td>5mg</td> </tr> <tr> <td>Flavoured base</td> <td>q.s.</td> </tr> </table> <p>Colour: Approved colour used</p>	Prednisolone sodium phosphate IP		eq. to Prednisolone	5mg	Flavoured base	q.s.				
Prednisolone sodium phosphate IP											
eq. to Prednisolone	5mg										
Flavoured base	q.s.										
<p>OFLOXACIN & METRONIDAZOLE</p>	<p>Each 5ml contains:</p>										

SUSPENSION	Ofloxacin IP Metronidazole benzoate IP eq. to metronidazole Flavoured syrup base	50mg 100mg q.s.
POVIDONE-IODINE SOLUTION IP 10% W/V	Povidone-iodine IP (available iodine 1% w/v) Purified water IP	10% w/v q.s.
FERRIC AMMONIUM CITRATE, PROTEIN HYDROLYSATE, L-LYSINE HYDROCHLORIDE, NICOTINAMIDE,D-PANTHENOL, PYRIDOXINE HYDROCHLORIDE, FOLIC ACID,CYANOCOBALAMIN, ZINC SULPHATE MONOHYDRATE SYRUP	Each 15ml contains: Ferric ammonium citrate IP eq.to elemental iron Protein Hydrolysate liquid 20% w/v L-Lysine hydrochloride IP Nicotinamide IP D-Panthenol Pyridoxine hydrochloride IP Folic acid IP Cyanocobalamin IP Zinc sulphate monohydrate IP eq. to elemental zinc In a flavoured syrupy base colour: approved colour used	32mg 1gm 50mg 45mg 5mg 1.5mg 1mg 7.5mcg 44mg 16mg
FERROUS ASCORBATE, FOLIC ACID & METHYLCOBALAMIN SUSPENSION	Each 5ml contains: Ferrous ascorbate IP eq. to elemental iron Folic acid IP Methylcobalamin IP in a flavoured syrupy base Colour: Approved colour used	30mg 500mcg 500mcg

RABEPRAZOLE GASTRO-RESISTANT TABLETS IP 20mg	Each gastro-resistant tablet contains: Rabeprazole Sodium IP Excipients Colour: Approved colour used	20mg q.s.
L-CARNITINE L-TARTRATE, METHYLCOBALAMIN & FOLIC ACID TABLETS	Each film coated tablet contains: L-Carnitine L-Tartrate eq. to L-Carnitine Methylcobalamin IP Folic acid IP Excipients Colour: Approved colour used	500mg 500mcg 1.5mg q.s.
VOGLIBOSE & METFORMIN HYDROCHLORIDE(SUSTAINED- RELEASE) TABLETS	Each uncoated bilayered tablet contains: Voglibose IP Metformin Hydrochloride IP (As sustained release) Excipients Colour: Approved colour used	0.3mg 500mg q.s.
VOGLIBOSE & METFORMIN HYDROCHLORIDE(SUSTAINED- RELEASE) TABLETS	Each uncoated bilayered tablet contains: Voglibose IP Metformin Hydrochloride IP (As sustained release) Excipients Colour: Approved colour used	0.2mg 500mg q.s.
LURASIDONE HYDROCHLORIDE TABLETS 40mg	Each film coated tablet contains: Lurasidone Hydrochloride Excipients Colour: Approved colour used	40mg q.s.

ITRACONAZOLE CAPSULES IP 65mg	<p>Each hard gelatin capsule contains:</p> <p>Itraconazole IP 65mg</p> <p>Excipients q.s.</p> <p>Colour: Approved colour used in capsule shells</p>
KETOCONAZOLE,CLOBETASOLE PROPIONATE, IODOCHLORHYDROXY-QUINOLINE, NEOMYCIN SULPHATE, DEXPANTHENOL & TOLNAFTATE CREAM	<p>Ketoconazole IP 2.00% w/w</p> <p>Clobetasole Propionate IP 0.05% w/w</p> <p>Iodochlorhydroxyquinoline IP 1.00%w/w</p> <p>Neomycin sulphate IP eq. to Neomycin 0.10% w/w</p> <p>Dexpantenol BP 0.05%w/w</p> <p>Tolnaftate IP 1.00% w/w</p> <p>Chlorocresol IP 0.1% w/w (as preservative)</p> <p>In a cream base</p>
GABAPENTIN, KETOPROFEN, CAPSAICIN And METHYL SALICYLATE CREAM	<p>Gabapentin IP 8% w/w</p> <p>Ketoprofen IP 5% w/w</p> <p>Capsaicin USP 0.035% w/w</p> <p>Methyl Salicylate IP 5% w/w</p> <p>Cream base q.s.</p>
GINKGO BILOBA, VINPOCETINE, PIRACETAM and BETAHISTINE HYDROCHLORIDE TABLETS	<p>Each film coated tablet contains:</p> <p>Ginkgo Biloba Extract IP 60mg</p> <p>Vinpocetine 5mg</p> <p>Piracetam IP 400mg</p> <p>Betahistine hydrochloride IP 16mg</p> <p>Excipients q.s.</p> <p>Colour: Approved colour used</p>
LINAGLIPTIN AND METFORMIN HYDROCHLORRIDE(SUSTAINED-RELEASE) TABLETS	<p>Each film coated bilayered tablet contains:</p> <p>Linagliptin 5mg</p> <p>Metformin Hydrochloride IP 500mg</p>

	(As sustained-release) Excipients Colour: Approved colour used	q.s.
DICLOFENAC DIETHYLAMINE, LINSEED, LIGNOCAINE HYDROCHLORIDE AND MENTHOL GEL	Diclofenac Diethylamine IP eq. to Diclofenac sodium Linseed oil BP Lignocaine hydrochloride IP Menthol IP gel base	3.48%w/w 3.0% w/w 3.0% w/w 2.5% w/w 5.0% w/w q.s.
CLOBETASOLE PROPIONATE AND SALICYLIC ACID OINTMENT	Clobetasole propionate IP Salicylic acid IP Ointment base	0.05% w/w 6.0% w/w q.s.
METRONIDAZOLE, CHLORHEXIDINE GLUCONATE,LIGNOCAINE AND HYALURONIC ACID GEL	Metronidazole IP Chlorhexidine gluconate IP Lignocaine Hydrochloride IP Hyaluronic acid Gel base	1.0% w/w 1.0% w/w 2% w/w 0.2% w/w q.s.
SERTACONAZOLE NITRATE CREAM IP 2% W/W	Sertaconazole nitrate IP Cream base	2% w/w q.s.
S-ADENOSYL-L-METHIONINE TABLETS 200mg	Each film coated tablet contains: S-Adenosyl-L-Methionine Excipients Colour: Approved colour used	200mg q.s.
S-ADENOSYL-L-METHIONINE TABLETS 400mg	Each film coated tablet contains: S-Adenosyl-L-Methionine Excipients Colour: Approved colour used	400mg q.s.

DULOXETINE GASTRO-RESISTANT TABLETS IP 30mg	Each gastro-resistant tablet contains: Duloxetine hydrochloride IP eq. to Duloxetine Excipients Colour: Approved colour used	30mg q.s.
ACTIVATED DIMETHICONE & PANCREATIN TABLETS	Each film coated tablet contains: Activated dimethicone IP Pancreatin IP Excipients Colour: Approved colour used	80mg 170mg q.s.
VITAMIN B-COMPLEX WITH MINERALS CAPSULES	Each hard gelatin capsule contains: Niacinamide IP Vitamin B2 IP Vitamin B6 IP Folic acid IP Cyanocobalamin IP Calcium (As dibasic calcium phosphate IP) Copper (As cupric sulphate pentahydrate) Excipients Colour: Approved colour used in empty capsule shells	15mg 1.6mg 1.5mg 200mcg 1mcg 10mg 25mcg q.s.
VINPOCETINE TABLETS 5 MG	Each uncoated tablet contains: Vinpocetine BP Excipients	5mg q.s.

<p>PANTOPRAZOLE(ENTERIC COATED) AND LEVOSULPIRIDE(SUSTAINED-RELEASE) CAPSULES</p>	<p>Each hard gelatin capsule contains: Pantoprazole sodium IP eq. to Pantoprazole (As enteric coated pellets) Levosulpiride IP (As sustained-release pellets) Excipients Colour:Approved colour used in empty hard gelatin capsule shells & pellets</p>	<p>40mg 75mg q.s.</p>
<p>B-COMPLEX, VITAMIN C WITH ZINC CAPSULES</p>	<p>Each hard gelatin capsule contains: Zinc gluconate USP Vitamin C IP Vitamin B1 IP Nicotinamide IP Vitamin B6 IP Vitamin B2 IP D-Panthenol IP Vitamin B12 IP Folic Acid IP Cupric sulphate Selenium IP (as sodium selenate) L-Arginine IP Excipients Colour:Approved colour used in empty hard gelatin capsule shells & pellets</p>	<p>17mg 80mg 1.4mg 14mg 1.9mg 2mg 5mg 2mg 300mcg 1.7mg 40mcg 100mcg q.s.</p>

DAPAGLIFLOZIN & METFORMIN HYDROCHLORIDE EXTENDED-RELEASE TABLETS	Each film coated extended-release tablet contains: Dapagliflozin Propanediol USP eq. to Dapagliflozin Metformin Hydrochloride IP (As extended-release) Excipients Colour: Approved colour used	10mg 500mg q.s.
THYROXIN SODIUM TABLETS IP 100mcg	Each uncoated tablet contains: Thyroxin sodium IP eq. to anhydrous Thyroxin sodium Excipients Colour: Approved colour used	100mcg
THYROXIN SODIUM TABLETS IP 112mcg	Each uncoated tablet contains: Thyroxin sodium IP eq. to anhydrous Thyroxin sodium Excipients Colour: Approved colour used	112mcg
THYROXIN SODIUM TABLETS IP 12.5mcg	Each uncoated tablet contains: Thyroxin sodium IP eq. to anhydrous Thyroxin sodium Excipients Colour: Approved colour used	12.5mcg
THYROXIN SODIUM TABLETS IP 25mcg	Each uncoated tablet contains: Thyroxin sodium IP eq. to anhydrous Thyroxin sodium Excipients Colour: Approved colour used	25mcg

<p>THYROXIN SODIUM TABLETS IP 37.5mcg</p>	<p>Each uncoated tablet contains: Thyroxin sodium IP eq. to anhydrous Thyroxin sodium Excipients Colour: Approved colour used</p>	<p>37.5mcg</p>
<p>THYROXIN SODIUM TABLETS IP 50mcg</p>	<p>Each uncoated tablet contains: Thyroxin sodium IP eq. to anhydrous Thyroxin sodium Excipients Colour: Approved colour used</p>	<p>50mcg</p>
<p>THYROXIN SODIUM TABLETS IP 62.5mcg</p>	<p>Each uncoated tablet contains: Thyroxin sodium IP eq. to anhydrous Thyroxin sodium Excipients Colour: Approved colour used</p>	<p>62.5mcg</p>
<p>THYROXIN SODIUM TABLETS IP 75mcg</p>	<p>Each uncoated tablet contains: Thyroxin sodium IP eq. to anhydrous Thyroxin sodium Excipients Colour: Approved colour used</p>	<p>75mcg</p>
<p>THYROXIN SODIUM TABLETS IP 88mcg</p>	<p>Each uncoated tablet contains: Thyroxin sodium IP eq. to anhydrous Thyroxin sodium Excipients Colour: Approved colour used</p>	<p>88mcg</p>

<p>ELEMENTAL IRON,L-METHYLFOLATE CALCIUM, VITAMIN D3, VITAMIN B12, ZINC SULPHATE & VITAMIN C TABLETS</p>	<p>Each film coated tablet contains: Ferrous asparto Glycinate eq. to elemental iron L-Methylfolate calcium Vitamin D3 IP Vitamin B12 IP Zinc sulphate IP Vitamin C IP Excipients Colour:Approved colour used</p>	<p>100mg 118mcg 400IU 1mcg 10mg 40mg q.s.</p>
<p>MILK OF MAGNESIA, LIQUID PARAFFIN, & SODIUM PICOSULPHATE SUSPENSION</p>	<p>Each 5 ml(1 teaspoonful approx.) contains: Milk of Magnesia IP Liquid Paraffin IP Sodium Picosulphate BP In a sorbitol base Colour: Approved colour used</p>	<p>3.75ml 1.25ml 3.33mg</p>
<p>GABAPENTIN,DICLOFENAC, CAPSAICIN & METHYL SALICYLATE OINTMENT</p>	<p>Gabapentin IP Diclofenac Diethylamine IP eq. to Diclofenac Sodium Capsaicin USP Methyl Salicylate IP Ointment base</p>	<p>8% w/w 4.64% w/w 4.0% w/w 0.025% w/w 5% w/w q.s.</p>
<p>DICLOFENAC DIETHYLAMINE, METHYL SALICYLATE,VIRGIN LINSEED OIL AND MENTHOL GEL</p>	<p>Diclofenac Diethylamine IP eq. to Diclofenac Sodium Methyl Salicylate IP Virgin Linseed Oil BP Menthol IP Gel base</p>	<p>2.32% w/w 2.00%w/w 10.0% w/w 3.00% w/w 5.00% w/w q.s.</p>

PREGABALIN AND METHYLCOBALAMIN TABLETS	Each uncoated tablet contains: Pregabalin IP (As sustained release) Methylcobalamin IP Excipients	75mg 1500mcg
TRYPsin CHYMOTRYPsin TABLETS	Each enteric coated tablets contains: 1,00,000 Armour units of enzymatic activity supplied by a purified concentrate which has specific trypsin & chymotrypsin activity in a ratio 6:1 Colour: Approved colour used	
RACECADOTRIL CAPSULE IP 100mg	Each hard gelatin capsule contains: Racecadotril IP Excipients Colour: Approved colour used in empty capsule shells	100mg q.s.
PROPRANOLOL HYDROCHLORIDE TABLETS IP 40mg	Each uncoated tablet contains: Propranolol Hydrochloride IP Excipients	40mg q.s.
PREGABALIN SUSTAINED RELEASE TABLETS 75mg	Each film coated sustained release tablet contains: Pregabalin IP Excipients Colour: Approved colour used	75mg q.s.
LACOSAMIDE TABLETS BP 100mg	Each film coated tablet contains: Lacosamide BP Excipients Colour: Approved colour used	100mg q.s.

FLUOXETINE HYDROCHLORIDE CAPSULES IP 20mg	Each hard gelatin capsule contains: Fluoxetine Hydrochloride IP Fluoxetine Excipients Colour: Approved colour used	20mg q.s.
FEXOFENADINE HYDROCHLORIDE TABLETS IP 180mg	Each film coated tablet contains: Fexofenadine Hydrochloride IP Excipients Colours: Approved colour used	180mg q.s.
CILOSTAZOL TABLETS IP 100mg	Each uncoated tablet contains: Cilostazol IP Excipients	100mg q.s.
CILOSTAZOL TABLETS IP 50mg	Each uncoated tablet contains: Cilostazol IP Excipients	50mg q.s.
AMITRIPTYLINE TABLETS IP 10mg	Each film coated tablet contains: Amitriptyline Hydrochloride IP Excipients Colour: Approved colour used	10mg q.s.
ARIPRAZOLE TABLETS IP 10mg	Each uncoated tablet contains: Aripiprazole IP Excipients	10mg q.s.

METHYLCOBALAMIN, ALPHA LIPOIC ACID, THIAMINE MONONITRATE, PYRIDOXINE HYDROCHLORIDE & FOLIC ACID CAPSULES	Each hard gelatin capsule contains: Methylcobalamin IP Alpha Lipoic Acid IP Thiamine Mononitrate IP Pyridoxine Hydrochloride IP Folic Acid IP Excipients Colour: Approved colour used	1500mcg 100mg 10mg 3mg 1.5mg q.s.
FUSIDIC ACID CREAM IP 2%W/W	Fusidic acid IP Cream base	2% w/w q.s.
OMEPRAZOLE AND DOMPERIDONE CAPSULES IP	Each hard gelatin capsule contains: Omeprazole IP (As enteric coated pellets) Domperidone IP (As pellets) Excipients colour: Approved colour used	20mg 10mg q.s.
OMEPRAZOLE(ENTERIC COATED) AND DOMPERIDONE(SUSTAINED RELEASE) CAPSULES	Each hard gelatin capsule contains: Omeprazole IP (As enteric coated pellets) Domperidone IP (As Sustained release pellets) Excipients colour: Approved colour used	20mg 30mg q.s.
ITRACONAZOLE CAPSULES IP 130mg (SUPRA BIOAVAILABLE)	Each hard gelatin capsule contains: Itraconazole IP (As pellets) Excipients Colour: Approved colour used in empty capsule shells	130mg q.s.

MEFENAMIN ACID & PARACETAMOL SUSPENSION	Each 5 ml contains: Mefenamic Acid IP Paracetamol IP Flavoured syrup base colour: Approved colour used	100mg 250mg q.s.
OFLOXACIN, METRONIDAZOLE & SIMETHICONE SUSPENSION	Each 5 ml contains: Ofloxacin IP Metronidazole Benzoate IP eq. to Metronidazole Simethicone IP Flavoured syrup base Colour: Approved colour used	50mg 120mg 10mg q.s.
ITRACONAZOLE CAPSULES IP 100mg	Each hard gelatin capsule contains: Itraconazole IP (As pellets) Excipients Colour: Approved colour used in empty capsule shells	100mg q.s.
VOGLIBOSE, GLIMEPIRIDE AND METFORMIN HYDROCHLORIDE SUSTAINED RELEASE TABLETS	Each uncoated bilayered tablet contains: Voglibose IP Glimepiride IP Metformin Hydrochloride IP (As sustained release) Excipients Colour: Approved colour used	0.2mg 2mg 500mg q.s.
IBUPROFEN & PARACETAMOL SUSPENSION	Each 5ml contains: Ibuprofen IP Paracetamol IP Flavoured Syrup base Colour: Approved colour used	100mg 162.5mg q.s.

TOLPERISONE HYDROCHLORIDE TABLETS 150mg	Each film coated tablet contains: Tolperisone Hydrochloride Excipients colour: Approved colour used	150mg q.s.
TENELIGLIPTIN AND METFORMIN HYDROCHLORIDE SUSTAINED-RELEASE TABLETS IP	Each uncoated bilayered tablet contains: Teneligliptin Hydrobromide Hydrate IP eq. to Teneligliptin Metformin Hydrochloride IP (As sustained release) Excipients Colour: Approved colour used	20mg 500mg q.s.
NITROGLYCERIN CONTROLLED-RELEASE TABLETS 2.6mg	Each uncoated controlled-release tablet contains: Diluted Nitroglycerine IP eq. to nitroglycerine Excipients Colour: Approved colour used	2.6mg
CALCIUM CARBONATE, METHYLCOBALAMIN,CALCITRIOL, OMEGA 3 FATTY ACID(EPA & DHA), FOLIC ACID & BORON TABLETS	Each film coated tablet contains: Calcium carbonate IP Methylcobalamin IP Calcitriol IP Omega 3 fatty acid (EPA 180mg+ DHA 120mg) Folic Acid IP Boron Excipients Colour: Sunset yellow FCF	500mg 1500mcg 0.25mcg 400mcg 1.5mg q.s.

<p>PREDNISOLONE SODIUM PHOSPHATE ORAL DROPS</p>	<p>Each ml contains: Prednisolone sodium phosphate IP eq. to Prednisolone Flavoured syrupy base Colour: Approved colour used</p>	<p>5mg q.s.</p>
<p>NITROGLYCERIN CONTROLLED- RELEASE TABLETS 6.4mg</p>	<p>Each uncoated controlled-release tablet contains: Diluted Nitroglycerine IP eq. to nitroglycerine Excipients Colour: Approved colour used</p>	<p>6.4mg q.s.</p>
<p>OLMESARTAN MEDOXOMIL AND HYDROCHLOROTHIAZIDE TABLETS IP</p>	<p>Each film coated tablet contains: Olmesartan medoxomil IP Hydrochlorothiazide IP Excipients Colour: Approved colour used</p>	<p>20mg 12.5mg q.s.</p>
<p>METHYLCOBALAMIN, ALPHA LIPOIC ACID,BENFOTIAMINE,PYRIDOXINE & FOLIC ACID CAPSULES</p>	<p>Each hard gelatin capsule contains: Methylcobalamin IP Alpha Lipoic Acid IP Benfotiamine Pyridoxine Hydrochloride IP Folic Acid IP Excipients Colour: Approved colour used</p>	<p>1500mcg 100mg 15mg 3mg 1.5mg q.s.</p>
<p>CALCIUM AND CALCITRIOL TABLETS</p>	<p>Each film coated tablet contains: 1250mg of calcium carbonate IP from an organic source(powdered oyster shell) eq. to elemental calcium Calcitriol IP Excipients Colour: Approved colour used</p>	<p>500mg 0.25mcg q.s.</p>

TELMISARTAN TABLETS IP 20mg	Each uncoated tablet contains: Telmisartan IP Excipients	20mg q.s.
ROSUVASTATIN & CLOPIDOGREL CAPSULES	Each hard gelatin capsule contains: Rosuvastatin calcium IP eq. to Rosuvastatin (As pellets) Clopidogrel Bisulphate IP eq. to Clopidogrel (As pellets) Excipients Colour: Approved colour used	10mg 75mg q.s.
CALCIUM WITH ALFACALCIDOL TABLETS	Each film coated tablet contains: 1250mg of calcium carbonate IP from an organic source(oyster shell) eq. to elemental calcium Alfacalcidol IP Excipients Colour: Approved colour used	500mg 0.25mcg q.s.
LOSARTAN & AMLODIPINE TABLETS IP	Each film coated tablet contains: Losartan Potassium IP Amlodipine Besilate IP eq. to Amlodipine Excipients Colour: Approved colour used	50mg 5mg q.s.
ROSUVASTATIN AND FENOFIBRATE TABLETS IP	Each film coated tablet contains: Rosuvastatin calcium IP eq. To Rosuvastatin Fenofibrate IP Excipients colour: Approved colour used	10mg 160mg q.s.

LEVOCETIRIZINE MOUTH DISSOLVING TABLETS 5MG	Each uncoated mouth dissolving tablet contains: Levocetirizine Dihydrochloride IP Excipients colour: Approved colour used	5mg q.s.
LEVODROPROPIZINE SYRUP	Each 5ml contains: Levodropropizine Flavoured syrup base Colour: Approved colour used	30mg q.s.
HYDROQUINONE, TRETINOIN & MOMETASONE FUROATE CREAM	Hydroquinone USP Tretinoin USP Mometasone IP Cream base	2.0% w/w 0.025% w/w 0.1% w/w q.s.
CLOTRIMAZOLE DUSTING POWDER	Clotrimazole IP Talc IP base	1% w/w q.s.
ZINC ACETATE ORAL SOLUTION USP	Each 5 ml contains: Zinc Acetate USP (As dihydrate) eq. to elemental zinc flavoured syrup base Colour: Approved colour used	20mg q.s.
DIACEREIN, GLUCOSAMINE SULFATE POTASSIUM CHLORIDE AND METHYLSULPHONYL METHANE TABLETS	Each film coated tablet contains: Diacerein IP Glucosamine Sulfate Potassium Chloride USP Methylsulphonyl Methane USP Excipients Colour: Approved colour used	50mg 750mg 250mg q.s.
PHENYTOIN SODIUM EXTENDED RELEASE TABLETS 300mg	Each film coated extended release tablet contains: Phenytoin Sodium IP Excipients Colour: Approved colour used	300mg q.s.

DOMPERIDONE ORAL DROPS	Each ml contains: Domperidone IP Flavoured syrupy base Colour: Approved colour used	10mg q.s.
CALCIUM & VITAMIN D3 SUSPENSION	Eacg 5 ml contains: Calcium Carbonate 625mg from an oraganic source(oyster shell) eq. to elemental calcium Vitamin D3 IP In a flavoured syrup base Colour: Approved colour used	250mg 125 IU
MIDODRINE HYDROCHLORIDE TABLETS USP 2.5mg	Each uncoated tablet contains: Midodrine Hydrochloride USP Excipients	2.5mg q.s.
ACECLOFENAC SUSTAINED RELEASE AND RABEPRAZOLE ENTERIC COATED CAPSULES	Each hard gelatin capsule contains: Aceclofenac IP (As sustained release pellets) Rabeprazole sodium IP (As enteric coated pellets) Excipients Colours: Approved colour used in empty hard gelatin capsule shells & pellets	200mg 20mg q.s.
CYPROHEPTADINE HYDROCHLORIDE, TRICHOLINE CITRATE & SORBITOL SYRUP	Each 5 ml contains: Cyproheptadine Hydrochloride IP Tricholine Citrate Sorbitol(70%) (non-crystallising) IP flavoured syrup base Colour: Approved colour used	2mg 275mg 2gm q.s.

TACROLIMUS CAPSULES IP 1mg	Each hard gelatin capsule contains: Tacrolimus IP Excipients Colour: Approved colour used in empty hard gelatin capsule shells & pellets	1mg q.s.
TACROLIMUS CAPSULES IP 0.25mg	Each hard gelatin capsule contains: Tacrolimus IP Excipients Colour: Approved colour used in empty hard gelatin capsule shells & pellets	0.25mg q.s.
METHYLCOBALAMIN, ALPHA LIPOIC ACID, FOLIC ACID, PYRIDOXINE HYDROCHLORIDE & BIOTIN CAPSULES	Each hard gelatin capsule contains: Methylcobalamin IP Alpha Lipoic Acid IP Folic Acid IP Pyridoxine Hydrochloride IP Biotin IP Excipients Colour: Approved colour used	1500mcg 200mg 1.5mg 3mg 200mcg q.s.
TELMISARTAN, AMLODIPINE AND HYDROCHLOROTHIAZIDE TABLETS	Each uncoated bilayered tablet contains: Telmisartan IP Amlodipine besylate IP eq. to Amlodipine Hydrochlorothiazide IP Excipients Colour: Approved colour used	40mg 5mg 12.5mg q.s.
DICLOFENAC POTASSIUM & SERRATIOPEPTIDASE TABLETS	Each film coated tablet contains: Diclofenac Potassium IP Serratiopeptidase IP Excipients Colour: Approved colour used	50mg 10mg q.s.

NATEGLINIDE AND METFORMIN HYDROCHLORIDE TABLETS	Each film coated tablet contains: Nateglinide BP Metformin Hydrochloride IP (As sustained release) Excipients Colour: Approved colour used	60mg 500mg q.s.
NATEGLINIDE TABLETS	Each film coated tablet contains: Nateglinide BP Excipients Colour: Approved colour used	60mg q.s.
ROSUVASTATIN TABLETS IP 5mg	Each film coated tablet contains: Rosuvastatin calcium IP eq. to Rosuvastatin Excipients Colour: Approved colour used	5mg q.s.
LOSARTAN POTASSIUM & HYDROCHLOROTHIAZIDE TABLETS IP	Each film coated tablet contains: Losartan Potassium IP Hydrochlorothiazide IP Excipients Colour: Approved colour used	50mg 12.5mg q.s.
DIVALPROEX PROLONGED RELEASE TABLETS IP 500mg	Each film coated prolonged-release tablet contains: Divalproex Sodium IP eq. to Valproic Acid Excipients Colour: Approved colour used	500mg q.s.
TENELIGLIPTIN AND METFORMIN HYDROCHLORIDE SUSTAINED-RELEASE TABLETS IP	Each uncoated bilayered tablet contains: Teneligliptin Hydrobromide Hydrate IP eq. to Teneligliptin Metformin Hydrochloride IP (As sustained-release) Excipients Colour: Approved colour used	20mg 1000mg q.s.

BIOTIN, L-METHYLFOLATE CALCIUM, METHYLCOBALAMIN & PYRIDOXAL-5-PHOSPHATE TABLETS	Each film coated tablet contains: Biotin IP L-Methylfolate calcium Methylcobalamin IP Pyridoxal-5-phosphate Excipients Colour: Approved colour used	5mg 1mg 1500mcg 0.5mg q.s.
RABEPRAZOLE SODIUM AND DOMPERIDONE TABLETS	Each enteric coated tablet contains: Rabeprazole Sodium IP Domperidone IP Excipients Colour: Approved colour used	20mg 10mg q.s.
LINAGLIPTIN & METFORMIN HYDROCHLORIDE TABLETS	Each film coated tablet contains: Linagliptin Metformin Hydrochloride IP Excipients Colour: Approved colour used	2.5mg 500mg q.s.
ATORVASTATIN & FENOFIBRATE TABLETS IP	Each film coated tablet contains: Atorvastatin Calcium IP eq. to Atorvastatin Fenofibrate IP Excipients Colour: Approved colour used	10mg 160mg q.s.
SERTRALINE TABLETS IP 100mg	Each film coated tablet contains: Sertraline Hydrochloride IP eq. to Setraline Excipients Colour: Approved colour used	100mg q.s.
TERBUTALINE SULPHATE, AMBROXOL HYDROCHLORIDE, GUAIPHENESIN & MENTHOL SYRUP	Each 5ml contains: Terbutaline sulphate IP Ambroxol Hydrochloride IP Guaiphenesin IP Menthol IP Flavoured syrup base	1.25mg 15mg 50mg 1.5mg q.s.

HYDROCHLOROTHIAZIDE TABLETS IP 25mg	Each uncoated tablet contains: Hydrochlorothiazide IP Excipients	25mg q.s.
HYDROCHLOROTHIAZIDE TABLETS IP 12.5mg	Each uncoated tablet contains: Hydrochlorothiazide IP Excipients	12.5mg q.s.
ATORVASTATIN TABLETS IP 10mg	Each film coated tablet contains: Atorvastatin calcium IP eq. to atorvastatin Excipients Colour: Approved colour used	10mg q.s.
ATORVASTATIN TABLETS IP 20mg	Each film coated tablet contains: Atorvastatin calcium IP eq. to atorvastatin Excipients Colour: Approved colour used	20mg q.s.
ATORVASTATIN TABLETS IP 40mg	Each film coated tablet contains: Atorvastatin calcium IP eq. to atorvastatin Excipients Colour: Approved colour used	40mg q.s.
ATORVASTATIN TABLETS IP 80mg	Each film coated tablet contains: Atorvastatin calcium IP eq. to atorvastatin Excipients Colour: Approved colour used	80mg q.s.
TELMISARTAN AND CHLORTHALIDONE TABLETS	Each film coated tablet contains: Telmisartan IP Chlorthalidone IP Excipients Colour: Approved colour used	40mg 6.25 q.s.

TERBUTALINE SULFATE, BROMHEXINE HYDROCHLORIDE & GUAIFENESIN SYRUP	Each 5 ml contains: Terbutaline Sulfate BP Bromhexine Hydrochloride BP Guaifenesin BP Flavoured syrupy base Colour: Approved colour used	1.25mg 4mg 50mg q.s.
BROMHEXINE HYDROCHLORIDE, GUAIPHENESIN & TERBUTALINE SULPHATE SYRUP	Each 5 ml contains: Bromhexine Hydrochloride IP Guaiphenesin IP Terbutaline Sulphate IP Flavoured syrup base Colour: Approved colour used	4mg 50mg 1.25mg q.s.
CARVEDILOL TABLETS IP 12.5mg	Each uncoated tablet contains: Carvedilol IP Excipients Colour: Approved colour used	12.5mg q.s.
DULOXETINE GASTRO-RESISTANT TABLETS IP 20mg	Each gastro-resistant tablet contains: Duloxetine Hydrochloride IP eq. to Duloxetine Excipients Colour: Approved colour used	20mg q.s.
CARBIMAZOLE TABLETS IP 5mg	Each uncoated tablet contains: Carbimazole IP Excipients	5mg q.s.
VOGLIBOSE & REPAGLINIDE TABLETS IP	Each uncoated tablet contains: Voglibose IP Repaglinide IP Excipients	0.3mg 2 mg q.s.

CLOPIDOGREL AND ASPIRIN TABLETS IP	Each uncoated bilayered tablet contains: Clopidogrel Bisulphate IP eq. to Clopidogrel Aspirin IP Excipients Colour: Approved colour used	75mg 150mg q.s.
GLICLAZIDE AND METFORMIN HYDROCHLORIDE TABLETS	Each uncoated tablet contains: Gliclazide IP Metformin Hydrochloride IP Excipients	80mg 500mg q.s.
REBAMIPIDE TABLETS 100mg	Each film coated tablet contains: Rebamipide IP Excipients Colour: Approved colour used	100mg q.s.
NIMODIPINE TABLETS IP 30mg	Each film coated tablet contains: Nimodipine IP Excipients Colour: Approved colour used	30mg q.s.
DEXLANSOPRAZOLE DELAYED RELEASE CAPSULES 60mg	Each hard gelatin capsule contains: Dexlansoprazole IP (As enteric coated pellets) Excipients Colour: Approved colour used in empty hard gelatin capsule shell & pellets	60mg q.s.
DICLOFENAC DIETHYLAMINE, LINSEED OIL, METHYL SALICYLATE, & MENTHOL GEL	Diclofenac Diethylamine IP eq. to Diclofenac Sodium Linseed oil BP Methyl Salicylate IP Menthol IP Benzyl Alcohol IP(as preservative) Gel base	1.16% w/w 1.0% w/w 3.0% w/w 10.0% w/w 0.5% w/w 1% w/w q.s.

<p>METHYLCOBALAMIN WITH MULTIVITAMIN AND MULTIMINERAL SYRUP</p>	<p>Each 15ml contains:</p> <p>Methylcobalamin IP 500mcg</p> <p>Vitamin B6 IP 1.5mg</p> <p>Niacinamide IP 45mg</p> <p>Biotin USP 300mcg</p> <p>Zinc sulphate IP 7.5mg</p> <p>eq. to elemental zinc</p> <p>Potassium Iodide IP 75mcg</p> <p>eq. to elemental iodine</p> <p>Ferric ammonium citrate IP 18mg</p> <p>eq. to elemental iron</p> <p>Copper sulphate pentahydrate BP 0.45mg</p> <p>eq. to elemental copper</p> <p>Manganese sulphate monohydrate USP 1.0mg</p> <p>eq. to elemental manganese</p> <p>Chromium Chloride USP 25mcg</p> <p>eq. to elemental chromium</p> <p>L-Lysine Monohydrochloride USP 50mg</p> <p>Sosium selenate Pentahydrate BP 40mcg</p> <p>eq. to elemental selenium</p> <p>Absolute alcohol IP 5% v/v</p> <p>Flavoured syrupy base q.s.</p> <p>Colour: Approved colour used</p>	
<p>TAMSULOSIN HYDROCHLORIDE MODIFIED RELEASE & DUTASTERIDE TABLETS</p>	<p>Each film coated tablet contains:</p> <p>Tamsulosin Hydrochloride IP 0.4mg</p> <p>(As modified-release)</p> <p>Dutasteride IP 0.5mg</p> <p>Excipients q.s.</p> <p>Colour: Approved colour used</p>	

TELMISARTAN AND CILNIDIPINE TABLETS	Each film coated tablet contains: Telmisartan IP Cilnidipine IP Excipients Colour: Approved colour used	40mg 10mg q.s.
GLICLAZIDE PROLONGED RELEASE TABLETS IP	Each uncoated prolonged release tablet contains: Gliclazide IP Excipients	60mg q.s.
LOSARTAN POTASSIUM and HYDROCHLOROTHIAZIDE TABLETS IP	Each film coated tablet contains: Losartan potassium IP Hydrochlorothiazide IP Excipients Colour: Approved colour used	25 mg 12.5mg q.s.
DONEPEZIL HYDROCHLORIDE TABLETS IP 5mg	Each film coated tablet contains: Donepezil Hydrochloride IP Excipients Colour: Approved colour used	5mg q.s.
TAMSULOSIN HYDROCHLORIDE PROLONGED-RELEASE CAPSULES IP 0.4mg	Each hard gelatin capsule contains: Tamsulosin Hydrochloride IP (As prolonged release pellets) Excipients Approved colour used in capsule shells	0.4mg q.s.
AMITRIPTYLINE TABLETS IP 50mg	Each film coated tablet contains: Amitriptyline Hydrochloride IP Excipients Colour: Approved colour used	50mg q.s.
SODIUM PICOSULFATE ORAL SOLUTION BP	Each 5ml contains: Sodium picosulfate BP In a palatable sorbitol base Colour: Approved colour used	5mg
FEXOFENADINE HYDROCHLORIDE	Each film coated tablet contains:	

TABLETS IP 120mg	Fexofenadine Hydrochloride IP Excipients Colour: Approved colour used	120mg q.s.
FEXOFENADINE HYDROCHLORIDE AND MONTELUKAST TABLETS	Each film coated tablet contains: Fexofenadine Hydrochloride IP Montelukast sodium IP eq. to Montelukast Excipients Colour: Approved colour used	120mg 10mg q.s.
TERBUTALINE SULPHATE, BROMHEXINE HYDROCHLORIDE, GUAIPHENESIN & MENTHOL SYRUP	Each 5 ml contains: Terbutaline sulphate IP Bromhexine hydrochloride IP Guaiphenesin IP Menthol IP in a flavoured syrupy base Colour: Approved colour used	1.25mg 4mg 50mg 1mg
MECOBALAMIN, ALPHA LIPOIC ACID, BENFOTIAMINE, PYRIDOXINE HYDROCHLORIDE, BIOTIN AND FOLIC ACID CAPSULES	Each hard gelatin capsule contains: Mecobalamin IP Alpha Lipoic Acid IP Benfotiamine Pyridoxine Hydrochloride IP Biotin IP Folic Acid IP Excipients Colour: Approved colour used	1500mcg 200mg 50mg 5mg 5mg 5mg q.s.
DICLOFENAC DIETHYLAMINE, LINSEED OIL, LIGNOCAINE HYDROCHLORIDE, METHYL SALICYLATE & MENTHOL GEL	Diclofenac Diethylamine IP eq. to Diclofenac sodium Linseed oil BP Lignocaine Hydrochloride IP Methyl Salicylate IP Menthol IP Gel base	3.48%w/w 3.0% w/w 3.0% w/w 2.5% w/w 10.0% w/w 5.0% w/w q.s.

L-CARNITINE L-TARTRATE, METHYLCOBALAMIN & FOLIC ACID TABLETS	Each film coated tablet contains: L-Carnitine L-Tartrate eq. to L-Tartrate Methylcobalamin IP Folic Acid IP Excipients Colour: Approved colour used	500mg 1500mcg 1.5mg q.s.
GABAPENTIN TABLETS IP 100mg	Each film coated tablet contains: Gabapentin IP Excipients Colour: Approved colour used	100mg q.s.
TACROLIMUS CAPSULES IP 2mg	Each hard gelatin capsule contains: Tacrolimus IP Excipients Colour: Approved colour used in empty hard gelatin capsule shells & pellets	2mg q.s.
CLOBETASOL PROPIONATE, GENTAMICIN SULFATE, MICONAZOLE NITRTAE & CLOTRIMAZOLE CREAM	Clobetasol propionate IP Gentamicin Sulphate IP eq. to Gentamicin Miconazole Nitrate IP Clotrimazole IP Cream base	0.05% w/w 0.1% w/w 2.0% w/w 1.0% w/w q.s.
L-CARNITINE L-TARTRATE, METHYLCOBALAMIN & FOLIC ACID TABLETS	Each film coated tablet contains: L-Carnitine L-Tartrate eq. to L-Carnitine Methylcobalamin IP Folic acid IP Excipients Colour: Approved colour used	500mg 1500mcg 1.5mg q.s.
BEMPEDOIC ACID TABLETS 180mg	Each film coated tablet contains: Bempedoic acid Excipients Colour: Approved colour used	180mg q.s.

NAPROXEN SODIUM AND DOMPERIDONE TABLETS	Each film coated tablet contains: Naproxen Sodium BP Domperidone IP Excipients Colour: Approved colour used	500mg 10mg q.s.
ACEBROPHYLLINE SUSTAINED-RELEASE TABLETS	Each film coated sustained-release tablets contains: Acebrophylline Excipients Colour: Approved colour used	100mg q.s.
DOMPERIDONE DISPERSIBLE TABLETS	Each uncoated dispersible tablet contains: Domperidone IP Excipients	10mg q.s.
DICLOFENAC POTASSIUM AND SERRATIOPEPTIDASE TABLETS	Each film coated tablet contains: Diclofenac Potassium IP Serratiopeptidase IP (As enteric coated 30,000 serratiopeptidase granules) Excipients Colour: Approved colour used	50mg 15mg q.s.
LULICONAZOLE CREAM IP 1% W/W	Luliconazole IP Cream base	1% w/w q.s.
FLUNARIZINE TABLETS IP 10mg	Each film coated tablet contains: Flunarizine Dihydrochloride IP eq. to Flunarizine Excipients Colour: Approved colour used	10mg q.s.
FLUNARIZINE TABLETS IP 5mg	Each film coated tablet contains: Flunarizine Dihydrochloride IP eq. to Flunarizine Excipients Colour: Approved colour used	5mg q.s.

ZINC ACETATE TABLETS 50mg	Each film coated tablet contains: Zinc acetate USP(as dihydrate) eq. to elemental zinc Excipients Colour: Approved colour used	50mg q.s.
ANTI HAEMORRHOIDAL CREAM WITH BECLOMETHASONE DIPROPIONATE, PHENYLEPHRINE HYDROCHLORIDE AND LIGNOCAINE HYDROCHLORIDE	Beclomethasone Dipropionate IP Phenylephrine Hydrochloride IP Lignocaine Hydrochloride IP Chlorocresol IP (As preservative) In an aqueous cream base	0.025% w/w 0.10% w/w 2.5% w/w 0.1% w/w q.s.
BISOPROLOL TABLETS IP 10mg	Each film coated tablet contains: Bisoprolol Fumarate IP Excipients Colour: Approved colour used	10mg q.s.
METHYLPREDNISOLONE TABLETS IP 8mg	Each uncoated tablet contains: Methylprednisolone Excipients	8mg q.s.
GABAPENTIN AND NORTRIPTYLINE HYDROCHLORIDE TABLETS	Each film coated tablet contains: Gabapentin IP Nortriptyline Hydrochloride IP eq. to Nortriptyline Excipients Colour: Approved colour used	100mg 5mg q.s.
THIAMINE HYDROCHLORIDE, RIBOFLAVIN, PYRIDOXINE HYDROCHLORIDE, NIACINAMIDE AND CALCIUM PANTOTHENATE TABLETS	Each film coated tablet contains: Thiamine Hydrochloride IP Riboflavin IP Pyridoxine Hydrochloride IP Niacinamide IP Calcium Pantothenate IP Excipients Colour: Approved colour used	2mg 2mg 0.5mg 25mg 1mg q.s.

DEFLAZACORT TABLETS 6mg	Each uncoated tablet contains: Deflazacort Excipients	6mg q.s.
AMBROXOL HYDROCHLORIDE & DOXOFYLLINE TABLETS	Each film coated tablet contains: Ambroxol Hydrochloride IP Doxofylline IP Excipients Colour: Approved colour used	30mg 400mg q.s.
SERTRALINE TABLETS IP 50mg	Each film coated tablet contains: Sertraline Hydrochloride IP eq. to Sertraline Excipients Colour: Approved colour used	50mg q.s.
DAPAGLIFLOZIN AND LINAGLIPTIN TABLETS	Each film coated tablet contains: Dapagliflozin Propanedoil USP eq. to Dapagliflozin Linagliptin Excipients Colour: Approved colour used	10mg 5mg q.s.
POVIDONE-IODINE OINTEMNT USP 10% W/W	Povidone-Iodine IP (Available iodine 1.0% w/w) ointment base	10% w/w q.s
DICLOFENAC DIETHYLAMINE, LINSEED OIL, METHYL SALICYLATE, CAPSAICIN & MENTHOL GEL	Diclofenac Diethylamine IP eq. to Diclofenac Sodium Linseed Oil BP Methyl Salicylate IP Capsaicin USP Menthol IP Benzyl Alcohol IP (As preservative) Gel base	1.16% w/w 1.0% w/w 3.0% w/w 10.0% w/w 0.025% w/w 5.0% w/w 1.0% w/w q.s.

SPIRAMYCIN TABLETS 3 M.I.U.	Each film coated tablet contains: Spiramycin IP Excipients Colour: Approved colour used	3 M.I.U. Q.S.
PREBIOTIC AND PROBIOTIC CAPSULES	Each hard gelatin capsule contains: Lactobacillus Acidophilus Lactobacillus Rhamnosus Bifidobacterium Longum Bifidobacterium Bifidum Saccharomyces Boulardii Streptococcus Thermophilus Fructo oligo saccharides Excipients Colour: Approved colour used in empty hard gelatin capsule shells	0.48 billion 0.48 billion 0.48 billion 0.48 billion 0.10 billion 0.48 billion 300mg q.s.
L-ORNITHINE-L-ASPARTATE SYRUP	Each 5 ml contains: L-ornithine-L-Aspartate in a flavoured syrup base	250mg
CARBONYL IRON, VITAMIN C, FOLIC ACID , VITAMIN B12 & ZINC CAPSULES	Each hard gelatin capsule contains: Carbonyl iron eq. to elemental iron Vitamin C IP Folic Acid IP Vitamin B12 IP Zinc Sulphate Monohydrate IP eq. to elemental zinc Excipients Colour: Approved colour used	100mg 75mg 1.5mg 15mcg 61.8mg 22.5mg q.s.

TENELIGLIPTIN, PIOGLITAZONE & METFORMIN HYDROCHLORIDE(SR) TABLETS	Each film coated bilayered tablet contains: Teneligliptin Hydrobromide Hydrate IP eq. to Teneligliptin Pioglitazone Hydrochloride IP eq. to Pioglitazone Metformin Hydrochloride IP (As sustained release) Excipients Colour: Approved colour used	20mg 15mg 500mg q.s.
CALCIUM, ALPHA LIPOIC ACID, BENFOTIAMINE, INOSITOL, PYRIDOXINE HYDROCHLORIDE,FOLIC ACID,METHYLCOBALAMIN,CHROMIUM PICOLINATE AND CALCITRIOL TABLETS	Each film coated tablet contains: Calcium Carbonate IP Alpha Lipoic Acid IP Benfotiamine Inositol IP Pyridoxine Hydrochloride IP Folic Acid IP Methylcobalamin IP Chromium Picolinate IP Calcitriol IP Excipients Colour: Approved colour used	500mg 200mg 150mg 100mg 3mg 1.5mg 1500mcg 200mcg 0.25mcg q.s.
DOXYCYCLINE AND LACTIC ACID BACILLUS CAPSULES	Each hard gelatin capsule contains: Doxycycline Hydrochloride IP eq. to Doxycycline Lactic acid bacillus Excipients Colour: Approved colour used in empty capsule shells	100mg 60 million spores q.s.
ACECLOFENAC, PARACETAMOL AND SERRATIOPEPTIDASE TABLETS	Each film coated tablet contains: Aceclofenac IP Paracetamol IP Serratiopeptidase IP (20,000 units of serratiopeptidase enteric coated granules) Excipients Colours: Approved colour used	100mg 325mg 10mg q.s.

GABAPENTIN AND NORTRIPTYLINE HYDROCHLORIDE TABLETS	Each film coated tablet contains: Gabapentin IP Nortriptyline Hydrochloride IP eq. to Nortriptyline Excipients Colour: Approved colour used	200mg 10mg q.s.
GABAPENTIN TABLETS IP 300mg	Each film coated tablet contains: Gabapentin IP Excipients Colour: Approved colour used	300mg q.s.
ACECLOFENAC, PARACETAMOL & CHLORZOXAZONE TABLETS	Each film coated tablet contains: Aceclofenac IP Paracetamol IP Chlorzoxazone USP Excipients Colour: Approved colour used	100mg 325mg 250mg q.s.
DAPAGLIFLOZIN AND VILDAGLIPTIN SUSTAINED RELEASE TABLETS	Each bilayer tablet contains: Dapagliflozin Propanediol Monohydrate eq. to Dapagliflozin Vildagliptin IP (As sustained release) excipients colour: Approved colour used	10mg 100mg q.s.
TOFACITINIB OINTMENT 2% W/W	Tofacitinib Citrate IP eq. to Tofacitinib Ointment base	2% w/w q.s.
LEVOCETIRIZINE, MONTELUKAST & AMBROXOL HYDROCHLORIDE(SR) TABLETS	Each uncoated bilayered tablet contains: Levocetirizine Hydrochloride IP Montelukast sodium IP eq. to Montelukast Ambroxol Hydrochloride IP Excipients Colour: Approved colour used	5mg 10mg 75mg q.s.

TOLPERISONE AND PARACETAMOL TABLETS	Each film coated tablet contains: Tolperisone Hydrochloride Paracetamol IP Excipients Colour: Approved colour used	150mg 325mg q.s.
DAPAGLIFLOZIN,SITAGLIPTIN AND METFORMIN HYDROCHLORIDE(EXTENDED RELEASE) TABLETS	Each film coated tablet contains: Dapagliflozin Propanediol USP eq. to Dapagliflozin Sitagliptin Phosphate Monohydrate IP eq. to Sitagliptin Metformin Hydrochloride IP (As Sustained release) Excipients Colour: Approved colour used	10mg 100mg 500mg q.s.
DAPAGLIFLOZIN,SITAGLIPTIN AND METFORMIN HYDROCHLORIDE(EXTENDED RELEASE) TABLETS	Each film coated tablet contains: Dapagliflozin Propanediol USP eq. to Dapagliflozin Sitagliptin Phosphate Monohydrate IP eq. to Sitagliptin Metformin Hydrochloride IP (As Sustained release) Excipients Colour: Approved colour used	10mg 100mg 1000mg q.s.
DEXTROMETHORPHAN HYDROBROMIDE, PHENYLEPHRINE HYDROCHLORIDE & CHLORPHENIRAMINE MALEATE SYRUP	Each 5ml contains: Dextromethorphan Hydrobromide IP Phenylephrine Hydrochloride IP Chlorpheniramine Maleate IP Flavoured syrup base Colour: Approved colour used	5mg 5mg 1mg q.s.
PROPRANOLOL HYDROCHLORIDE TABLETS IP 10mg	Each uncoated tablet contains: Propranolol Hydrochloride IP Excipients	10mg q.s.

<p>ROSUVASTATIN 40mg AND EZETIMIBE 10mg TABLETS IP</p>	<p>Each film coated tablet contains: Rosuvastatin calcium IP eq. To Rosuvastatin Ezetimibe IP Excipients colour: Approved colour used</p>	<p>40mg 10mg q.s.</p>
<p>GABAPENTIN AND NORTRIPTYLINE HYDROCHLORIDE TABLETS</p>	<p>Each film coated tablet contains: Gabapentin IP Nortriptyline Hydrochloride IP eq. to Nortriptyline Excipients Colour: Approved colour used</p>	<p>300mg 10mg q.s.</p>
<p>ATORVASTATIN & FENOFIBRATE TABLETS IP</p>	<p>Each film coated tablet contains: Atorvastatin Calcium IP eq. to Atorvastatin Fenofibrate IP Excipients Colour: Approved colour used</p>	<p>20mg 160mg q.s.</p>
<p>GLIMEPIRIDE AND METFORMIN HYDROCHLORIDE SUSTAINED-RELEASE TABLETS IP</p>	<p>Each uncoated bilayered tablet contains: Glimepiride IP Metformin Hydrochloride IP (As sustained-release) Excipients Colour: Approved colour used</p>	<p>0.5mg 500mg q.s.</p>
<p>VITAMIN D3 DROPS</p>	<p>Each ml contains: Vitamin D3 IP (Cholecalciferol) In a flavoured syrup base colour: Approved colour used</p>	<p>400 IU</p>
<p>TRANEXAMIC ACID AND MEFENAMIC ACID TABLETS</p>	<p>Each film coated tablet contains: Tranexamic acid IP Mefenamic Acid IP Excipients Colour: Approved colour used</p>	<p>500mg 250mg q.s.</p>

BIOTIN TABLETS USP 5mg	Each film coated tablet contains: Biotin USP Excipients Colour: Approved colour used	5mg q.s.
FLUNARIZINE TABLETS IP 10mg	Each uncoated tablet contains: Flunarizine Dihydrochloride IP eq. to Flunarizine Excipients	10mg q.s.
FLUNARIZINE TABLETS IP 5mg	Each uncoated tablet contains: Flunarizine Dihydrochloride IP eq. to Flunarizine Excipients	5mg q.s.
LEVOSALBUTAMOL, AMBROXOL & GUAIPHENESIN SYRUP	Each 5 ml contains: Levosalbutamol Sulphate IP eq. to Levosalbutamol Ambroxol Hydrochloride IP Guaiphenesin IP Flavoured syrup base Colour: Approved colour used	1mg 30mg 50mg q.s.
LEVOCETIRIZINE DIHYDROCHLORIDE SYRUP	Each 5 ml contains: Levocetirizine Dihydrochloride IP Flavoured syrup base Colour: Approved colour used	2.5mg q.s.
LEVOCETIRIZINE HYDROCHLORIDE & MONTELUKAST SODIUM SUSPENSION	Each 5 ml contains: Levocetirizine hydrochloride IP Montelukast Sodium IP eq. to Montelukast Flavoured syrup base Colour: Approved colour used	2.5mg 4mg q.s.

TERBUTALINE SULPHATE,BROMHEXINE HYDROCHLORIDE, GUAIPHENESIN AND MENTHOL SYRUP	Each 5 ml contains: Terbutaline Sulphate IP Bromhexine Hydrochloride IP Guaiphenesin IP Menthol IP Flavoured Syrup base Colour: Approved colour used	1.25mg 2mg 50mg 0.5mg q.s.
ROSUVASTATIN & CLOPIDOGREL CAPSULES	Each hard gelatin capsule contains: Rosuvastatin Calcium IP eq. to Rosuvastatin (As pellets) Clopidogrel Bisulphate IP eq. to Clopidogrel (As pellets) Excipients Colour: Approved colour used	10mg 75mg q.s.
ROSUVASTATIN, CLOPIDOGREL & ASPIRIN CAPSULES	Each hard gelatin capsule contains: Rosuvastatin calcium IP eq. to Rosuvastatin (As pellets) Clopidogrel Bisulphate IP eq. to Clopidogrel (As pellets) Aspirin IP (As pellets) Excipients Colour: Approved colour used empty capsule shells & pellets	20mg 75mg 75mg q.s.
LULICONAZOLE CREAM IP 1% W/W	Luliconazole IP Cream base	1% w/w q.s.
BETHANECHOL CHLORIDE TABLETS USP 25mg	Each uncoated tablet contains: Bethanechol Chloride USP Excipients	25mg q.s.

LACTULOSE SOLUTION USP	Each 15 ml contains: Lactulose concentrate IP eq. to lactulose 66.66% In a flavoured syrup base Colour: Approved colour used	10gm
LACTULOSE SOLUTION USP	Each 15 ml contains: Lactulose concentrate IP eq. to lactulose 65% In a flavoured syrup base Colour: Approved colour used	10gm
DEXTROMETHORPHAN HYDROBROMIDE, PHENYLEPHRINE HYDROCHLORIDE & CHLORPHENIRAMINE MALEATE SYRUP	Each 5ml contains: Dextromethorphan Hydrobromide IP Phenylephrine Hydrochloride IP Chlorpheniramine Maleate IP Flavoured syrup base Colour: Approved colour used	15mg 5mg 2mg q.s.
SITAGLIPTIN PHOSPHATE & METFORMIN HYDROCHLORIDE TABLETS	Each film coated tablet contains: Sitagliptin Phosphate Monohydrate IP eq. to Sitagliptin Metformin Hydrochloride IP Excipients Colour: Approved colour used	100mg 500mg q.s.
TACROLIMUS CAPSULES IP 0.5 mg	Each hard gelatin capsule contains: Tacrolimus IP Excipients Colour: Approved colour used in empty hard gelatin capsule shells & pellets	0.5mg q.s.
FERROUS ASCORBATE AND FOLIC ACID SUSPENSION IP	Each 5ml contains: Ferrous ascorbate IP eq. to elemental iron Folic acid IP Flavoured syrup base Colour: Approved colour used	30mg 500mcg q.s.
TORSEMIDE 10mg and	Each uncoated tablet contains:	

SPIRONOLACTONE 50mg TABLETS	Torsemide IP Spironolactone IP Excipients	10mg 50mg q.s.
METHYLPREDNISOLONE TABLETS IP 8mg	Each uncoated tablet contains: Methylprednisolone IP Excipients	8mg q.s.
PITAVASTATIN & FENOFIBRATE TABLETS	Each film coated tablet contains: Pitavastatin calcium IP eq. to Pitavastatin Fenofibrate IP Excipients Colour: Approved colour used	2mg 67.5mg q.s.
BETHANECHOL CHLORIDE TABLETS USP 25mg	Each uncoated tablet contains: Bethanechol Chloride USP Excipients	25mg q.s.
BISOPROLOL TABLETS IP 10mg	Each film coated tablet contains: Bisoprolol fumarate IP Excipients Colour: Approved colour used	10mg q.s.
Aceclofenac Paracetamol Serratiopeptidase (As enteric coated) (eq. to enzyme activity 30000 Units) Excipients Colour: Approved colour used	IP IP IP	100mg 325mg 15mg q.s
Composition: Each film coated tablet contains: Pregabalin Nortriptyline Hydrochloride Eq. to Nortriptyline Mecobalamin Excipients Colour: Approved colour used	IP IP IP	75mg 10mg 1500mcg q.s

Composition: Each film coated tablet contains: Methylcobalamin Gabapentin (As sustained release form) Excipients Colour: Approved colour used	IP IP	1500mcg 600mg q.s
Composition: Each uncoated tablet contains: Calcium citrate Vitamin D3 Magnesium Hydroxide Zinc sulphate monohydrate Excipients Colour: Approved colour used	USP IP IP IP	1000mg 200 IU 100mg 4mg q.s
Composition: Each film coated tablet contains: Calcium carbonate (1.25gm of calcium carbonate from an organic source) Vitamin D3 Excipients Colour: Approved colour used	P. Ref. IP IP	Units 1.250gm 250 IU q.s
Composition: Each uncoated dispersible tablet contains: Ketorolac Tromethamine Excipients Colour: Approved colour used	P. Ref. IP	Units 10mg q.s
Composition: Each uncoated dispersible tablet contains: Ivermectin Excipients Colour: Approved colour used	IP	12mg q.s
Composition: Each uncoated dispersible tablet contains: Ivermectin Excipients Colour: Approved colour used	IP	6mg q.s
Composition: Each enteric coated tablet contains: Esomeprazole Magnesium Trihydrate Eq. to Esomeprazole	IP	40mg

Excipients Colour: Approved colour used		q.s
Composition: Each enteric coated tablet contains: Esomeprazole Magnesium Trihydrate Eq. to Esomeprazole Excipients Colour: Approved colour used	IP	20mg q.s
Composition: Each film coated tablet contains: Fexofenadine Hydrochloride Excipients Colour: Approved colour used	IP	120mg q.s
Composition: Each film coated tablet contains: Fexofenadine Hydrochloride Excipients Colour: Approved colour used	IP	180mg q.s
Composition: Each film coated tablet contains: Febuxostat Excipients Colour: Approved colour used		80mg q.s
Composition: Each film coated tablet contains: Febuxostat Excipients Colour: Approved colour used		40mg q.s
Composition: Each film coated tablet contains: Rifaximin Excipients Colour: Approved colour used	BP	550mg q.s
Composition: Each film coated tablet contains: Methylprednisolone Excipients Colour: Approved colour used	IP	4mg q.s
Composition: Each film coated tablet contains: Methylprednisolone Excipients	IP	8mg q.s

Colour: Approved colour used		
Composition: Each film coated tablet contains: Methylprednisolone Excipients Colour: Approved colour used	IP	16mg q.s
Composition: Each film coated tablet contains: Etoricoxib Excipients Colour: Approved colour used	IP	90mg q.s
Composition: Each film coated tablet contains: Etoricoxib Excipients Colour: Approved colour used		120mg q.s
Composition: Each film coated tablet contains: Drotaverine Hydrochloride Excipients Colour: Approved colour used	IP	80mg q.s
Composition: Each film coated tablet contains: Levocetirizine Hydrochloride Excipients Colour: Approved colour used	IP	5mg q.s
Composition: Each uncoated tablet contains: Fluconazole Excipients Colour: Approved colour used	IP	150mg q.s
Composition: Each uncoated tablet contains: Fluconazole Excipients Colour: Approved colour used	IP	200mg q.s
Composition: Each uncoated tablet contains: Cetirizine Hydrochloride Excipients Colour: Approved colour used	IP	10mg q.s
Composition: Each uncoated tablet contains:		

Terbinafine Hydrochloride Eq. to Terbinafine Excipients Colour: Approved colour used	IP	250mg q.s
Composition: Each uncoated tablet contains: Etizolam Excipients Colour: Approved colour used	IP	0.25mg q.s
Composition: Each film coated tablet contains: Ursodeoxycholic acid Excipients Colour: Approved colour used	IP	150mg q.s
Composition: Each film coated tablet contains: Ursodeoxycholic acid Excipients Colour: Approved colour used	IP	300mg q.s
Composition: Each uncoated tablet contains: Albendazole Excipients Colour: Approved colour used	IP	400mg q.s
Composition: Each uncoated tablet contains: Terbinafine Hydrochloride Excipients Colour: Approved colour used	IP	250mg q.s
Composition: Each enteric coated tablet contains: Rabeprazole sodium Domperidone Excipients Colour: Approved colour used	IP IP	20mg 10mg q.s
Composition: Each enteric coated tablet contains: Pantoprazole sodium sesquehydrate Eq. to Pantoprazole Domperidone Excipients	IP IP	40mg 10mg q.s

Colour: Approved colour used		
Composition: Each enteric coated tablet contains: Diclofenac Sodium Serratiopeptidase (eq. to enzymatic activity 20000 Units) Excipients Colour: Approved colour used	IP IP	50mg 10mg q.s
Composition: Each film coated tablet contains: Ornidazole Levofloxacin Hemihydrate Eq. to Levofloxacin Excipients Colour: Approved colour used	IP IP	500mg 250mg q.s
Composition: Each uncoated tablet contains: Mefenamic acid Dicyclomine Hydrochloride Excipients Colour: Approved colour used	IP IP	250mg 80mg q.s
Composition: Each film coated tablet contains: Amlodipine Besylate eq. to Amlodipine Metoprolol Succinate Eq. to Metoprolol Tartrate (As extended Release) Excipients Colour: Approved colour used	IP IP	5mg 50mg q.s
Composition: Each film coated tablet contains: Gabapentin Nortriptyline Hydrochloride Eq. to Nortriptyline Excipients Colour: Approved colour used	IP IP	400mg 10mg q.s
Composition: Each film coated tablet contains: Loprnoxicam		8mg

Paracetamol Excipients Colour: Approved colour used	IP	325mg q.s
Composition: Each film coated tablet contains: Etodolac Thiocolchicoside Excipients Colour: Approved colour used	IP IP	60mg 4mg q.s
Composition: Each film coated tablet contains: Etodolac Thiocolchicoside Excipients Colour: Approved colour used	IP IP	400mg 4mg q.s
Composition: Each film coated tablet contains: Glucosamine sulfate potassium chloride Diacerein Methylsulfonylmethane Excipients Colour: Approved colour used	USP IP USP	750mg 50mg 250mg q.s
Composition: Each film coated tablet contains: Tranexamic acid Mefenamic acid Excipients Colour: Approved colour used	IP IP	500mg 250mg q.s
Composition: Each film coated tablet contains: Montelukast sodium Eq. to Montelukast Levocetirizine Dihydrochloride Excipients Colour: Approved colour used	IP IP	10mg 5mg q.s
Composition: Each film coated tablet contains: Aceclofenac Paracetamol Thiocolchicoside	IP IP IP	100mg 325mg 4mg

Excipients Colour: Approved colour used		q.s
Composition: Each film coated tablet contains: Citicolin Sodium Eq. to Citicolin Piracetam Excipients Colour: Approved colour used	IP IP	500mg 800mg q.s
Composition: Each film coated tablet contains: Montelukast sodium Eq. to Montelukast Fexofenadine hydrochloride Excipients Colour: Approved colour used	IP IP	10mg 120mg q.s
Composition: Each uncoated bilayered tablet contains: Metformin Hydrochloride (As Sustained Release Form) Glimepiride Voglibose Excipients Colour: Approved colour used	IP IP IP	500mg 1mg 0.2mg q.s
Composition: Each uncoated bilayered tablet contains: Metformin Hydrochloride (As Sustained Release) Glimepiride Voglibose Excipients Colour: Approved colour used	IP IP IP	500mg 1mg 0.3mg q.s
Composition: Each uncoated tablet contains: Paracetamol Diclofenac Potassium Excipients Colour: Approved colour used	IP BP	325mg 50mg q.s
Composition: Each uncoated bilayered tablet contains:		

Montelukast sodium Eq. to Montelukast Levocetirizine Dihydrochloride Ambroxol Hydrochloride (As Sustained Release) Excipients Colour: Approved colour used	IP IP IP	10mg 5mg 75mg q.s
Composition: Each uncoated tablet contains: Metformin Hydrochloride (As Extended Release) Glimepiride Pioglitazone Hydrochloride Eq. to Pioglitazone Excipients Colour: Approved colour used	IP IP IP	500mg 1mg 15mg q.s
Composition: Each uncoated tablet contains: Albendazole Ivermectin Excipients Colour: Approved colour used	IP IP	400mg 6mg q.s
Composition: Each uncoated bilayered tablet contains: Metformin Hydrochloride (As Sustained Release) Gliclazide (As Sustained Release) Pioglitazone Hydrochloride Eq. to Pioglitazone Excipients Colour: Approved colour used	IP IP IP	500mg 30mg 15mg q.s
Composition: Each uncoated tablet contains: Metformin Hydrochloride (As Prolonged Release) Glimepiride Excipients	IP IP	500mg 2mg q.s

Colour: Approved colour used		
Composition: Each uncoated tablet contains: Metformin Hydrochloride (As Prolonged Release) Glimepiride Excipients Colour: Approved colour used	IP IP	500mg 1mg q.s
Composition: Each uncoated tablet contains: Amlodipine Besylate eq. to Amlodipine Atenolol Excipients Colour: Approved colour used	IP IP	5mg 50mg q.s
Composition: Each uncoated tablet contains: Etoricoxib Paracetamol Excipients Colour: Approved colour used	IP IP	60mg 325mg q.s
Composition: Each uncoated tablet contains: Tramadol Hydrochloride Paracetamol Domperidone Excipients Colour: Approved colour used	IP IP IP	50mg 325mg 15mg q.s
Composition: Each uncoated tablet contains: Cetirizine hydrochloride Phenylephrine hydrochloride Paracetamol Excipients Colour: Approved colour used	IP IP IP	5mg 5mg 500mg q.s
Composition: Each film-coated tablet contains: Paracetamol Aceclofenac Trypsin-Chymotrypsin	IP IP	325mg 100mg 50000 AU

Excipients Colour: Approved colour used		q.s
Composition: Each uncoated tablet contains: Deflazacort Excipients Colour: Approved colour used		6mg q.s
Composition: Each uncoated tablet contains: Deflazacort Excipients Colour: Approved colour used		30mg q.s
Composition: Each uncoated tablet contains: Deflazacort Excipients Colour: Approved colour used		12mg q.s
Composition: Each enteric-coated tablet contains: Pantoprazole sodium sesquihydrate Eq. to Pantoprazole Domperidone Excipients Colour: Approved colour used	IP IP	40mg 10mg q.s
Composition: Each enteric-coated tablet contains: Rabeprazole Sodium Domperidone Excipients Colour: Approved colour used	IP IP	20mg 10mg q.s
Composition: Each film-coated tablet contains: Aceclofenac Thiocolchicoside Excipients Colour: Approved colour used	IP IP	100mg 4mg q.s
Composition: Each uncoated tablet contains: Paracetamol Excipients Colour: Approved colour used	IP	650mg q.s

Composition: Each film-coated tablet contains: L-Carnitine L-Tartrate Folic acid Methylcobalamin Excipients Colour: Approved colour used	IP IP	500mg 1.5mg 1500mcg q.s
Composition: Each film-coated tablet contains: Gabapentin Methylcobalamin Excipients Colour: Approved colour used	IP IP	300mg 500mcg q.s
Composition: Each un-coated tablet contains: Paracetamol Caffeine anhydrous Phenylephrine Hydrochloride Diphenhydramine Hydrochloride Excipients Colour: Approved colour used	IP IP IP IP	500mg 30mg 5mg 25mg q.s
Composition: Each enteric coated tablet contains: Doxylamine Succinate Pyridoxine HCl Folic acid Excipients Colour: Approved colour used	USP IP IP	10mg 10mg 2.5mg q.s
Composition: Each enteric coated tablet contains: Pancreatin Activated Dimethicone Excipients Colour: Approved colour used	IP IP	170mg 80mg q.s
Composition: Each film coated tablet contains: Paracetamol Diclofenac potassium Serratiopeptidase (eq. to 20000 enzymatic Units)	IP IP IP	325mg 50mg 10mg

Excipients Colour: Approved colour used		q.s
Composition: Each film coated tablet contains: Atorvastatin calcium eq. to Atorvastatin Excipients Colour: Approved colour used	IP	40mg q.s
Composition: Each film-coated tablet contains: Paracetamol Diclofenac Sodium Serratiopeptidase Excipients Colour: Approved colour used	IP IP IP	325mg 50mg 15mg q.s
Composition: Each film-coated tablet contains: Hydroxychloroquine sulphate Excipients Colour: Approved colour used	IP	300mg q.s
Composition: Each film-coated tablet contains: Azithromycin Dihydrate eq. to Azithromycin Lactic acid bacillus Excipients Colour: Approved colour used	IP	500mg 60 million spo q.s
Composition: Each film-coated tablet contains: Ofloxacin Ornidazole Excipients Colour: Approved colour used	IP IP	200mg 500mg q.s
Composition: Each film-coated tablet contains: Ofloxacin Ornidazole Lactic acid bacillus Excipients Colour: Approved colour used	IP IP	200mg 500mg 5 billion spore q.s

Composition: Each film-coated tablet contains: Tadalafil Excipients Colour: Approved colour used	IP	5mg q.s
Composition: Each film-coated tablet contains: Levofloxacin Hemihydrate eq. to Levofloxacin Ornidazole Excipients Colour: Approved colour used	IP IP	250mg 500mg q.s
Composition: Each film-coated tablet contains: Cilnidipine Excipients Colour: Approved colour used	IP	10mg q.s
Composition: Each film-coated tablet contains: Gabapentin Excipients Colour: Approved colour used	IP	300mg q.s
Composition: Each film-coated tablet contains: Calcium citrate Vitamin-D3 Methylcobalamin L-Methylfolate Pyridoxal-5-Phosphate Excipients Colour: Approved colour used	USP IP IP	1250mg 2000 IU 1500mcg 1mg 20mg q.s
Composition: Each film-coated tablet contains: Calcium citrate Vitamin K2-7 Calcitriol Excipients Colour: Approved colour used	USP IP	1200mg 50mcg 0.25mcg q.s
Composition: Each film-coated tablet contains: Piracetam	IP	800mg

Excipients Colour: Approved colour used		q.s
Composition: Each film-coated tablet contains: Levocetirizine Dihydrochloride Ambroxol Hydrochloride Excipients Colour: Approved colour used	IP IP	5mg 30mg q.s
Composition: Each film-coated tablet contains: Ciprofloxacin Hydrochloride eq. to Ciprofloxacin Excipients Colour: Approved colour used	IP	500mg q.s
Composition: Each Un-coated tablet contains: Paracetamol Aceclofenac Chlorzoxazone Excipients Colour: Approved colour used	IP IP USP	325mg 100mg 250mg q.s
Composition: Each film coated tablet contains: Atorvastatin calcium eq. to Atorvastatin Excipients Colour: Approved colour used	IP	10mg q.s
Composition: Each enteric coated tablet contains: S-Adenosyl-L-Methionine Disulfate Excipients Colour: Approved colour used		400mg q.s
Composition: Each Un-coated tablet contains: Aspirin Excipients Colour: Approved colour used	IP	300mg q.s
Composition: Each Un-coated tablet contains: Paracetamol Diclofenac Sodium	IP IP	325mg 50mg

Chlorzoxazone Excipients Colour: Approved colour used	USP	500mg q.s
Composition: Each Un-coated tablet contains: Paracetamol Nimesulide Excipients Colour: Approved colour used	IP BP	325mg 100mg q.s
Composition: Each film coated tablet contains: Gabapentin Methylcobalamin Alpha Lipoic Acid Excipients Colour: Approved colour used	IP IP IP	100mg 500mcg 100mg q.s
Composition: Each Un-coated tablet contains: Flunarizine Dihydrochloride eq. Flunarizine Domperidone Excipients Colour: Approved colour used	IP IP	5mg 10mg q.s
Composition: Each film coated tablet contains: Aceclofenac Paracetamol Excipients Colour: Approved colour used	IP IP	100mg 325mg q.s
Composition: Each Un-coated tablet contains: Paracetamol Domperidone Excipients Colour: Approved colour used	IP IP	650mg 20mg q.s
Each Un-coated bilayered tablet contains: Metformin Hydrochloride (As extended release form) Glimepiride	IP IP	500mg 2mg

Voglibose	IP	0.2mg
Excipients		q.s
Colour: Approved colour used		
Each Un-coated bilayered tablet contains:		
Fexofenadine Hydrochloride	IP	120mg
Montelukast Sodium	IP	
Eq. to Montelukast		10mg
Acebrophylline		200mg
(As Sustained Release form)		
Excipients		q.s
Colour: Approved colour used		
Composition: Each Un-coated tablet contains:		
Nimesulide	BP	100mg
Phenylephrine Hydrochloride	IP	10mg
Cetirizine Hydrochloride	IP	5mg
Caffeine	IP	30mg
Excipients		q.s
Colour: Approved colour used		
Composition: Each Un-coated tablet contains:		
Paracetamol	IP	325mg
Nimesulide	BP	100mg
Phenylephrine Hydrochloride	IP	10mg
Caffeine	IP	25mg
Excipients		q.s
Colour: Approved colour used		
Composition: Each Un-coated tablet contains:		
Paracetamol	IP	325mg
Phenylephrine Hydrochloride	IP	5mg
Cetirizine Hydrochloride	IP	5mg
Guaiphenesin	IP	50mg
Ambroxol Hydrochloride	IP	15mg
Excipients		q.s
Colour: Approved colour used		
Composition: Each film coated tablet contains:		

Albendazole	IP	400mg
Ivermectin	IP	6mg
Excipients		q.s
Colour: Approved colour used		
Each un-coated dispersible tablet contains:		
Fluconazole	IP	50mg
Excipients		q.s
Colour: Approved colour used		
Composition: Each film coated tablet contains:		
Pioglitazone Hydrochloride	IP	15mg
eq. to Pioglitazone		
Glimepiride	IP	2mg
Excipients		q.s
Colour: Approved colour used		
Composition: Each uncoated tablet contains:		
Drotaverine Hydrochloride	IP	80mg
Paracetamol	IP	500mg
Excipients		q.s
Colour: Approved colour used		
Composition: Each film coated tablet contains:		
Tadalafil	IP	10mg
Excipients		q.s
Colour: Approved colour used		
Composition: Each film coated tablet contains:		
Ciprofloxacin Hydrochloride	IP	500mg
eq. to Ciprofloxacin		
Ornidazole	IP	500mg
Excipients		q.s
Colour: Approved colour used		
Composition: Each film coated tablet contains:		
Calcium carbonate	IP	500mg
eq. to elemental Calcium		
Vitamin D3	IP	200 IU
Excipients		q.s

Colour: Approved colour used		
Composition: Each film coated tablet contains: Coral Calcium eq. to elemental Calcium Cholecalciferol Vitamin K2-7 Excipients Colour: Approved colour used	IP IP	500mg 1000 IU 50mcg q.s
Composition: Each uncoated (SR) tablet contains: Thiocolchicoside Excipients Colour: Approved colour used	IP	16mg q.s
Composition: Each uncoated tablet contains: Paracetamol Excipients Colour: Approved colour used	IP	500mg q.s
Composition: Each film coated tablet contains: Diacerein Aceclofenac Excipients Colour: Approved colour used	IP IP	50mg 100mg q.s
Composition: Each film coated tablet contains: Metformin Hydrochloride (As extended release form) Saxagliptin Hydrochloride eq. to Saxagliptin Excipients Colour: Approved colour used	IP	500mg 5mg q.s
Composition: Each enteric coated tablet contains: Rutoside Trihydrate Bromelain Aceclofenac Trypsin Excipients	BP IP IP IP	100mg 90mg 100mg 48mg q.s

Colour: Approved colour used		
Composition: Each uncoated tablet contains: Ibuprofen Chlorzoxazone Excipients Colour: Approved colour used	IP USP	400mg 500mg q.s
Composition: Each film coated tablet contains: Moxifloxacin Hydrochloride eq. to Moxifloxacin Excipients Colour: Approved colour used	IP	400mg q.s
Composition: Each uncoated (PR) tablet contains Metoprolol Succinate Excipients Colour: Approved colour used	IP	25mg q.s
Composition: Each film coated tablet contains: Tofacitinib Citrate eq. to Tofacitinib Excipients Colour: Approved colour used	IP	5mg q.s
Composition: Each uncoated tablet contains Mefenamic acid Dicyclomine Hydrochloride Excipients Colour: Approved colour used	IP IP	250mg 20mg q.s
Composition: Each film coated tablet contains: Azithromycin Dihydrate eq. to Azithromycin Ambroxol Hydrochloride (As Sustained Release form) Excipients Colour: Approved colour used	IP IP	500mg 75mg q.s
Composition: Each uncoated (CR) tablet contains Pyridoxine Hydrochloride	IP	100mg

Excipients Colour: Approved colour used		q.s
Composition: Each uncoated tablet contains Sodium Chloride Potassium Chloride Sodium Bicarbonate Citric acid (Anhydrous) Dextrose (Anhydrous) Excipients Colour: Approved colour used	IP IP IP IP IP	0.125gm 0.150gm 0.250gm 0.577gm 2.650gm q.s
Composition: Each uncoated tablet contains Telmisartan Amlodipine Besylate eq. to Amlodipine Excipients	IP IP	40mg 5mg q.s
Each uncoated chewable tablet contains Vitamin D3 Excipients Colour: Approved colour used	IP	60000 IU q.s
Each uncoated bilayered tablet contains Metformin Hydrochloride (As extended release form) Glimepiride Pioglitazone Hydrochloride eq. to Pioglitazone Excipients Colour: Approved colour used	IP IP IP	500mg 1mg 15mg q.s
Each film coated tablet contains LEVOCETIRIZINE HYDROCHLORIDE Ambroxol Hydrochloride Excipients Colour: Approved colour used	IP IP	5MG 60MG q.s
Each film coated tablet contains Gabapentin	IP	100mg

Methylcobalamin Excipients Colour: Approved colour used	IP	500mcg q.s
Each film coated tablet contains Sildenafil Citrate eq. to Sildenafil Excipients Colour: Approved colour used	IP	100mg q.s
Each film coated tablet contains Sildenafil Citrate eq. to Sildenafil Excipients Colour: Approved colour used	IP	50mg q.s
Each film coated tablet contains Sildenafil Citrate eq. to Sildenafil Dapoxetine Hydrochloride eq. to Dapoxetine Excipients Colour: Approved colour used	IP IP	50mg 30mg q.s
Each film coated tablet contains Sildenafil Citrate eq. to Sildenafil Dapoxetine Hydrochloride eq. to Dapoxetine Excipients Colour: Approved colour used	IP IP	100mg 60mg q.s
Each film coated tablet contains Pyridoxin Hydrochloride Methylcobalamin Alpha Lipoic Acid Vitamin D3 Folic acid Excipients	IP IP IP IP IP	3mg 1500mcg 100mg 1000 iu 1.5mg q.s

Colour: Approved colour used		
Each uncoated tablet contains Torsemide Excipients Colour: Approved colour used	IP	10mg q.s
Each uncoated (MD) tablet contains Lansoprazole Excipients Colour: Approved colour used	IP	15mg q.s
Each uncoated bilayered tablet contains Doxofylline (As Sustained Release form) Montelukast sodium eq. to Montelukast Excipients Colour: Approved colour used	IP IP	400mg 10mg q.s
Each film coated tablet contains Tadalafil eq. to Dapoxetine Excipients Colour: Approved colour used	IP IP	20mg 30mg q.s
Each film coated tablet contains Hydralazine Hydrochloride Excipients Colour: Approved colour used	IP	25mg q.s
Each film coated tablet contains Tadalafil Excipients	IP	20MG q.s
Each film coated tablet contains Paracetamol Excipients	IP	650MG q.s
Each uncoated tablet contains		

Amlodipine eq. to Amlodipine	IP	10mg
Indapamide (As sustained release form)	IP	1.5mg q.s
Excipients		
Each enteric coated tablet contains		
Pancreatin	IP	192mg
Bile Constituents		25mg
Activated Dimethicone	IP	40mg
Excipients		q.s
Colour: Approved colour used		
Each uncoated bilayered tablet contains		
Mefenamic acid	IP	250mg
Dicyclomine Hydrochloride	IP	10mg
Excipients		q.s
Colour: Approved colour used		
Each enteric coated tablet contains		
Ademetionine 1.4-butane disulfonate (SD4) eq. to Amlodipine lone	IP	400mg q.s
Excipients		
Colour: Approved colour used		
Each uncoated tablet contains		
Cinnarizine	IP	20mg
Dimenhydrinate	BP	40mg
Excipients		q.s
Colour: Approved colour used		
Each uncoated (SR) tablet contains		
Cinnarizine (As sustained release form)	IP	75mg
Excipients		q.s
Colour: Approved colour used		
Each film coated tablet contains		
Levofloxacin Hemihydrate eq. to Levofloxacin	IP	500mg

Excipients Colour: Approved colour used		q.s
Each film coated tablet contains Clopidogrel Bisulphate eq. to Clopidogrel Excipients Colour: Approved colour used	IP	75mg q.s
Each uncoated tablet contains Cyproheptadine Hydrochloride eq. to Cyproheptadine HCL (Anhydrous) Excipients Colour: Approved colour used	IP	4mg q.s
Each Gastro-Resistant tablet contains Diclofenac Sodium Excipients Colour: Approved colour used	IP	50mg q.s
Each uncoated tablet contains Dexamethasone Excipients Colour: Approved colour used	IP	4mg q.s
Each Prolonged-Release tablet contains Divalproex Sodium eq. to Divalproex Excipients Colour: Approved colour used	IP	500mg q.s
Each uncoated (MD) tablet contains Dexamethasone Excipients Colour: Approved colour used	IP	15MG q.s
Each uncoated tablet contains Doxofylline Excipients	IP	400MG q.s
Each Gastro-Resistant tablet contains		

Divalproex Sodium eq. to Divalproex Excipients Colour: Approved colour used	IP	500mg q.s
Each film coated tablet contains Dried Ferrous Sulphate eq. to elemental Iron Excipients Colour: Approved colour used	IP	200mg 60mg q.s
Each film coated tablet contains Aspirin Caffeine (Anhydrous) Excipients Colour: Approved colour used	IP	400mg 30mg q.s
Each film coated tablet contains Dapoxetine eq. to Dapoxetine Excipients Colour: Approved colour used	IP	30mg q.s
Each film coated tablet contains Citicoline eq. to Citicoline Excipients Colour: Approved colour used	IP	500mg q.s
METHYLCOBALAMIN VITAMIN D3 FOLIC ACID VITAMIN B6 EXCIPIENTS COLOUR:APPROVED COLOUR USED IN CAPSULE SHELL.	IP IP IP IP	1500MCG 1000IU 1.5MG 3MG Q.S
COMPOSITION:EACH HARD GELATIN CAPSULE CONTAINS ITRACONAZOLE EXCIPIENTS	IP	100MG Q.S

COLOUR: APPROVED COLOUR USED IN CAPSULE SHELL.	
COMPOSITION: EACH HARD GELATIN CAPSULE CONTAINS: ESOMEPRAZOLE MAGNESIUM EQ. TO ESOMEPRAZOLE (AS ENTERIC COATED PELLETS) LEVOSULPIRIDE (AS SUSTAINED RELEASE PELLETS) EXCIPIENTS COLOUR: APPROVED COLOUR USED IN CAPSULE SHELL.	40MG 75MG Q.S
NON BIOLOGICAL PRODUCTS	
COMPOSITION: EACH HARD GELATIN CAPSULE CONTAINS: RABEPRAZOLE SODIUM (AS ENTERIC COATED PEL IP DOMPERIDONE (AS SUSTAINED RELEASE PELLETS IP EXCIPIENTS COLOUR: APPROVED COLOUR USED IN CAPSULE SHELL.	20MG 30MG Q.S
COMPOSITION: EACH HARD GELATIN CAPSULE CONTAINS: ESOMEPRAZOLE MAGNESIUM TRIHYDRATE EQ. T IP DOMPERIDONE (AS SUSTAINED RELEASE PELLETS) EXCIPIENTS COLOUR: APPROVED COLOUR USED IN CAPSULE SHELL.	40MG 30MG Q.S
COMPOSITION: EACH HARD GELATIN CAPSULE CONTAINS: PANTOPRAZOLE SODIUM SESQUEHYDRATE EQ. T IP LEVOSULPIRIDE (AS SUSTAINED RELEASE PELLETS) EXCIPIENTS COLOUR: APPROVED COLOUR USED IN CAPSULE SHELL.	40MG 75MG Q.S
COMPOSITION: EACH HARD GELATIN CAPSULE CONTAINS: RABEPRAZOLE SODIUM EQ. TO RABEPRAZOLE (A IP ITOPRIDE HYDROCHLORIDE (AS SUSTAINED RELEASE PELLETS) EXCIPIENTS COLOUR: APPROVED COLOUR USED IN CAPSULE SHELL.	20MG 150MG Q.S
COMPOSITION: EACH HARD GELATIN CAPSULE CONTAINS: PANTOPRAZOLE SODIUM EQ. TO PANTOPRAZOLE IP	40MG

<p>ITOPRIDE HYDROCHLORIDE (AS SUSTAINED RELEASE PELLETS)</p> <p>EXCIPIENTS</p> <p>COLOUR: APPROVED COLOUR USED IN CAPSULE SHELL.</p>		<p>150MG</p> <p>Q.S</p>
<p>COMPOSITION: EACH HARD GELATIN CAPSULE CONTAINS:</p> <p>RABEPRAZOLE SODIUM (AS ENTERIC COATED PEL IP</p> <p>LEVOSULPIRIDE (AS SUSTAINED RELEASE PELLETS IP</p> <p>EXCIPIENTS</p> <p>COLOUR: APPROVED COLOUR USED IN CAPSULE SHELL.</p>		<p>20MG</p> <p>75MG</p> <p>Q.S</p>
<p>COMPOSITION: EACH HARD GELATIN CAPSULE CONTAINS:</p> <p>PANTOPRAZOLE SODIUM SESQUEHYDRATE EQ. T IP</p> <p>DOMPERIDONE (AS PROLONGED RELEASE PELLET IP</p> <p>EXCIPIENTS</p> <p>COLOUR: APPROVED COLOUR USED IN CAPSULE SHELL.</p>		<p>40MG</p> <p>30MG</p> <p>Q.S</p>
<p>COMPOSITION: EACH HARD GELATIN CAPSULE CONTAINS:</p> <p>METHYLCOBALAMIN IP</p> <p>PYRIDOXINE HYDROCHLORIDE IP</p> <p>BENFOTIAMINE</p> <p>FOLIC ACID IP</p> <p>PREGABALIN IP</p> <p>EXCIPIENTS</p> <p>COLOUR: APPROVED COLOUR USED IN CAPSULE SHELL.</p>		<p>750 MCG</p> <p>1.5 MCG</p> <p>7.5 MCG</p> <p>0.75 MG</p> <p>75 MG</p> <p>Q.S</p>
<p>COMPOSITION: EACH HARD GELATIN CAPSULE CONTAINS:</p> <p>L-CARNITINE USP</p> <p>COENZYME Q10 USP</p> <p>VITAMIN K27</p> <p>ASTAXANTHIN USP</p> <p>MAGNESIUM SULPHATE IP</p> <p>ZINC SULPHATE MONOHYDRATE EQ. TO ELEMEN IP</p> <p>EXCIPIENTS</p> <p>COLOUR: APPROVED COLOUR USED IN CAPSULE SHELL.</p>		<p>500 MG</p> <p>100 MG</p> <p>50 MCG</p> <p>7 MG</p> <p>50 MG</p> <p>7.5 MG</p> <p>Q.S</p>

COMPOSITION: EACH HARD GELATIN CAPSULE CONTAINS:		
DOXYCYCLINE HYCLATE EQ TO DOXYCYCLINE (AS LACTIC ACID BACILLUS (AS ENTERIC COATED) EXCIPIENTS COLOUR: APPROVED COLOUR USED IN CAPSULE SHELL.	IP	100 MG 5 BILLION SPORE Q.S
COMPOSITION: EACH HARD GELATIN CAPSULE CONTAINS:		
ATORVASTATIN CALCIUM EQ. TO ATORVASTATIN ASPIRIN (AS GASTRO-RESISTANT PELLETS) EXCIPIENTS COLOUR: APPROVED COLOUR USED IN CAPSULE SHELL.	IP IP	10 MG 75 MG Q.S
COMPOSITION: EACH HARD GELATIN CAPSULE CONTAINS:		
MECOBALAMIN PYRIDOXINE HYDROCHLORIDE BENFOTIAMINE EXCIPIENTS COLOUR: APPROVED COLOUR USED IN CAPSULE SHELL.	IP IP	0.5 MG 50 MG 100 MG Q.S
COMPOSITION: EACH HARD GELATIN CAPSULE CONTAINS:		
Streptococcus Faecalis Clostridium butyricum Bacillus mesentericus Lactobacillus sporogenes Saccharomyces boulurdii EXCIPIENTS COLOUR: APPROVED COLOUR USED IN CAPSULE SHELL.		30 million 2 million 1 million 50 million 40 million Q.S
COMPOSITION: EACH HARD GELATIN CAPSULE CONTAINS:		
Mecobalamin Pyridoxine HYDROCHLORIDE Benfotiamine Alpha lipoic acid Calcium Pantothenate	IP IP IP IP	1500mcg 3mg 15mg 100mg 25mg

Folic acid	IP	1.5mg
Zinc oxide	IP	22.5mg
Chromium Picolinate	IP	65mcg
Inositol	IP	10mcg
Lutein	IP	5mg
EXCIPIENTS		Q.S
COLOUR: APPROVED COLOUR USED IN CAPSULE SHELL.		
COMPOSITION: EACH HARD GELATIN CAPSULE CONTAINS:		
Gabapentin	IP	300mg
Mecobalamin	IP	500mcg
EXCIPIENTS		Q.S
COLOUR: APPROVED COLOUR USED IN CAPSULE SHELL.		
COMPOSITION: EACH HARD GELATIN CAPSULE CONTAINS:		
Mecobalamin	IP	1500mcg
Pyridoxine HYDROCHLORIDE	IP	5mg
Benfotiamine		50mg
Folic acid	IP	5mg
Biotin	IP	5mg
Alpha Lipoic acid	IP	220mg
EXCIPIENTS		Q.S
COLOUR: APPROVED COLOUR USED IN CAPSULE SHELL.		
COMPOSITION: EACH HARD GELATIN CAPSULE CONTAINS:		
Diacerein	IP	50MG
EXCIPIENTS		Q.S
COLOUR: APPROVED COLOUR USED IN CAPSULE SHELL.		
COMPOSITION: EACH HARD GELATIN CAPSULE CONTAINS:		
Clindamycin HYDROCHLORIDE	IP	150mg
eq. to Clindamycin		
EXCIPIENTS		
COLOUR: APPROVED COLOUR USED IN CAPSULE SHELL.		
COMPOSITION: EACH HARD GELATIN CAPSULE CONTAINS:		
Doxycycline HYDROCHLORIDE	IP	200mg
eq. to Clindamycin		

EXCIPIENTS COLOUR: APPROVED COLOUR USED IN CAPSULE SHELL.		
COMPOSITION: EACH HARD GELATIN CAPSULE CONTAINS: Fluoxetine HYDROCHLORIDE eq. to Fluoxetine EXCIPIENTS COLOUR: APPROVED COLOUR USED IN CAPSULE SHELL.	IP	200mg
COMPOSITION: EACH HARD GELATIN CAPSULE CONTAINS: Chloramphenicol EXCIPIENTS COLOUR: APPROVED COLOUR USED IN CAPSULE SHELL.	IP	500mg
COMPOSITION: EACH HARD GELATIN CAPSULE CONTAINS: Ursodeoxycholic acid (As Sustained Release Form) EXCIPIENTS COLOUR: APPROVED COLOUR USED IN CAPSULE SHELL.	IP	450mg
CHOLECALCIFEROL EXCIPIENTS		60000 IU q.s
	IP	
COMPOSITION: EACH SACHET (2GM) CONTAINS: POVIDONE IODINE (eq. to available Iodine 17.5mg) EXCIPIENTS		175MG q.s
	IP	
COMPOSITION: EACH SACHET CONTAINS: Lactobacillus sporogenes Lactobacillus acidophilus Bifidobacterium lactis Bacillus mesentericus Saccharomycus boulardii EXCIPIENTS		60 million 60 million 10 million 10 million 5 million q.s
COMPOSITION: EACH SACHET CONTAINS: Lactobacillus acidophilus		0.40 million

Lactobacillus rhamnosus		0.40 million
Bifidobacterium longum		0.40 million
Bifidobacterium bifidum		0.25 million
Saccharomycus boulardii		0.05 million
Fructooligo sacharides		100mg
EXCIPIENTS		q.s
COMPOSITION:EACH 5ML CONTAINS: AZITHROMYCIN DIHYDRATE EQ. TO AZITHROMYCIN ANHYDROUS IN A FLAVOURED SYRUPY BASE COLOUR: APPROVED COLOUR USED.	P.REF. IP	UNITS 200MG Q.S
COMPOSITION:EACH 5ML CONTAINS: PARACETAMOL IN A FLAVOURED SYRUPY BASE COLOUR: APPROVED COLOUR USED.	IP	250MG Q.S
COMPOSITION:EACH 5ML CONTAINS: MAGALDRATE (ANHYDROUS) SIMETHICONE (ACTIVATED DIMETHICONE) IN A FLAVOURED SYRUPY BASE COLOUR: APPROVED COLOUR USED.	IP IP	400MG 40MG Q.S
COMPOSITION:EACH 5ML CONTAINS: PARACETAMOL PHENYLEPHRINE HYDROCHLORIDE CHLORPHENIRAMINE MALEATE SODIUM CITRATE AMMONIUM CHLORIDE MENTHOL IN A FLAVOURED SYRUPY BASE COLOUR: APPROVED COLOUR USED.	IP IP IP IP IP IP	250MG 5MG 2MG 60MG 120MG 1MG Q.S

COMPOSITION:EACH 5ML CONTAINS: LACTULOSE CONCENTRATE EQ. TO LACTULOSE IN A FLAVOURED SYRUPY BASE COLOUR: APPROVED COLOUR USED.	USP	10GM Q.S
COMPOSITION:EACH 5ML CONTAINS: VITAMIN D3 IN A FLAVOURED SYRUPY BASE COLOUR: APPROVED COLOUR USED.	IP	60000 IU Q.S
COMPOSITION:EACH 5ML CONTAINS: TERBUTALINE SULPHATE AMBROXOL HYDROCHLORIDE GUAIPHENESIN MENTHOL IN A FLAVOURED SYRUPY BASE COLOUR: APPROVED COLOUR USED.	IP IP IP IP	1.25MG 15MG 50MG 1MG Q.S
COMPOSITION:EACH 5ML CONTAINS: DEXTROMETHORPHAN HYDROBROMIDE PHENYLEPHRINE HYDROCHLORIDE CHLORPHENIRAMINE MALEATE IN A FLAVOURED SYRUPY BASE COLOUR: APPROVED COLOUR USED.	IP IP IP	10MG 5MG 2MG Q.S
COMPOSITION:EACH 5ML CONTAINS: LEVOSALBUTAMOL SULPHATE AMBROXOL HYDROCHLORIDE GUAIPHENESIN IN A FLAVOURED SYRUPY BASE COLOUR: APPROVED COLOUR USED.	IP IP IP	1MG 30MG 50MG Q.S
COMPOSITION:EACH 5ML CONTAINS: SUCRALFATE	IP	1000MG

IN A FLAVOURED SYRUPY BASE COLOUR: APPROVED COLOUR USED.		Q.S
COMPOSITION:EACH 5ML CONTAINS: POTASSIUM CITRATE CITRIC ACID MONOHYDRATE IN A FLAVOURED SYRUPY BASE COLOUR: APPROVED COLOUR USED.	IP IP	1100MG 334MG Q.S
COMPOSITION:EACH 5ML CONTAINS: DRIED ALUMINIUM HYDROXIDE GEL EQ. TO ALLU MAGNESIUM TRISILICATE MAGNESIUM HYDROXIDE ACTIVATED DIMETHICONE OXETACAINE IN A FLAVOURED SYRUPY BASE COLOUR: APPROVED COLOUR USED.	IP IP IP IP	150MG 100MG 25MG 10MG Q.S
COMPOSITION:EACH 5ML CONTAINS: PEPSIN (1:3000) FUNGAL DIASTASE (1:1200) SORBITOL IN A FLAVOURED SYRUPY BASE COLOUR: APPROVED COLOUR USED.	IP IP IP	7.5MG 12.5MG 250MG Q.S
COMPOSITION:EACH 5ML CONTAINS: TRICHLORINE CITRATE CYPROHEPTADINE HYDROCHLORIDE (ANHYDROU SORBITOL SOLUTION 70% IN A FLAVOURED SYRUPY BASE COLOUR: APPROVED COLOUR USED.	IP IP	375MG 2MG 2GM Q.S
COMPOSITION:EACH 5ML CONTAINS: MAGALDRATE,	IP	500MG

SODIUM ALGINATE	IP	100MG
SIMETHICONE	IP	25MG
IN A FLAVOURED SYRUPY BASE		Q.S
COLOUR: APPROVED COLOUR USED.		
COMPOSITION:EACH 5ML CONTAINS:		
Levocetirizine Hydrochloride	IP	2.5mg
AMBROXOL Hydrochloride	IP	30mg
IN A FLAVOURED SYRUPY BASE	IP	Q.S
COLOUR: APPROVED COLOUR USED.		
COMPOSITION:EACH 5ML CONTAINS:		
Zine Gluconate	IP	20mg
eq. to elemental zinc		Q.S
IN A FLAVOURED SYRUPY BASE		
COLOUR: APPROVED COLOUR USED.		
COMPOSITION:EACH 5ML CONTAINS:		
Levosambutamol SULPHATE	IP	1mg
eq. to Levosambutamol		30mg
AMBROXOL HYDROCHLORIDE	IP	50mg
GUAIPHENESIN	IP	Q.S
IN A FLAVOURED SYRUPY BASE		
COLOUR: APPROVED COLOUR USED.		
COMPOSITION:EACH 5ML CONTAINS:		
Deflazacort	IP	6mg
IN A FLAVOURED SYRUPY BASE		Q.S
COLOUR: APPROVED COLOUR USED.		
Amantadine HCL Tablets IP 10 mg	Each UnCoated tablet contains:- Amantadine Hydrochloride IP 100 mg. Excipients q.s. Colour: Approved colour used	
Methoxsalen Tablets 20 mg	Each Film-Coated tablet contains:- Methoxsalen USP 20 mg. Excipients q.s. Colour: Approved colour used	

	Tranexamic Acid & Mefenamic Acid Tablets	Each Film-Coated tablet contains:- Tranexamic Acid IP 500 mg. Mefenamic Acid IP 250 mg. Excipients q.s. Colour: Approved colour used
	Diethylcarbamazine Citrate Tablets IP 150mg	Each UnCoated tablet contains:- Diethylcarbamazine Citrate IP 150 mg. Excipients q.s. Colour: Approved colour used
	Zinc Acetate Tablets IP 50mg	Each UnCoated tablet contains:- Zinc Acetate USP(As Dihydrate) Eqv. To Elemental Zinc 50 mg. Excipients q.s. Colour: Approved colour used
	Cilostazol Tablets IP 50mg	Each film coated tablet contains:- Cilostazol IP 50 mg. Excipients q.s. Colour: Approved colour used
	Gabapentin & Methylcobalamin Tablets	Each film coated tablet contains: Gabapentin I.P 100 mg Methylcobalamin 500 mcg Excipients q.s. Colour : Approved colour used
	Gabapentin & Methylcobalamin Tablets	Each film coated tablet contains: Gabapentin I.P 300 mg Methylcobalamin 500 mcg Excipients q.s. Colour : Approved colour used
	Doxycycline Hyclate & Lactic Acid Bacillus capsule	Each Hard gelatin Capsule contains:- Doxycycline Hyclate IP Eqv. to Doxycycline 100 mg Lactic Acid Bacillus 5 Billion Sporeng

		Excipients	q.s.
		Colour: Approved colour used	
	Pantoprazole Sodium Enteric Coated & Cinitapride Capsules	Each Hard Gelatin Capsule Contains: Pantoprazole Sodium IP (As Enteric Coated pellets) Cinitapride Hydrogen Tartrate Eq. to Cinitapride (As Sustained Release pellets) Approved colour used in empty capsule shell	40 mg. 3 mg.
	Pantoprazole Sodium Enteric Coated & Levosulpiride Sustained Release Capsules	Each Hard Gelatin Capsule Contains: Pantoprazole Sodium IP (As Enteric Coated pellets) Levosulpiride (As Sustained Release pellets) Approved colour used in empty capsule shell	40 mg. 75 mg.
	Methylcobalamin, Pregabalin, Pyridoxine Hydrochloride, Folic acid & Benfothiamine capsules	Each Hard Gelatin Capsule Contains: Methylcobalamin IP Pregabalin IP Pyridoxine Hydrochloride IP Folic acid IP Benfothiamine Approved colour used in empty capsule shell	750 mcg 75 mg 3 mg 1.5 mg 50 mg
	Rabeprazole & Levosulpiride (SR) Capsules	Each hard gelatin capsule contains Rabeprazole Sodium I.P. (As enteric coated pellets) Levosulpiride (As sustained released pellets) Approved colours used in empty capsule shells.	20 mg 75 mg
	Gabapentin & Methylcobalamin Tablets	Each film coated tablet contains: Gabapentin I.P. Methylcobalamin Excipients Colour : Approved colour used	100 mg 500 mcg q.s.

	Telmisartan , Amlodipine & Hydrochlorothiazide tablets	Each film coated tablet contains: Telmisartan I.P 40 mg. Amlodipine Besylate I.P. Eq. to Amlodipine 5 mg. Hydrochlorothiazide I.P. 12.5 mg Excipients q.s. Color:. Approved colour used
	Methylprednisolone Tablets I.P. 16 mg	Each Uncoated tablet contains; Methylprednisolone IP 16 mg Excipients q.s Colour : Approved colour used
	Sodium Valporate & Valproic Acid Controlled Release Tablets	Each film coated controlled release tablet contains: Sodium Valporate IP 266.66 mg Valproic Acid IP 116 mg (Both together corresponds to Sodium Valproate 400 mg) Excipients q.s Colour : Approved colour
	Controlled Release Tablets of Sodium Valproate & Valproic Acid	Each film coated controlled Release tablet contains Sodium Valproate IP 200 mg Valproic Acid IP 87 mg (Both together corresponds to Sodium Valproate 300 mg) Excipients q.s. Colour: Approved colour used
	Controlled Release Tablets of Sodium Valproate & Valproic Acid	Each film coated controlled Release tablet contains Sodium Valproate IP 333 mg Valproic Acid IP 145 mg (Both together corresponds to Sodium Valproate 500 mg) Excipients q.s. Colour: Approved colour used.
	Deflazacort Tablet	Each Uncoated Tab. Contains: Deflazacort - 6 mg

		Excipients Colour : Titanium Dioxide IP	q.s.
	Ademetionine 200Mg Tablets	Each enteric coated tablet contains; Ademetionine 1,4-butane disulfonate (SD4) eq.to Ademetionine Ion - 200mg, Excipients Colour : Approved Colour Used	q.s.
	Ademetionine 400Mg Tablets	Each enteric coated tablet contains; Ademetionine 1,4-butane disulfonate (SD4) eq.to Ademetionine Ion - 400mg, Excipients Colour : Approved Colour Used	q.s.
	Deflazacort Tablet	Each Uncoated Tab. Contains: Deflazacort - 12 mg Excipients Colour : Titanium Dioxide IP	q.s.
	Sodium Valporate & Valproic Acid Controlled Release Tablets	Each film coated controlled release tablet contains: Sodium Valporate IP 134 mg Valproic Acid IP 58 mg (Both together corresponds to Sodium Valproate IP 200 mg) Excipients Colour : Approved colour	q.s
	Sildenafil citrate 25 mg Tablets	Each Effervescent tablet Contains: Sildenafil citrate IP Eq. to Sildenafil Excipients Colour : Titanium Dioxide IP	25mg. q.s
	Flupentixol & Melitracen Tablets	Each Film Coated tablet Contains: Flupentixol Dihydrochloride B.P.	

		Eq. to Flupentixol 0.5 mg Melitracen Hydrochloride Eq. to Melitracen 10 mg Colour:- Approved colour used
	Propranolol, Flunarizine Tab.	Each uncoated Bilayered tablet contains: Propranolol Hydrochloride IP 40 mg (As Sustained Release form) Flunarizine Dihydrochloride BP Eq. to Flunarizine 10 mg Excipients q.s Colour:- Approved colour used
	Antioxidant, Multivitamin & Multimineral Capsules	Each Hard gelatin Capsules contains: Lycopene (6%) - 2000mcg Cyanocobalamin - 15mcg Beta Carotene - 10mg Ascorbic Acid - 50mg Vitamin E - 25IU Zinc Sulphate - 7.5mg Copper Sulphate - 0.5mg Selenium Dioxide - 65mcg Manganese Sulphate (Selenium) - 1.5mg Chromium Chloride - 50mcg Excipients Approved color used in capsule shells.
	Linezolid Sustained-release Tablets	Each film-coated tablet contains: Linezolid IP 1200 mg (as sustained-release) Excipients qs Colour : Ferric Red Oxide USP-NF & Erythrosine lake
	Torseamide & Spironolactone Tablets	Each uncoated tablet contains: Torseamide IP 20 mg Spironolactone IP 50 mg Excipients qs Colour: Yellow Oxide of Iron

Torsemidе & Spironolactone Tablets	<p>Each uncoated tablet contains: Torsemidе IP 10 mg Spironolactone IP 50 mg Excipients qs Colour: Yellow Oxide of Iron</p>
Paracetamol, Phenylephrine Hydrochloride, Chlorpheniramine Maleate and Caffeine Tablets	<p>Each uncoated tablet contains: Paracetamol IP 325 mg Phenylephrine Hydrochloride IP 10 mg Chlorpheniramine Maleate IP 2 mg Caffeine (anhydrous) IP 30 mg Excipients qs</p>
Dapagliflozin Propanediol Tablets	<p>Each film-coated tablet contains: Dapagliflozin Propanediol Monohydrate equivalent to Dapagliflozin 10 mg Excipients qs Colour: Yellow Oxide of Iron</p>
Estradiol Valerate Tablets	<p>Each film-coated tablet contains: Estradiol Valerate USP 2 mg Excipients qs Colour: Erythrosine & Indigo Carmine lake & titanium dioxide IP</p>
Domperidone & Naproxen Tablets	<p>Each film-coated tablet contains: Domperidone Maleate IP equivalent to Domperidone 10 mg Naproxen Sodium USP equivalent to Naproxen 500 mg Excipients qs Colour: Red Oxide of Iron USP-NF</p>

Domperidone & Naproxen Tablets	Each film-coated tablet contains: Domperidone Maleate IP equivalent to Domperidone 10 mg Naproxen Sodium USP equivalent to Naproxen 250 mg Excipients qs Colour: Erythrosine Lake
Etizolam Tablets IP 0.5 mg	Each film-coated tablet contains: Etizolam IP 0.5 mg Excipients qs Colour : Titanium Dioxide IP
Etizolam Mouth Dissolving Tablets 0.25 mg	Each mouth dissolving tablet contains: Etizolam IP 0.25 mg Excipients qs
Etizolam & Propranolol Hydrochloride Tablets	Each film-coated tablet contains: Etizolam IP 0.5 mg Propranolol Hydrochloride IP equivalent to Propranolol 20 mg Excipients qs Colour : Titanium Dioxide IP
Methotrexate Tablets IP	Each uncoated tablet contains: Methotrexate IP 5 mg Excipients qs
Ivermectin & Albendazole Tablets	Each uncoated chewable tablet contains: Ivermectin IP 6 mg Albendazole IP 400 mg Excipients qs Colour : Tartrazine
Fluoxetine Hydrochloride & Alprazolam Tablets	Each un-coated tablet contains: Fluoxetine Hydrochloride IP equivalent to Fluoxetine 20 mg Alprazolam IP 0.25 mg Excipients qs Colour : sunset yellow FCF

Methotrexate Tablets IP 10 mg	Each uncoated tablet contains: Methotrexate IP 10 mg Excipients qs
Vildagliptin & Metformin Hydrochloride Tablets	Each film-coated tablet contains: Vildagliptin 50 mg Metformin Hydrochloride IP 500 mg Excipients qs Colour : IRON OXIDE YELLOW & TITANIUM DIOXIDE IP
Aciclovir Dispersible Tablets	Each uncoated dispersible tablet contains: Aciclovir IP 400 mg Excipients qs
Levamisole Tablets IP	Each uncoated tablet contains: Levamisole Hydrochloride IP equivalent to Levamisole 50 mg Excipients qs
Methylcobalamin, Alpha Lipoic Acid, Pyridoxine Hydrochloride, Folic Acid & Benfotiamine Tablets	Each film-coated tablet contains: Methylcobalamin IP 1500 mcg Alpha Lipoic Acid USP 100 mg Folic Acid IP 1.5 mg Pyridoxine Hydrochloride IP 3 mg Benfotiamine 50 mg Excipients qs Appropriate overages added. Colour : Ponceau 4R
Trimethoprim Tablets IP 200 mg	Each uncoated tablet contains: Trimethoprim IP 200 mg Excipients qs
Methylcobalamin & Pregabalin Tablets	Each film-coated tablet contains: Methylcobalamin IP 1500 mcg Pregabalin IP 75 mg Excipients qs Colour : Red Oxide of Iron

<p>Calcium Carbonate, Magnesium Hydroxide, Zinc, Vitamin D3, Methylcobalamin, L- Methylfolate Calcium & Pyridoxal-5-Phosphate Tablets</p>	<p>Each film-coated tablet contains: Calcium Carbonate IP 1250 mg equivalent to elemental Calcium 500 mg Magnesium Hydroxide IP 240 mg equivalent to elemental Magnesium 100 mg Zinc Sulphate Monohydrate IP 11 mg equivalent to elemental Zinc 4 mg Vitamin D3 IP 2000 IU Methylcobalamin IP 1500 mcg L-Methylfolate Calcium 1 mg Pyridoxal-5-Phosphate 20 mg Excipients qs Appropriate overages added. Colour : Red Oxide of Iron & titanium dioxide</p>
<p>Aceclofenac, Paracetamol & Serratiopeptidase Tablets</p>	<p>Each film-coated tablet contains: Aceclofenac IP 100 mg Paracetamol IP 325 mg Serratiopeptidase IP 10 mg (equivalent to 20,000 units of serratiopeptidase as gastro-resistant-pellets) Excipients qs Colour : Sunset Yellow FCF</p>
<p>Aceclofenac, Paracetamol & Serratiopeptidase Tablets</p>	<p>Each film-coated tablet contains: Aceclofenac IP 100 mg Paracetamol IP 325 mg Serratiopeptidase IP 15 mg (equivalent to 30,000 units of serratiopeptidase as gastro-resistant-pellets) Excipients qs Colour : Sunset Yellow FCF</p>
<p>L-5 Methylhydrofolate Calcium Tablets USP 15 mg</p>	<p>Each film-coated tablet contains: L-5 Methylhydrofolate Calcium USP 15 mg Excipients qs Colour : Erythrosine lake</p>

Mefenamic Acid & Dicyclomine Tablets	Each uncoated tablet contains: Mefenamic Acid IP 250 mg Dicyclomine Hydrochloride IP 10 mg Excipients qs Colour : Tartrazine supra
Telmisartan Tablets IP 40 mg	Each uncoated tablet contains: Telmisartan IP 40 mg Excipients qs Colour : Titanium Dioxide IP
Clopidogrel & Aspirin Tablets	Each film-coated tablet contains: Clopidogrel Bisulphate IP 75 mg equivalent to Clopidogrel Aspirin IP 75 mg Excipients Colour : Yellow Oxide of Iron
Calcium Carbonate and Vitamin D3 Tablets IP	Each film-coated tablet contains: Calcium Carbonate IP 1.25 g equivalent to elemental Calcium 500 mg (from an organic source oyster shell) Vitamin D3 IP 200 IU Excipients Colour : Titanium Dioxide IP
Roxithromycin Tablets IP	Each film-coated tablet contains: Roxithromycin IP 150 mg Excipients Colour : Titanium Dioxide IP
Ferrous Ascorbate & Folic Acid Tablets	Each film-coated tablet contains: Ferrous Ascorbate IP 100 mg equivalent to elemental Iron Folic Acid IP 1.5 mg Excipients Appropriate overages added. Colour : Red Oxide of Iron

<p>Trypsin-Chymotrypsin Gastro-resistant Tablets</p>	<p>Each gastro-resistant tablet contains: 100000 armour units of enzymatic activity (supplied by a purified concentrate which has specific trypsin & chymotrypsin activity in a ratio of approx 6:1) Excipients Colour : Ponceau 4R</p>
<p>N-Acetylcysteine & Pyridoxamine Dihydrochloride Tablets</p>	<p>Each film-coated tablet contains: N-Acetylcysteine USP 600 mg Pyridoxamine Dihydrochloride USP 50 mg Excipients Appropriate overages added. Colour : Red Oxide of Iron USNF, Titanium dioxide</p>
<p>Metformin Hydrochloride Prolonged-release Tablets IP 1000 mg</p>	<p>Each uncoated tablet contains: Metformin Hydrochloride IP 1000 mg (as prolonged-release) Excipients Colour : Titanium Dioxide IP</p>
<p>Pantoprazole Gastro-resistant Tablets IP 40 mg</p>	<p>Each gastro-resistant tablet contains: Pantoprazole Sodium IP 40 mg equivalent to Pantoprazole Excipients Colour : Yellow Oxide of Iron</p>
<p>Calcium Acetate Tablets USP 667 mg</p>	<p>Each film-coated tablet contains: Calcium Acetate USP 667 mg Excipients Colour : Titanium Dioxide IP</p>
<p>sodium Carbonate Tablets IP 1000 mg</p>	<p>Each film-coated tablet contains: sodium Carbonate IP 1000 mg Excipients Colour : Titanium Dioxide IP</p>

Ornidazole Tablets IP	Each film-coated tablet contains: Ornidazole IP 500 mg Excipients Colour : Titanium Dioxide IP
Aceclofenac & Serratiopeptidase Tablets	Each film-coated tablet contains: Aceclofenac IP 100 mg Serratiopeptidase IP 15 mg (equivalent to 30,000 units of serratiopeptidase as gastro-resistant-pellets) Excipients Colour : Sunset Yellow lake
Voglibose Tablets IP 0.2 mg	Each uncoated tablet contains: Voglibose IP 0.2 mg Excipients Colour : Titanium Dioxide IP
Voglibose Tablets IP	Each uncoated tablet contains: Voglibose IP 0.3 mg Excipients Colour : Titanium Dioxide IP
Levetiracetam Prolonged-release Tablets IP	Each uncoated prolonged-release tablet contain: Levetiracetam IP 500 mg Excipients Colour : Titanium Dioxide IP
Etoricoxib Tablets IP 90 mg	Each film-coated tablet contains: Etoricoxib IP 90mg Excipients Colour : Titanium Dioxide IP
Betahistine Dihydrochloride Tablets IP	Each film-coated tablet contains: Betahistine Dihydrochloride IP 16 mg Excipients Colour : Yellow Oxide of Iron , Indigo carmine & Titanium Dioxide IP

Ondansetron Orally Disintegrating Tablets IP	Each uncoated orally disintegrating tablets contains: Ondansetron Hydrochloride IP equivalent to Ondansetron 4 mg Excipients Colour : Sunset Yellow FCF
Levocetirizine Hydrochloride Tablets IP 5 mg	Each film-coated tablet contains: Levocetirizine Hydrochloride IP 5 mg Excipients qs Colour : Titanium Dioxide IP
Citicoline and Piracetam Tablets	Each film-coated tablet contains: Citicoline Sodium IP equivalent to Citicoline 500 mg Piracetam IP 800 mg Excipients qs Colour : Red Oxide of Iron
Calcium Carbonate Tablets IP 500 mg	Each film-coated tablet contains: Calcium Carbonate IP 1.25 g equivalent to elemental Calcium 500 mg (from an organic source oyster shell) Excipients qs Colour : Titanium Dioxide IP
Linezolid Tablets IP 600 mg	Each film-coated tablet contains: Linezolid IP 600 mg Excipients qs Colour : Titanium Dioxide IP
Atenolol Tablets IP 50 mg	Each uncoated tablet contains: Atenolol IP 50 mg Excipients qs
Rabeprazole Gastro-resistant Tablets IP 20 mg	Each gastro-resistant tablet contains: Rabeprazole Sodium IP 20 mg Excipients qs Colour : Red Oxide of Iron

Cetirizine Hydrochloride Tablets IP 5 mg	Each film-coated tablet contains: Cetirizine Hydrochloride IP 5 mg Excipients qs Colour : Titanium Dioxide IP
Ofloxacin Tablets IP 200 mg	Each film-coated tablet contains: Ofloxacin IP 200 mg Excipients qs Colour : Sunset Yellow FCF
Ofloxacin Tablets IP 400 mg	Each film-coated tablet contains: Ofloxacin IP 400 mg Excipients qs Colour : Titanium Dioxide IP
Deflazacort Tablets 30 mg	Each uncoated tablet contains: Deflazacort IP 30 mg Excipients qs
Paracetamol and Tramadol Hydrochloride Tablets USP	Each uncoated tablet contains: Paracetamol IP 325 mg Tramadol Hydrochloride IP 37.5 mg Excipients qs Colour : Tartrazine
Telmisartan & Hydrochlorothiazide Tablets IP	Each uncoated bilayered tablet contains: Telmisartan IP 40 mg Hydrochlorothiazide IP 12.5 mg Excipients qs Colour : Sunset Yellow FCF
Levofloxacin Tablets IP 500 mg	Each film-coated tablet contains: Levofloxacin Hemihydrate IP equivalent to Levofloxacin 500 mg Excipients qs Colour : Red Oxide of Iron

Tolperisone Tablets 150 mg	<p>Each film-coated tablet contains: Tolperisone Hydrochloride 150 mg Excipients qs Colour : Titanium Dioxide IP</p>
Mefenamic Acid & Drotaverine Hydrochloride Tablets	<p>Each film-coated tablet contains: Mefenamic Acid IP 250 mg Drotaverine Hydrochloride IP 80 mg Excipients qs Colour : Tartrazine & Titanium Dioxide IP</p>
Amlodipine Tablets IP 5 mg	<p>Each uncoated tablet contains: Amlodipine Besylate IP equivalent to Amlodipine 5 mg Excipients qs</p>
Amlodipine Tablets IP 10 mg	<p>Each uncoated tablet contains: Amlodipine Besylate IP equivalent to Amlodipine 2.5 mg Excipients qs</p>
Montelukast & Levocetirizine Hydrochloride Tablets IP	<p>Each uncoated Bilayered tablet contains: Montelukast Sodium IP equivalent to Montelukast 10 mg Levocetirizine Hydrochloride IP 5 mg Excipients qs Colour : Ponceau 4R & Titanium Dioxide</p>

Pantoprazole & Domperidone Tablets	<p>Each Enteric-coated tablet contains: Pantoprazole Sodium IP equivalent to Pantoprazole 40 mg Domperidone IP 10 mg Excipients qs Colour : Ponceau 4R</p>
Nimesulide & Paracetamol Tablets	<p>Each uncoated tablet contains: Nimesulide IP 100 mg Paracetamol IP 325 mg Excipients qs</p>
Artemether & Lumefantrine Tablets	<p>Each film-coated tablet contains: Artemether IP 80 mg Lumefantrine USP 480 mg Excipients qs Colour : Quinoline Yellow WS & Titanium Dioxide</p>
Ofloxacin & Ornidazole Tablets IP	<p>Each film-coated tablet contains: Ofloxacin IP 200 mg Ornidazole IP 500 mg Excipients qs Colour : Sunset Yellow FCF</p>
Ketoconazole Tablets IP 200 mg	<p>Each uncoated tablet contains: Ketoconazole IP 200 mg Excipients qs</p>
Aceclofenac & Drotaverine Hydrochloride Tablets	<p>Each film-coated tablet contains: Aceclofenac IP 100 mg Drotaverine Hydrochloride IP 80 mg Excipients qs Colour : Quinoline Yellow WS</p>

Etoricoxib & Thiocolchicoside Tablets	<p>Each film-coated tablet contains: Etoricoxib IP 60 mg Thiocolchicoside IP 4 mg Excipients qs Colour : Quinoline Yellow WS</p>
Drotaverine Hydrochloride Tablets IP 80 mg	<p>Each film-coated tablet contains: Drotaverine Hydrochloride IP 80 mg Excipients qs Colour : Sunset Yellow FCF</p>
Levofloxacin & Ornidazole Tablets	<p>Each film-coated tablet contains: Levofloxacin Hemihydrate IP equivalent to Levofloxacin 250 mg Ornidazole IP 500 mg Excipients qs Colour : Ponceau 4R</p>
Ursodeoxycholic Acid Tablets IP 150 mg	<p>Each film-coated tablet contains: Ursodeoxycholic Acid IP 150 mg Excipients qs Colour : Sunset Yellow FCF</p>
Drotaverine Hydrochloride & Paracetamol Tablets	<p>Each film-coated tablet contains: Drotaverine Hydrochloride IP 80 mg Paracetamol IP 325 mg Excipients qs Colour : Sunset Yellow FCF</p>
Alprazolam Tablets IP 0.25 mg	<p>Each uncoated tablet contains: Alprazolam IP 0.25 mg Excipients qs Colour : Sunset Yellow FCF</p>

Levetiracetam Tablets IP 750 mg	<p>Each film-coated tablet contains: Levetiracetam IP 750 mg Excipients qs Colour : ferric Oxide of Iron & titanium dioxide IP</p>
Methylprednisolone Tablets IP 8 mg	<p>Each uncoated tablet contains: Methylprednisolone IP 8 mg Excipients qs</p>
Ofloxacin & Nitazoxanide Tablets	<p>Each film-coated tablet contains: Ofloxacin IP 200 mg Nitazoxanide IP 500 mg Excipients qs Colour : Sunset Yellow FCF</p>
Rifaximin Tablets 200 mg	<p>Each film-coated tablet contains: Rifaximin BP 200 mg Excipients qs Colour : Sunset Yellow FCF</p>
Rifaximin Tablets 400 mg	<p>Each film-coated tablet contains: Rifaximin BP 400 mg Excipients qs Colour : Sunset Yellow FCF</p>
Doxofylline Tablets IP 400 mg	<p>Each film-coated tablet contains: Doxofylline IP 400 mg Excipients qs Colour : Sunset Yellow FCF</p>

<p>Aceclofenac & Thiocolchicoside Tablets</p>	<p>Each film-coated tablet contains: Aceclofenac IP 100 mg Thiocolchicoside IP 4 mg Excipients qs Colour : Yellow Oxide of Iron</p>
<p>Aceclofenac & Thiocolchicoside Tablets</p>	<p>Each film-coated tablet contains: Aceclofenac IP 100 mg Thiocolchicoside IP 8 mg Excipients qs Colour : Quinoline Yellow lake</p>
<p>Metformin Hydrochloride (Prolonged Release) & Glimepiride Tablets</p>	<p>Each uncoated bilayered tablet contains: Metformin Hydrochloride IP 500 mg (Prolonged Release) Glimepiride IP 1 mg Excipients qs Colour : Brilliant Blue FCF & Titanium Dioxide</p>
<p>Terbinafine Tablets IP 250 mg</p>	<p>Each uncoated tablet contains: Terbinafine Hydrochloride IP equivalent to Terbinafine 250 mg Excipients qs</p>
<p>Amlodipine & Atenolol Tablets IP</p>	<p>Each uncoated tablet contains: Amlodipine Besylate IP equivalent to Amlodipine 5 mg Atenolol IP 50 mg Excipients qs</p>

Aceclofenac Tablets 100 mg	<p>Each Film-coated tablet contains: Aceclofenac IP 100 mg Excipients qs colour: titanium dioxide</p>
Aceclofenac Sustained-release Tablets 200 mg	<p>Each sustained-release tablet contains: Aceclofenac IP 200 mg Excipients qs</p>
Atorvastatin & Fenofibrate Tablets	<p>Each film-coated tablet contains: Atorvastatin Calcium IP equivalent to Atorvastatin 10 mg Fenofibrate IP 160 mg Excipients qs Colour : Sunset Yellow FCF</p>
Atorvastatin Tablets IP 10 mg	<p>Each film-coated tablet contains: Atorvastatin Calcium IP equivalent to Atorvastatin 10 mg Excipients qs Colour : Erythrosine</p>
Atorvastatin Tablets IP 20 mg	<p>Each film-coated tablet contains: Atorvastatin Calcium IP equivalent to Atorvastatin 20 mg Excipients qs Colour : Tartrazine</p>
Baclofen Tablets IP 10 mg	<p>Each uncoated tablet contains: Baclofen IP 10 mg Excipients qs</p>

Baclofen Tablets IP 25 mg	Each uncoated tablet contains: Baclofen IP 25 mg Excipients qs
Clarithromycin Tablets IP 250 mg	Each film-coated tablet contains: Clarithromycin IP 250 mg Excipients qs Colour : Quinoline Yellow WS & Titanium DIOXIDE
Ciprofloxacin & Tinidazole Tablets	Each film-coated tablet contains: Ciprofloxacin Hydrochloride IP equivalent to Ciprofloxacin 500 mg Tinidazole IP 600 mg Excipients qs Colour : Yellow Oxide of Iron
Citicoline Sodium Tablets IP 500 mg	Each film-coated tablet contains: Citicoline Sodium IP equivalent to Citicoline 500 mg Excipients qs Colour : Yellow Oxide of Iron & titanium dioxide
Diclofenac Potassium & Paracetamol Tablets	Each uncoated tablet contains: Diclofenac Potassium BP 50 mg Paracetamol IP 325 mg Excipients qs
Piroxicam Dispersible Tablets	Each uncoated dispersible tablet contains: Piroxicam IP 20 mg Excipients qs

<p>Doxofylline sustained-release & Montelukast Tablets</p>	<p>Each film-coated tablet contains: Doxofylline IP 400 mg Montelukast Sodium IP equivalent to Montelukast 10 mg Excipients qs Colour : Erythrosine</p>
<p>Clarithromycin Tablets IP 500 mg</p>	<p>Each film-coated tablet contains: Clarithromycin IP 500 mg Excipients qs Colour : Quinoline Yellow WS & Titanium Dioxide</p>
<p>Doxofylline & Ambroxol Hydrochloride Tablets</p>	<p>Each uncoated tablet contains: Doxofylline IP 400 mg Ambroxol Hydrochloride IP 30 mg Excipients qs</p>
<p>Methylergometrine Tablets IP</p>	<p>Each uncoated tablet contains: Methylergometrine IP 0.13 mg Excipients qs Colour : Quinoline Yellow WS</p>
<p>Etoricoxib Tablets IP 60 mg</p>	<p>Each film-coated tablet contains: Etoricoxib IP 60 mg Excipients qs Colour : Red Oxide of Iron & Titanium Dioxide</p>

Methylcobalamin & Folic Acid Tablets IP	<p>Each film-coated tablet contains: Methylcobalamin IP 1500 mcg Folic Acid IP 1.5 mg Excipients qs Colour : Red Oxide of Iron Appropriate overages of vitamins added to compensate for loss on storage.</p>
Iron, Zinc & Vitamin Tablets	<p>Each film-coated tablet contains: Iron (as amino acid chelate) IP 30 mg Zinc (as zinc picolinate) USP 10 mg Cyanocobalamin IP 15 mcg Folic Acid IP 1.5 mg Excipients qs Colour : Ponceau 4R & Carmosine Appropriate overages of vitamins added to compensate for loss on storage.</p>
Methylprednisolone Tablets IP 4 mg	<p>Each uncoated tablet contains: Methylprednisolone IP 4 mg Excipients qs</p>
Esomeprazole Gastro-resistant Tablets IP 40 mg	<p>Each gastro-resistant film-coated tablet contains: Esomeprazole Magnesium Hydrate IP equivalent to Esomeprazole 40 mg Excipients qs Colour : Red Oxide of Iron</p>
Folic Acid Tablets IP 5 mg	<p>Each uncoated tablet contains: Folic Acid IP 5 mg Excipients qs Appropriate overages of vitamins added to compensate for loss on storage.</p>

<p>Methylcobalamin, Alpha Lipoic Acid, Biotin & Folic Acid Tablets</p>	<p>Each film-coated tablet contains: Methylcobalamin IP 1500 mcg Alpha Lipoic Acid USP 100 mg Folic Acid IP 1.5 mg Biotin IP 100 mg Excipients qs Appropriate overages added. Colour : Red Oxide of Iron</p>
<p>Thiocolchicoside Tablets 8 mg</p>	<p>Each film-coated tablet contains: Thiocolchicoside IP 8 mg Excipients qs Colour : Erythrosine</p>
<p>Diacerein Tablets IP 50 mg</p>	<p>Each film-coated tablet contains: Diacerein IP 50 mg Excipients qs Colour : Ponceau 4R</p>
<p>Clomifene Citrate Tablets IP 50 mg</p>	<p>Each uncoated tablet contains: Clomifene Citrate IP 50 mg Excipients qs</p>
<p>Fexofenadine & Montelukast Tablets</p>	<p>Each film-coated tablet contains: Fexofenadine Hydrochloride IP 120 mg Montelukast Sodium IP equivalent to Montelukast 10 mg Excipients qs Colour : Red Oxide of Iron</p>

Isoxsuprine Sustained-release Tablets IP 30 mg	Each uncoated sustained-release tablet contains: Isoxsuprine Hydrochloride IP 30 mg Excipients qs
Glibenclamide & Metformin Hydrochloride Tablets IP	Each uncoated tablet contains: Glibenclamide IP 5 mg Metformin Hydrochloride IP 500 mg Excipients qs
Amiodarone Hydrochloride Tablets IP 100 mg	Each film-coated bilayered tablet contains: Amiodarone Hydrochloride IP 100 mg Excipients qs Colour : Titanium Dioxide IP
Isoxsuprine hydrochloride sustained-release Tablets IP 10 mg	Each uncoated sustained-release tablet contains: Isoxsuprine Hydrochloride IP 10 mg Excipients qs colour: Approved colour used
Esomeprazole Gastro-resistant Tablets IP 10 mg	Each gastro-resistant tablet contains: Esomeprazole IP 10 mg Excipients qs Colour : Titanium Dioxide IP
Ketorolac Tromethamine Dispersible Tablets	Each uncoated dispersible tablet contains: Ketorolac Tromethamine IP 10 mg Excipients qs Colour : Sunset Yellow FCF

Leflunomide Tablets IP 20 mg	Each film-coated tablet contains: Leflunomide IP 20 mg Excipients qs Colour : Titanium Dioxide IP
Levosulpride Tablets 25 mg	Each uncoated tablet contains: Levosulpride 25 mg Excipients qs
Levosulpride Tablets 50 mg	Each uncoated tablet contains: Levosulpride 50 mg Excipients qs
Rosuvastatin Tablets IP 5 mg	Each film-coated tablet contains: Rosuvastatin Calcium IP equivalent to Rosuvastatin 5 mg Excipients qs Colour : Titanium Dioxide IP
Rosuvastatin Tablets IP 10 mg	Each film-coated tablet contains: Rosuvastatin Calcium IP equivalent to Rosuvastatin 10 mg Excipients qs Colour : Red Oxide of Iron & Titanium Dioxide
Rosuvastatin & Fenofibrate Tablets	Each film-coated tablet contains: Rosuvastatin Calcium IP equivalent to Rosuvastatin 5 mg Fenofibrate IP 160 mg Excipients qs Colour : Red Oxide of Iron & Titanium Dioxide

Rosuvastatin Tablets IP 20 mg	Each film-coated tablet contains: Rosuvastatin Calcium IP equivalent to Rosuvastatin 20 mg Excipients qs Colour : Red Oxide of Iron & Titanium Dioxide
Torsemide Tablets IP 10 mg	Each uncoated tablet contains: Torsemide IP 10 mg Excipients qs
Torsemide Tablets IP 20 mg	Each uncoated tablet contains: Torsemide IP 20 mg Excipients qs
Rosuvastatin Tablets IP 40 mg	Each film-coated tablet contains: Rosuvastatin Calcium IP equivalent to Rosuvastatin 40 mg Excipients qs Colour : Red Oxide of Iron & Titanium Dioxide
Torsemide Tablets IP 100 mg	Each uncoated tablet contains: Torsemide IP 100 mg Excipients qs
Letrozole Tablets IP 2.0 mg	Each film-coated tablet contains: Letrozole IP 2.0mg Excipients qs Colour : Yellow Oxide of Iron & Titanium Dioxide
Sodium Valporate Tablets IP 200 mg	Each gastro-resistant tablet contains: Sodium Valporate IP 200 mg Excipients qs Colour : Sunset Yellow FCF

Sodium Valporate Tablets IP 300 mg	<p>Each gastro-resistant tablet contains: Sodium Valporate IP 300 mg Excipients qs Colour : Red Oxide of Iron</p>
Oxcarbazepine Tablets IP 150 mg	<p>Each film-coated tablet contains: Oxcarbazepine IP 150 mg Excipients qs Colour : Yellow Oxide of Iron</p>
Oxcarbazepine Tablets IP 300 mg	<p>Each film-coated tablet contains: Oxcarbazepine IP 300 mg Excipients qs Colour : Yellow Oxide of Iron</p>
Losartan Potassium & Amlodipine Tablets	<p>Each film-coated tablet contains: Amlodipine Besylate IP equivalent to Amlodipine 5 mg Losartan Potassium IP 50 mg Excipients qs Colour : Erythrosine and titanium dioxide IP</p>
Olmesartan Medoxomil & Hydrochlorothiazide Tablets	<p>Each film-coated tablet contains: Olmesartan Medoxomil IP 20 mg Hydrochlorothiazide IP 12.5 mg Excipients qs Colour : Yellow Oxide of Iron</p>

<p>Olmesartan Medoxomil & Amlodipine Besylate Tablets</p>	<p>Each film-coated tablet contains: Olmesartan Medoxomil IP 50 mg Amlodipine Besylate IP equivalent to Amlodipine 5 mg Excipients qs Colour : Quinoline Yellow WS</p>
<p>Clomifene Citrate Tablets IP 25 mg</p>	<p>Each uncoated tablet contains: Clomifene Citrate IP 25 mg Excipients qs</p>
<p>Clomifene Citrate Tablets IP 100 mg</p>	<p>Each uncoated tablet contains: Clomifene Citrate IP 100 mg Excipients qs</p>
<p>Febuxostat Tablets 40 mg</p>	<p>Each film-coated tablet contains: Febuxostat 40 mg Excipients qs Colour : Tartrazine</p>
<p>Febuxostat Tablets 80 mg</p>	<p>Each film-coated tablet contains: Febuxostat 80 mg Excipients qs Colour : Brilliant Blue FCF</p>
<p>Pantoprazole Gastro-resistant Tablets IP 20 mg</p>	<p>Each gastro-resistant tablet contains: Pantoprazole Sodium IP equivalent to Pantoprazole 20 mg Excipients qs Colour : Yellow Oxide of Iron</p>

Cabergoline Tablets IP 1 mg	Each uncoated tablet contains: Cabergoline IP 1 mg Excipients qs
Ebastine Tablets IP 5 mg	Each film-coated tablet contains: Ebastine IP 5 mg Excipients qs Colour : Red Oxide of Iron & Titanium Dioxide
Ebastine Tablets IP 10 mg	Each film-coated tablet contains: Ebastine IP 10 mg Excipients qs Colour : Titanium Dioxide IP
Minocycline Tablets USP 100 mg	Each film-coated tablet contains: Minocycline Hydrochloride USP equivalent to Minocycline 100 mg Excipients qs Colour : Sunset Yellow FCF
Norfloxacin & Tinidazole Tablets	Each film-coated tablet contains: Norfloxacin IP 400 mg Tinidazole IP 600 mg Excipients qs Colour : Quinoline LAKE
Tadalafil Tablets IP 20 mg	Each film-coated tablet contains: Tadalafil IP 20 mg Excipients qs Colour : Ponceau 4R

Cabergoline Tablets IP 0.5 mg	Each uncoated tablet contains: Cabergoline IP 0.5 mg Excipients qs
Gliclazide & Metformin Hydrochloride Tablets	Each uncoated tablet contains: Gliclazide IP 80 mg Metformin Hydrochloride IP 500 mg Excipients qs
Sparfloxacin Tablets 200 mg	Each film-coated tablet contains: Sparfloxacin IP 200 mg Excipients qs Colour : Red Oxide of Iron & Titanium Dioxide
Fexofenadine Hydrochloride Tablets IP 120 mg	Each film-coated tablet contains: Fexofenadine Hydrochloride IP 120 mg Excipients qs Colour : Sunset Yellow FCF
Fexofenadine Hydrochloride Tablets IP 180 mg	Each film-coated tablet contains: Fexofenadine Hydrochloride IP 180 mg Excipients qs Colour : Sunset Yellow FCF
Sildenafil Citrate Tablets IP 50 mg	Each film-coated tablet contains: Sildenafil Citrate USP equivalent to Sildenafil 50 mg Excipients qs Colour : Indigo Carmine

Tapentadol Tablets 100 mg	Each film-coated tablet contains: Tapentadol Hydrochloride IP 100 mg Excipients qs Colour : Red Oxide of Iron
Sildenafil Citrate Tablets IP 100 mg	Each film-coated tablet contains: Sildenafil Citrate USP equivalent to Sildenafil 100 mg Excipients qs Colour : Indigo Carmine
Lamivudine Tablets IP 100 mg	Each film-coated tablet contains: Lamivudine IP 100 mg Excipients Colour : Red Oxide of Iron & Titanium Dioxide
Finasteride Tablets IP 5 mg	Each film-coated tablet contains: Finasteride IP 5 mg Excipients Colour : Red Oxide of Iron & Titanium Dioxide
Tapentadol Tablets 50 mg	Each film-coated tablet contains: Tapentadol Hydrochloride IP 50 mg Excipients Colour : Red Oxide of Iron
Pregabalin Prolonged-release Tablets	Each film-coated prolonged-release tablet contains: Pregabalin IP 75 mg Excipients Colour : Red Oxide of Iron & Titanium Dioxide

Betahistine Tablets IP 8 mg	Each uncoated tablet contains: Betahistine IP 8 mg Excipients
Betahistine Tablets IP 24 mg	Each uncoated tablet contains: Betahistine IP 24 mg Excipients
Desloratidine and Montelukast Tablets	Each film-coated tablet contains: Desloratidine BP 5 mg Montelukast Sodium IP equivalent to Montelukast 10 mg Excipients q.s. Colour : Approved colour used
Dapoxetine Tablets IP 30 mg	Each film-coated tablet contains: Dapoxetine Hydrochloride IP equivalent to Dapoxetine 30 mg Excipients Colour : Tartrazine
Escitalopram and Clonazepam Tablets IP	Each film-coated tablet contains: Escitalopram Oxalate IP equivalent to Escitalopram 10 mg Clonazepam IP 0.5 mg Excipients Colour : Quinoline Yellow WS
Dapoxetine Tablets IP 60 mg	Each film-coated tablet contains: Dapoxetine Hydrochloride IP equivalent to Dapoxetine 60 mg Excipients Colour : Brilliant Blue FCF

Escitalopram and Clonazepam Tablets IP	<p>Each film-coated tablet contains: Escitalopram Oxalate IP equivalent to Escitalopram 5 mg Clonazepam IP 0.5 mg Excipients Colour : Brilliant Blue FCF</p>
Levetiracetam Prolonged-release Tablets IP 750 mg	<p>Each uncoated prolonged-release tablet contains: Levetiracetam IP 750 mg Excipients qs Colour : Quinoline Yellow WS</p>
Methylprednisolon Tablets IP 8 mg	<p>Each uncoated tablet contains: Methylprednisolon IP 8 mg Excipients qs</p>
Deflazacort Tablets 6 mg	<p>Each uncoated tablet contains: Deflazacort 6 mg Excipients qs</p>
Thiocolchicoside Tablets 4 mg	<p>Each film-coated tablet contains: Thiocolchicoside IP 4 mg Excipients qs Colour : Erythrosine</p>
Betahistine Tablets IP 8 mg	<p>Each film-coated tablet contains: Betahistine Dihydrochloride IP 8 mg Excipients qs Colour : Sunset Yellow FCF</p>

<p>Torsemide & Spironolactone Tablets</p>	<p>Each uncoated tablet contains: Torsemide IP 10 mg Spironolactone IP 50 mg Excipients qs</p>
<p>Isoxsuprine Sustained-release Tablets IP 40 mg</p>	<p>Each uncoated sustained-release tablet contains: Isoxsuprine Hydrochloride IP 40 mg Excipients qs</p>
<p>Metformin Hydrochloride Prolonged-release and Glimepiride Tablets IP</p>	<p>Each uncoated bilayered tablet contains: Metformin Hydrochloride IP 500 mg (as prolonged-release) Glimepiride IP 1 mg Excipients qs Colour : Sunset Yellow FCF</p>
<p>Amlodipine Besylate & Metoprolol Succinate Tablets</p>	<p>Each film-coated bilayered tablet contains: Amlodipine Besylate IP equivalent to Amlodipine 5 mg Metoprolol Succinate IP equivalent to Metoprolol Tartrate 50 mg (as extended-release) Excipients qs Colour : Ponceau 4R</p>

<p>Ferrous Ascorbate, Folic Acid, Methylcobalamin & Zinc Tablets</p>	<p>Each film-coated tablet contains: Ferrous Ascorbate equivalent to elemental Iron 100 mg Folic Acid IP 1.5 mg Methylcobalamin IP 1.5 mg Zinc Sulphate Monohydrate IP equivalent to elemental Zinc 22.5 mg Excipients qs Appropriate overages added. Colour : Red Oxide of Iron & Titanium Dioxide</p>
<p>Metformin Hydrochloride Prolonged-release and Glimepiride Tablets IP</p>	<p>Each uncoated bilayered tablet contains: Metformin Hydrochloride IP 500 mg (as prolonged-release) Glimepiride IP 2 mg Excipients qs Colour : Sunset Yellow & Titanium Dioxide</p>
<p>Albendazole Tablets IP 400 mg</p>	<p>Each uncoated chewable tablet contains: Albendazole IP 400 mg Excipients qs Colour : Sunset Yellow FCF</p>
<p>Calcium Citrate and Vitamin D3 Tablets IP</p>	<p>Each film-coated tablet contains: Calcium Citrate Malate IP 1000 mg equivalent to elemental Calcium 250 mg Vitamin D3 IP 200 IU Excipients qs Colour : Titanium Dioxide IP</p>

<p>Cholecalciferol chewable tablets 60,000 IU</p>	<p>Each uncoated chewable tablet contains: Cholecalciferol IP 60,000 IU (as stabilized) Excipients qs Colour : Sunset Yellow FCF</p>
<p>Calcium Citrate, Folic Acid and Vitamin D3 Tablets</p>	<p>Each film-coated tablet contains: Calcium Citrate Malate IP 1000 mg equivalent to elemental Calcium 250 mg Folic Acid IP 50 mcg Vitamin D3 IP 200 IU Excipients qs Colour : Brilliant Blue FCF</p>
<p>Pancreatin Tablets</p>	<p>Each gastro-resistant tablet contains: Pancreatin IP 500 mg (Including Lipase, Amylase & Protease Activity) Excipients qs Colour : Titanium Dioxide IP</p>
<p>Metformin Hydrochloride Prolonged-release and Glimepiride Tablets IP</p>	<p>Each uncoated bilayered tablet contains: Metformin Hydrochloride IP 1000 mg (as prolonged-release) Glimepiride IP 2 mg Excipients qs Colour : Yellow Oxide of Iron</p>
<p>Thyroxine Sodium Tablets 100 mcg</p>	<p>Each uncoated tablet contains: Thyroxine Sodium IP 100 mcg Excipients qs</p>

Pioglitazone Hydrochloride Tablets IP 7.5 mg	Each uncoated tablet contains: Pioglitazone Hydrochloride IP equivalent to Pioglitazone 7.5 mg Excipients qs
Torsemide Tablets IP 5 mg	Each uncoated tablet contains: Torsemide IP 5 mg Excipients qs
Atorvastatin Tablets IP 40 mg	Each film-coated tablet contains: Atorvastatin Calcium IP equivalent to Atorvastatin 40 mg Excipients qs Colour : Ponceau 4R
Etodolac Prolonged-release Tablets IP 200 mg	Each film-coated prolonged-release tablet contains: Etodolac IP 200 mg Excipients qs Colour : Red Oxide of Iron & Titanium Dioxide
Etodolac Prolonged-release Tablets IP 600 mg	Each film-coated prolonged-release tablet contains: Etodolac IP 600 mg Excipients qs Colour : Yellow Oxide of Iron & Titanium Dioxid
Telmisartan Tablets IP 20 mg	Each uncoated tablet contains: Telmisartan IP 20 mg Excipients qs

Metformin Hydrochloride and Glimepiride Tablets	<p>Each uncoated tablet contains: Metformin Hydrochloride IP 500 mg Glimepiride IP 2 mg Excipients qs</p>
Escitalopram and Clonazepam Tablets IP	<p>Each film-coated tablet contains: Escitalopram Oxalate IP equivalent to Escitalopram 10 mg Clonazepam IP 0.25 mg Excipients qs Colour : Red Oxide of Iron</p>
Atorvastatin & Clopidogrel Tablets	<p>Each film-coated tablet contains: Atorvastatin Calcium IP equivalent to Atorvastatin 10 mg Clopidogrel Bisulphate IP equivalent to Clopidogrel 75 mg Excipients qs Colour : Red Oxide of Iron</p>
Atorvastatin & Clopidogrel Tablets	<p>Each film-coated tablet contains: Atorvastatin Calcium IP equivalent to Atorvastatin 20 mg Clopidogrel Bisulphate IP equivalent to Clopidogrel 75 mg Excipients qs Colour : Red Oxide of Iron</p>
Calcium Orotate Tablets	<p>Each film-coated tablet contains: Calcium Orotate 740 mg Excipients qs Colour : Titanium Dioxide IP</p>

Olmesartan Medoxomil Tablets IP 20 mg	Each uncoated tablet contains: Olmesartan Medoxomil IP 20 mg Excipients qs
Calcium Orotate & Vitamin D3 Tablets	Each film-coated tablet contains: Calcium Orotate 740 mg Vitamin D3 IP 500 IU Excipients qs Colour : Titanium Dioxide IP
Nicorandil Tablets IP 20 mg	Each uncoated tablet contains: Nicorandil IP 20 mg Excipients qs
Nicorandil Tablets IP 10 mg	Each uncoated tablet contains: Nicorandil IP 10 mg Excipients qs
Telmisartan Tablets IP 80 mg	Each uncoated tablet contains: Telmisartan IP 80 mg Excipients qs
Nicorandil Tablets IP 5 mg	Each uncoated tablet contains: Nicorandil IP 5 mg Excipients qs
Cilnidipine Tablets IP 10 mg	Each film-coated tablet contains: Cilnidipine IP 10 mg Excipients qs Colour : Yellow Oxide of Iron

Cilnidipine Tablets IP 20 mg	Each film-coated tablet contains: Cilnidipine IP 20 mg Excipients qs Colour : Yellow Oxide of Iron
Isotretinoin Tablets 30 mg	Each uncoated tablet contains: Isotretinoin IP 30 mg Excipients qs
Gabapentin Tablets IP 100 mg	Each film-coated tablet contains: Gabapentin IP 100 mg Excipients qs Colour : Red Oxide of Iron
Gabapentin Tablets IP 300 mg	Each film-coated tablet contains: Gabapentin IP 300 mg Excipients qs Colour : Red Oxide of Iron
Metformin Hydrochloride Prolonged-release and Voglibose Tablets	Each uncoated bilayered tablet contains: Metformin Hydrochloride IP 500 mg (as prolonged-release) Voglibose IP 0.2 mg Excipients qs Colour : Sunset Yellow FCF
Metformin Hydrochloride Prolonged-release and Voglibose Tablets	Each uncoated bilayered tablet contains: Metformin Hydrochloride IP 500 mg (as prolonged-release) Voglibose IP 0.3 mg Excipients qs Colour : Brilliant Blue FCF

Sulfasalazine delayed-release Tablets USP	Each delayed-release tablet contains: Sulfasalazine USP Excipients Colour : Yellow Oxide of Iron
Controlled-release tablets of Sodium Valporate & Valporic Acid	Each film-coated controlled release tablet contains: Sodium Valporate IP Valporic Acid IP both together correspond to Sodium Valporate 1000 mg Excipients Colour : Sunset Yellow FCF
Nicorandil prolonged-release tablets IP 10 mg	Each uncoated prolonged-release tablet contains: Nicorandil IP 10 mg Excipients
Nicorandil prolonged-release tablets IP 20 mg	Each uncoated prolonged-release tablet contains: Nicorandil IP 20 mg Excipients
Olmesartan Medoxomil Tablets IP 40 mg	Each uncoated tablet contains: Olmesartan Medoxomil IP 40 mg Excipients
Etoricoxib & Paracetamol Tablets	Each un-coated tablet contains: Etoricoxib IP 60 mg Paracetamol IP 325 mg Excipients

Glimepiride Tablets IP 1 mg	Each uncoated tablet contains: Glimepiride IP 1 mg Excipients
Diclofenac Sodium & Paracetamol Tablets	Each uncoated tablet contains: Diclofenac Sodium BP 50 mg Paracetamol IP 325 mg Excipients
Atorvastatin Tablets IP 80 mg	Each film-coated tablet contains: Atorvastatin Calcium IP equivalent to Atorvastatin 80 mg Excipients Colour : Sunset Yellow FCF
Etodolac & Tolperisone Tablets	Each film-coated tablet contains: Etodolac IP 400 mg Tolperisone IP 150 mg Excipients Colour : Brilliant Blue FCF
Telmisartan & Amlodipine Tablets IP	Each uncoated bilayered tablet contains: Telmisartan IP 40 mg Amlodipine Besylate IP equivalent to Amlodipine 5 mg Excipients qs Colour : Ponceau 4R
Thyrosine Sodium Tablets 125 mcg	Each uncoated tablet contains: Thyrosine Sodium IP 125 mcg Excipients qs

Thyrosine Sodium Tablets 75 mg	Each uncoated tablet contains: Thyrosine Sodium IP 75 mg Excipients qs
Lornoxicam & Paracetamol Tablets	Each film-coated tablet contains: Lornoxicam 8 mg Paracetamol IP 325 mg Excipients qs Colour : Quinoline Yellow WS
Lornoxicam & Thiocolchicoside Tablets	Each film-coated tablet contains: Lornoxicam 4 mg Thiocolchicoside IP 8 mg Excipients qs Colour : Sunset Yellow FCF
Lornoxicam & Thiocolchicoside Tablets	Each film-coated tablet contains: Lornoxicam 4 mg Thiocolchicoside IP 4 mg Excipients qs Colour : Sunset Yellow FCF
Lornoxicam & Thiocolchicoside Tablets	Each film-coated tablet contains: Lornoxicam 8 mg Thiocolchicoside IP 4 mg Excipients qs Colour : Tartrazine
Telmisartan & Hydrochlorothiazide Tablets IP	Each film-coated bilayered tablet contains: Telmisartan IP 40 mg Hydrochlorothiazide IP 12.5 mg Excipients qs Colour : Titanium Dioxide IP

<p>Metoprolol Succinate Prolonged- release Tablets IP 25 mg</p>	<p>Each film-coated Prolonged-release tablet contains: Metoprolol Succinate IP 23.75 mg equivalent to Metoprolol Tartrate 25 mg Excipients qs Colour : Titanium Dioxide IP</p>
<p>Pantoprazole mouth dissolving Tablets 20 mg</p>	<p>Each uncoated mouth dissolving tablet contains: Pantoprazole Sodium IP equivalent to Pantoprazole 20 mg Excipients qs Colour : Tartrazine</p>
<p>Olmesartan Medoxomil & Hydrochlorothiazide Tablets</p>	<p>Each film-coated tablet contains: Olmesartan Medoxomil IP 40 mg Hydrochlorothiazide IP 12.50 mg Excipients qs Colour : Synset Yellow FCF</p>
<p>Amlodipine Besylate & Metoprolol Succinate Tablets</p>	<p>Each film-coated bilayered tablet contains: Amlodipine Besylate IP equivalent to Amlodipine 2.5 mg Metoprolol Succinate IP equivalent to Metoprolol Tartrate 25 mg (as extended-release) Excipients qs Colour : Tartrazine</p>
<p>Telmisartan & Amlodipine Tablets IP</p>	<p>Each uncoated tablet contains: Telmisartan IP 80 mg Amlodipine Besylate IP equivalent to Amlodipine 10 mg Excipients qs Colour : Red oxide of iron</p>

Telmisartan & Hydrochlorothiazide Tablets	<p>Each film-coated bilayered tablet contains:</p> <p>Telmisartan IP 80 mg</p> <p>Hydrochlorothiazide IP 12.50 mg</p> <p>Excipients qs</p> <p>Colour : Ponceau 4R</p>
Gliclazide & Metformin Hydrochloride Prolonged release Tablets	<p>Each uncoated tablet contains:</p> <p>Gliclazide IP 80 mg</p> <p>Metformin Hydrochloride IP 500 mg (as sustained-release)</p> <p>Excipients qs</p> <p>Colour : Ponceau 4R</p>
Hydroxyzine Hydrochloride Tablets IP 10 mg	<p>Each film-coated tablet contains:</p> <p>Hydroxyzine Hydrochloride IP 10 mg</p> <p>Excipients qs</p> <p>Colour : Titanium Dioxide IP</p>
Hydroxyzine Hydrochloride Tablets IP 25 mg	<p>Each film-coated tablet contains:</p> <p>Hydroxyzine Hydrochloride IP 25 mg</p> <p>Excipients qs</p> <p>Colour : Titanium Dioxide IP</p>
Gabapentin Prolonged-release & Methylcobalamin Tablets	<p>Each film-coated tablet contains:</p> <p>Gabapentin IP 600 mg (as prolonged-release)</p> <p>Methylcobalamin 1500 mcg</p> <p>Excipients qs</p> <p>Colour : Sunset Yellow FCF</p>

<p>Gabapentin & Methylcobalamin Tablets</p>	<p>Each film-coated tablet contains: Gabapentin IP 100 mg Methylcobalamin 500 mcg Excipients qs Colour : Ponceau 4R</p>
<p>Tranexamic Acid Tablets IP 250 mg</p>	<p>Each film-coated tablet contains: Tranexamic Acid IP 250 mg Excipients qs Colour : Titanium Dioxide IP</p>
<p>Tranexamic Acid Tablets IP 500 mg</p>	<p>Each film-coated tablet contains: Tranexamic Acid IP 500 mg Excipients qs Colour : Titanium Dioxide IP</p>
<p>Glimepiride Tablets IP 2 mg</p>	<p>Each uncoated tablet contains: Glimepiride IP 2 mg Excipients qs</p>
<p>Fexofenadine Hydrochloride Tablets IP 120 mg</p>	<p>Each film-coated tablet contains: Fexofenadine Hydrochloride IP 120 mg Excipients qs Colour : Red Oxide of Iron</p>
<p>Silymarin Tablets 70 mg</p>	<p>Each film-coated tablet contains: Silymarin (as silybin) IP 70 mg Excipients qs Colour : Sunset Yellow FCF</p>

Silymarin Tablets 140 mg	Each film-coated tablet contains: Silymarin (as silybin) IP 140 mg Excipients qs Colour : Quinoline Yellow WS
Tranexamic Acid & Etamsylate Tablets	Each film-coated tablet contains: Tranexamic Acid IP 250 mg Etamsylate 250 mg Excipients qs Colour : Erythrosine
Etamsylate Tablets 250 mg	Each film-coated tablet contains: Etamsylate 250 mg Excipients qs Colour : Titanium Dioxide IP
Etamsylate Tablets 500 mg	Each film-coated tablet contains: Etamsylate 500 mg Excipients qs Colour : Titanium Dioxide IP
Amisulpride Modified-release Tablets	Each uncoated tablet contains: Amisulpride IP 200 mg (as Modified-release) Excipients qs
Ivermectin Dispersible Tablets 6 mg	Each uncoated dispersible tablet contains: Ivermectin IP 6 mg Excipients qs Colour : Sunset Yellow FCF

Torse mide & Spironolactone Tablets	<p>Each uncoated tablet contains: Torse mide IP 20 mg Spironolactone IP 25 mg Excipients qs</p>
Olmesartan Medoxomil & Amlodipine Besylate Tablets	<p>Each uncoated tablet contains: Olmesartan Medoxomil IP 20mg Amlodipine Besylate IP 5 mg equivalent to Amlodipine Excipients qs</p>
Risedronate Sodium Tablets 35 mg	<p>Each film-coated tablet contains: Risedronate Sodium IP equivalent to anhydrous Risedronate 35 mg Excipients qs Colour : Sunset Yellow FCF</p>
Fluconazole Tablets IP 150 mg	<p>Each uncoated tablet contains: Fluconazole IP 150 mg Excipients qs</p>
Montelukast & Levocetirizine Hydrochloride mouth dissolving Tablets	<p>Each uncoated mouth dissolving tablet contains: Montelukast Sodium IP 2.5 mg equivalent to Montelukast Levocetirizine Hydrochloride IP 4 mg Excipients qs Colour : Sunset Yellow FCF</p>

<p>Atorvastatin Tablets IP 40 mg</p>	<p>Each film-coated tablet contains: Atorvastatin Calcium IP 40 mg equivalent to Atorvastatin Excipients Colour : Sunset Yellow FCF</p>
<p>Atorvastatin Tablets IP 80 mg</p>	<p>Each film-coated tablet contains: Atorvastatin Calcium IP 80 mg equivalent to Atorvastatin Excipients Colour : Titanium Dioxide IP</p>
<p>Telmisartan (Immediate-release) & Metoprolol Succinate (Modified-release) Tablets</p>	<p>Each uncoated bilayered tablet contains: Telmisartan IP 40mg (as Immediate-release) Metoprolol Succinate IP equivalent to Metoprolol Tartrate 50mg (as Modified-release) Excipients Colour : Tartrazine</p>
<p>Aceclofenac & Thiocolchicoside Tablets</p>	<p>Each film-coated tablet contains: Aceclofenac IP 200 mg (as Modified-release) Thiocolchicoside IP 8 mg Excipients Colour : Yellow Oxide of Iron & Quinoline Yellow WS</p>

Etodolac Prolonged-release Tablets IP 300 mg	<p>Each film-coated prolonged-release tablet contains: 300 mg Etodolac IP Excipients Colour : Red Oxide of Iron & Titanium Dioxide</p>
Telmisartan (Immediate-release) & Metoprolol Succinate (Modified-release) Tablets	<p>Each uncoated bilayered tablet contains: Telmisartan IP 40 mg (as Immediate-release) Metoprolol Succinate IP equivalent to Metoprolol Tartrate 25 mg (as Modified-release) Excipients qs Colour : Quinoline Yellow WS</p>
S (+) Etodolac Prolonged tablets 300 mg	<p>Each uncoated dispersible tablet contains: S (+) Etodolac 300 mg Excipients qs Colour : Yellow Oxide of Iron, Indigo Carmine & Titanium Dioxide IP</p>
Ivermectin Tablets 12 mg	<p>Each uncoated dispersible tablet contains: Ivermectin IP 12 mg Excipients qs Colour : Tartrazine</p>
Serratiopeptidase Tablets IP 10 mg	<p>Each film-coated tablet contains: Serratiopeptidase IP 10 mg (gastro-resistant form, equivalent to 20,000 enzymatic unit. Excipients qs Colour : Red Oxide of Iron</p>

Clindamycin Tablets 300 mg	<p>Each film-coated tablet contains: Clindamycin Hydrochloride IP equivalent to Clindamycin 300 mg Excipients qs Colour : Titanium Dioxide IP</p>
Sodium Feredetate, Folic Acid and Vitamin B12 Tablets (therapeutic use)	<p>Each film-coated tablet contains: Sodium Feredetate BP 231 mg equivalent to elemental Iron 33 mg Folic Acid IP 1.5 mg Vitamin B12 IP 15 mcg Excipients qs Colour : Ponceau 4R</p>
Gliclazide & Metformin Hydrochloride Tablets	<p>Each uncoated tablet contains: Gliclazide IP 40 mg Metformin Hydrochloride IP 500 mg Excipients qs</p>
Desloratadine Tablets IP 5 mg	<p>Each film-coated tablet contains: Desloratadine BP 5 mg Excipients qs Colour : Yellow Oxide of Iron & titanium dioxide</p>
Doxycycline Hydrochloride Tablets 100 mg	<p>Each film-coated tablet contains: Doxycycline Hydrochloride IP equivalent to Doxycycline 100 mg Excipients qs Colour : Red Oxide of Iron</p>

Dexchlorpheniramine Tablets IP 2 mg	Each film-coated tablet contains: Dexchlorpheniramine IP 2 mg Excipients qs Colour : Titanium Dioxide IP
Pioglitazone Hydrochloride Tablets IP 15 mg	Each uncoated dispersible tablet contains: Pioglitazone Hydrochloride IP equivalent to Pioglitazone 15 mg Excipients qs
Nebivolol Tablets IP 2.5 mg	Each uncoated tablet contains: Nebivolol Hydrochloride IP 2.5mg Excipients qs
Isosorbide Dinitrate Tablets IP	Each uncoated tablet contains: Isosorbide Dinitrate IP 10 mg Excipients qs
Betahistine Dihydrochloride Tablets IP 24 mg	Each film-coated tablet contains: Betahistine Dihydrochloride IP 24 mg Excipients qs Colour : Quinoline Yellow WS
Trypsin, Bromelain and Rutoside Tablets	Each enteric-coated tablet contains: Trypsin BP 48 mg Bromelain 90 mg Rutoside Tryhydrate BP 100 mg Excipients qs Colour : Red Oxide of Iron total proteolytic activity no less than 1095 FIP Units per tablets (papain method)

Betamethasone Tablets IP 0.5 mg	Each uncoated tablet contains: Betamethasone IP 0.5 mg Excipients qs
Betamethasone Sodium Phosphate Tablets IP 0.5 mg	Each uncoated tablet contains: Betamethasone Sodium Phosphate IP eqv. To Betamethasone 0.5 mg Excipients qs Colour : Erythrosine
Griseofulvin Tablets IP 250 mg	Each uncoated tablet contains: Griseofulvin IP 250 mg Excipients qs
Levofloxacin Tablets IP 5 mg	Each film-coated tablet contains: Levofloxacin hcl 5 mg Excipients qs Colour : Red Oxide of Iron & Titanium Dioxide IP
Isosorbide Dinitrate Tablets IP	Each uncoated tablet contains: Isosorbide Dinitrate IP 5 mg Excipients qs
Clopidogrel & Aspirin Tablets	Each film-coated tablet contains: Clopidogrel Bisulphate IP equivalent to Clopidogrel 75 mg Aspirin IP 150 mg Excipients qs Colour : Erythrosine

<p>Losartan Potassium & Hydrochlorothiazide Tablets</p>	<p>Each film-coated tablet contains: Losartan Potassium IP 50 mg Hydrochlorothiazide IP 12.50 mg Excipients qs Colour : Ponceau 4R</p>
<p>Losartan Potassium & Amlodipine Tablets</p>	<p>Each film-coated tablet contains: Amlodipine Besylate IP equivalent to Amlodipine 5 mg Losartan Potassium IP 50 mg Excipients qs Colour : Sunset Yellow FCF</p>
<p>Ramipril Tablets IP 2.5 mg</p>	<p>Each uncoated tablet contains: Ramipril IP 2.5 mg Excipients qs</p>
<p>Ramipril Tablets IP 5 mg</p>	<p>Each uncoated tablet contains: Ramipril IP 5 mg Excipients qs</p>
<p>Ramipril Tablets IP 10 mg</p>	<p>Each uncoated tablet contains: Ramipril IP 10 mg Excipients qs</p>
<p>Atenolol Tablets IP 25 mg</p>	<p>Each uncoated tablet contains: Atenolol IP 25 mg Excipients qs</p>
<p>Benidipine Hydrochloride Tablets 4 mg</p>	<p>Each film-coated tablet contains: Benidipine Hydrochloride 4 mg Excipients qs Colour : Sunset Yellow FCF</p>

Carvedilol Tablets IP 3.125 mg	Each film-coated tablet contains: Carvedilol IP 3.125 mg Excipients qs Colour : Sunset Yellow FCF
Carvedilol Tablets IP 6.25 mg	Each film-coated tablet contains: Carvedilol IP 6.25 mg Excipients qs Colour : Tartrazine
Carvedilol Tablets IP 12.5 mg	Each film-coated tablet contains: Carvedilol IP 12.5 mg Excipients qs Colour : Quinoline Yellow WS
Indapamide Tablets IP 2.5 mg	Each film-coated tablet contains: Indapamide IP 2.5 mg Excipients qs Colour : Ponceau 4R
Alfuzosin Hydrochloride Tablets IP 10 mg	Each film-coated tablet contains: Alfuzosin Hydrochloride IP 10 mg Excipients qs Colour : Titanium Dioxide IP
Torsemide & Spironolactone Tablets	Each uncoated tablet contains: Torsemide IP 10 mg Spironolactone IP 25 mg Excipients qs

Acebrophylline and N- Acetylcysteine Tablets	<p>Each film-coated tablet contains: Acebrophylline 100 mg N-Acetylcysteine BP 600 mg Excipients qs Colour : Titanium Dioxide IP</p>
Amiodarone Hydrochloride Tablets IP	<p>Each film-coated tablet contains: Amiodarone Hydrochloride IP 100 mg Excipients qs Colour : Titanium Dioxide IP</p>
Azithromycin Tablets IP 500 mg	<p>Each film-coated tablet contains: Azithromycin Dihydrate IP equivalent to Azithromycin 500 mg Excipients qs Colour : Tartrazine</p>
Azithromycin Tablets IP 250 mg	<p>Each film-coated tablet contains: Azithromycin Dihydrate IP equivalent to Azithromycin 250 mg Excipients qs Colour : Titanium Dioxide IP</p>
Paracetamol Tablets IP 1000 mg	<p>Each uncoated tablet contains: Paracetamol IP 1000 mg Excipients qs</p>
Paracetamol Tablets IP 650 mg	<p>Each uncoated tablet contains: Paracetamol IP 650 mg Excipients qs</p>

Pregabalin Tablets IP 75 mg	Each uncoated tablet contains: Pregabalin IP 75 mg Excipients qs
Pregabalin Tablets IP 100 mg	Each uncoated tablet contains: Pregabalin IP 100 mg Excipients qs
Pregabalin Tablets IP 300 mg	Each uncoated tablet contains: Pregabalin IP 300 mg Excipients qs
Teneligliptin hydrobromide Tablets IP 20 mg	Each film-coated tablet contains: Teneligliptin Hydrobromide Hydrate IP equivalent to Teneligliptin 20 mg Excipients qs Colour : Titanium Dioxide IP
Vildagliptin Tablets 50 mg	Each un-coated tablet contains: Vildagliptin 50 mg Excipients qs Colour :Approved colour used
Rosuvastatin Tablets IP 10 mg	Each film-coated tablet contains: Rosuvastatin Calcium IP equivalent to Rosuvastatin 10 mg Excipients qs Colour : Tartrazine

Rosuvastatin Tablets IP 20 mg	Each film-coated tablet contains: Rosuvastatin Calcium IP equivalent to Rosuvastatin 20 mg Excipients qs Colour : Indigo caramine
Thyrosine Sodium Tablets 25 mcg	Each uncoated tablet contains: Thyrosine Sodium 25 mcg Excipients qs
Thyrosine Sodium Tablets 50 mcg	Each uncoated tablet contains: Thyrosine Sodium IP 50 mcg Excipients qs
Thyroxine Sodium Tablets 75 mcg	Each uncoated tablet contains: Thyroxine Sodium IP 75 mcg Excipients qs
Divalprox sodium Extended release Tablet I.P 500 mg	Each Film coated Extended release tablet contains: Divalprox Sodium IP Eqv. To valproic acid 500 mg Excipients q.s Colour: Approved colour used"
Divalprox sodium Extended release Tablet I.P 250 mg	Each Film coated Extended release tablet contains: Divalprox Sodium IP Eqv. To valproic acid 250 mg Excipients q.s Colour: Approved colour used
Trihexyphenidyl Hydrochloride tablet I.P 2 Mg	Each film-coated tablet contains: Trihexyphenidyl Hydrochloride 2mg Excipients q.s Colour: Approved colour used

Levetiracetam Tablet I.P 500 mg	Each film-coated tablet contains: Levetiracetam IP 500 mg Excipients q.s Colour: Approved colour used
Levetiracetam Tablet I.P 250 mg	Each film-coated tablet contains: Levetiracetam IP 250 mg Excipients q.s Colour: Approved colour used
Olanzapine mouth dissolving tablets 2.5 mg	Each uncoated mouth dissolving tablet contains: Olanzapine IP 2.5 mg Excipients q.s Colour: Approved colour used
Olanzapine mouth dissolving tablets 5 mg	Each uncoated mouth dissolving tablet contains: Olanzapine IP 5 mg Excipients q.s Colour: Approved colour used
Olanzapine mouth dissolving tablets 10 mg	Each uncoated mouth dissolving tablet contains: Olanzapine IP 10 mg Excipients q.s Colour: Approved colour used
Paroxetine Hydrochloride Controlled - Release tablet I.P 12.5 mg	Each Film coated Controlled release tablet contains: Paroxetine Hydrochloride IP 12.5 mg Eqv. To Paroxetine Excipients q.s Colour: Approved colour used
Paroxetine Hydrochloride Controlled - Release tablet I.P 25 mg	Each Film coated Controlled release tablet contains: Paroxetine Hydrochloride IP 25 mg Eqv. To Paroxetine Excipients q.s Colour: Approved colour used

Escitalopram Oxalate tablet I.P 10 mg	<p>Each film-coated tablet contains: Escitalopram Oxalate IP 10 mg Eqv. To Escitalopram Excipients q.s Colour: Approved colour used</p>
Duloxetine Gastro - Resistant Tablet I.P 20mg	<p>Each Gastro - Resistant tablet contains: Duloxetine Hydrochloride IP 20 mg Eqv. To Duloxetine Excipients q.s Colour: Approved colour used</p>
Duloxetine Gastro - Resistant Tablet I.P 30mg	<p>Each Gastro - Resistant tablet contains: Duloxetine Hydrochloride IP 30 mg Eqv. To Duuloxetine Excipients q.s Colour: Approved colour used</p>
Duloxetine Gastro - Resistant Tablet I.P 40mg	<p>Each Gastro - Resistant tablet contains: Duloxetine Hydrochloride IP 40 mg Eqv. To Duuloxetine Excipients q.s Colour: Approved colour used</p>
Pregablin ,Alphalipoic acid ,Follic acid , Mecobalamin ,& Pyridoxine Hydrochloride tablet	<p>Each Film-coated tablet contains: Pregablin IP 75 mg Alphalipoic acid 100 mg Follic acid 1.5 mg Mecobalamin 0.75 mg Hydrochloride 1.5 mg Excipients q.s Colour: Approved colour used</p>

Olanzapine & Fuloxetine HCL tablet	Each film-coated tablet contains: Olanzapine IP 5 mg Fuloxetine HCL IP 20 mg Excipients q.s Colour: Approved colour used
Risperidone tablet I.P 2 mg	Each uncoated tablet ontanis: Risperidone IP 2 mg Excipients q.s Colour: Approved colour used
Risperidone tablet I.P 3 mg	Each uncoated tablet ontanis: Risperidone IP 3 mg Excipients q.s Colour: Approved colour used
Risperidone tablet I.P 1 mg	Each uncoated tablet ontanis: Risperidone IP 1 mg Excipients q.s Colour: Approved colour used
Risperidone & Trihexyphenidyl Hcl tablet I.P	Each uncoated tablet ontanis: Risperidone IP 2 mg Trihexyphenidyl Hcl IP 2 mg Excipients q.s Colour: Approved colour used
Risperidone & Trihexyphenidyl Hcl tablet I.P	Each uncoated tablet ontanis: Risperidone IP 3 mg Trihexyphenidyl Hcl IP 2 mg Excipients q.s Colour: Approved colour used
Trifluperazine Hcl & Trihexyphenidyl Hcl tablets	Each Film coated tablet contains : Trifluperazine Hcl IP 5 mg Eqv, toTrifluperazine Trihexyphenidyl Hcl IP 2mg Flavouredc base q.s Colour: Approved colour used

Metformin Hydrochloride Sustained release tablet IP	Each Uncoated Sustained release contains: Metformin Hydrochloride IP 500 mg as sustained- release Excipients qs
Acebrophylline tablet 100 mg	Each film coated tablet contains Acebrophylline IP 100 mg Excipients qs colour: Approved colour used
Acebrophylline sustained release tablet 200 mg	Each film coated SR tablet contains Acebrophylline IP 200 mg (Sustained-release) Excipients qs colour: Approved colour used
Setraline Hydrochloride tablet IP100mg	Each film coated tablet contains Setraline Hydrochloride IP 100 mg Eqv. To sertraline Excipients qs colour: Approved colour used
Setraline Hydrochloride tablet IP 50mg	Each film coated tablet contains Setraline Hydrochloride IP 50 mg Eqv. To sertraline Excipients qs colour: Approved colour used
Cilnidipine Tablet IP 10 mg	Each film coated tablet contains: Cilnidipine IP 10 mg Excipients qs colour: Approved colour used
Cilnidipine Tablet IP 20 mg	Each film coated tablet contains: Cilnidipine IP 20 mg Excipients qs colour: Approved colour used

Cilnidipine Tablet IP 5 mg	Each film coated tablet contains: Cilnidipine IP 5 mg Excipients qs colour: Approved colour used
Mycophenolic acid tablets USP 360 mg	Each Delayed - release tablet contains: Mycophenolate sodium USP 360 mg Eqv. To Mycophenolic acid Excipients qs colour: Approved colour used
Mycophenolic acid tablets USP 180mg	Each Delayed - release tablet contains: Mycophenolate sodium USP 180 mG Eqv. To Mycophenolic acid Excipients qs colour: Approved colour used
Mycophenolate mofetil Tablet IP 500 mg	Each film coated tablet contains: Mycophenolate mofetil IP 500 mg Excipients qs colour: Approved colour used
Amlodipine Besylate -5 mg & Atenolol -25 mg tablets	Each uncoated tablet contains: Amlodipine Besylate IP 5 mg Eqv. To Amlodipine Atenolol IP 25 mg Excipients qs colour: Approved colour used
Gliclazide (SR) & Metformin (SR) tablet	Each uncoated bilayered tablet contains: Gliclazide IP 60 mg As Sustained - release Metformine Hcl IP 500 mg (as sustained - release Excipients qs colour: Approved colour used

<p>Paracetamol & Diclofenac Potassium tablets</p>	<p>Each film coated tablet contains: paracetamol IP 325mg Diclofenac Potassium IP 50 mg Excipients qs colour: Approved colour used</p>
<p>Silymarin , L- ornithine & Multivitamines tablet</p>	<p>Each film coated tablet contains: silymarin 140mg L-ornithine L-aspartate 250 mg Vitamine B1 IP 5 mg Vitamine B2 IP5 mg Vitamine B6 IP3 mg Vitamine B12 IP 10 mg Calcium D-Pantothenate IP 50 mg Excipients qs colour: Approved colour used</p>
<p>Diclofenac Potassium & Metaxalone tablet</p>	<p>Each film coated tablet contains: Diclofenac Potassium BP 50 mg Metaxalone USP 400 mg Excipients qs colour: Approved colour used</p>
<p>Ursodeoxycholic Acid Tablets</p>	<p>Each film - coated tablet contains: Ursodeoxycholic Acid IP 300 mg Excipients qs Colour: Approved colour used</p>
<p>Ursodeoxycholic Acid Tablets</p>	<p>Each film - coated tablet contains: Ursodeoxycholic Acid IP 400 mg Excipients qs Colour: Approved colour used</p>

Levomisole HCL tablet 50mg	Each uncoaed tablet coantins : Levomisole Hydrochloride IP Eqv. To Levomisole IP 50 mg Excipients qs Colour: Approved colour used
Nimesulide & Paracetamol tablet	composition : Each bilayered Uncoated tablet contains: Nimesulide BP 100 mg Paracetamol IP 325 mg Excipients qs Colour: Approved colour used
Mefenamic acid & Dicyclomine tablet	Each uncoaed tablet coantins : Mefenamic acid IP 250 mg Dicyclomine hcl IP 20 mg Excipients qs Colour: Approved colour used
Trioxsalen tablets USP 5mg	Each film - coated tablets contains: Trioxsalen USP 5 mg Excipients qs Colour: Approved colour used
Trioxsalen tablets USP 10mg	Each film - coated tablets contains: Trioxsalen USP 10 mg Excipients qs Colour: Approved colour used
Fluconazole tablet IP 200 mg	Each un- coated tablet contains: Fluconazole IP 200 mg Excipients qs Colour: Approved colour used
Pancreatin & Activated Dimethicone tab.	Each gastro - resistant tablet contains: Pancreatin IP 170 mg Activated Dimethicone IP 80 mg Excipients qs Colour: Approved colour used

<p>Sitagliptin Phosphate And Metformin HCL tablets</p>	<p>Each film - coated tablet contains: Sitagliptin Phosphate IP 50 mg Metformin hcl IP 1000 mg Excipients qs Colour: yellow oxide of iron</p>
<p>Ranitidine HCL Tablets IP 300 MG</p>	<p>Each film - coated tablet contains: Ranitidine HCL IP 300 mg Eqv. To Ranitidine Excipients qs Colour: approved Colour used</p>
<p>Ranitidine HCL & Domperidone tablets</p>	<p>Each film - coated tablet contains: Ranitidine HCL IP 150 mg Eqv. To Ranitidine Domperidone IP 10 mg Excipients qs Colour: approved Colour used</p>
<p>Ranitidine HCL tables IP 150 mg</p>	<p>Each film - coated tablet contains: Ranitidine HCL IP 150 mg Eqv. To Ranitidine Excipients qs Colour: approved Colour used</p>
<p>Mefenamic Acid, & Dicyclomine tablets</p>	<p>Each un coated tablet contains: Mefenamic acid IP 125 mg Dicyclomine hcl IP 10 mg Excipients qs Colour: approved Colour used</p>
<p>Doxofylline and Ambroxol tablets</p>	<p>Each film - coated tablet contains: Doxofylline IP 400 mg Ambroxol HCL IP 30 mg Excipients qs Colour: approved Colour used</p>

Lithium carbonate Prolonged Release tab.	Each film - coated Prolonged Release tablet contains: Lithium carbonate IP 400 mg (As prolonged-release) Excipients qs Colour: approved Colour used
Lithium carbonate Prolonged Release tab.	Each film - coated Prolonged Release tablet contains: Lithium carbonate IP 450 mg (As prolonged-release) Excipients qs Colour: approved Colour used
Paracetamol tablet IP 500 mg	Each un coated tablet contains: Paracetamol IP 500 Mg excipients qs
Sitagliptin & Metformin tablets	Each un coated tablet contains: Metformin IP 500 MG Sitagliptin phosphate IP Eqv. To sitagliptin 50 mg excipients qs
Valganciclovir tab IP -450 mg	Each film -coated tab-conatins: Valganciclovir HCL IP Eqv. To Valganciclovir 450 mg excipients qs Colour : Approved Colour used
Valganciclovir tab IP -1000 mg	Each film -coated tab-conatins: Valganciclovir HCL IP 1000 mg Eqv. To Valganciclovir excipients qs Colour : Approved coalour used
Valganciclovir tab IP -500mg	Each film -coated tab-conatins: Valganciclovir HCL IP 500 mg Eqv. To Valganciclovir excipients qs Colour : Approved Colour used

Telmisartan & Chlorthalidone tablets	<p>Each film -coated tab-conatains: Telmisatan IP 40 mg Chlorthalidone IP 12.5 Mg excipients qs Colour : Approved Colourused</p>
Citicoline sodium & Piracetam tablets	<p>Each film -coated tab-conatains: Citicoline sodium IP Eqv. To Citicoline 500 mg Piracetam IP 400 Mg excipients qs Colour : Approved Colour used</p>
Citicoline sodium sustained release tablets	<p>Each film -coated tab-conatains: Citicoline sodium IP Eqv. To Citicoline 1000 mg as sustained release excipients qs Colour : Approved colour used</p>
Telmisartan & Hydrochlothiazide tablets IP	<p>Each film -coated tab-conatains: Telmisartan IP 40 MG Hydrochlothiazide 12.5 mg excipients qs Colour : Approved colour used</p>
Vildagliptin tablets IP 100 mg	<p>Each uncoated tablet contains: Vildagliptin IP 100 mg excipients qs Colour : Approved colour used</p>
Piracetam , Vinpocetin & Glinkgobiloba tablets	<p>Each Film-coated tablet contains: Piracetam IP 800 mg Vinpocetin IP 5 mg Glinkgobiloba IP 60 mg excipients qs Colour : Approved colour used</p>

Montelukast Sodium & Levocetizine Tablets IP	<p>Each film - coated tablet contains: Montelukast Sodium IP Eqv. To Montelukast 10 mg Levocetizine Hydrochloride IP 5 MG Excipients qs Colour : Approved colour used</p>
Nimesulide & Paracetamol tablet	<p>Each un - coated tablet contains: Paracetamol 325 mg IP Nimesulide BP 100 mg Excipients qs Colour : Approved colour used</p>
Sitagliptine phosphate tablet IP 50Mg	<p>Each film coated tablet contains: 64.25 mg sitagliptine phosphate monohydrate IP eqv. To sitagliptine 50 mg Excipients qs Colour : Approved colour used</p>
Sitagliptine phosphate tablet IP 100Mg	<p>Each film coated tablet contains: sitagliptine phosphate IP eqv. To sitagliptine 100 mg Excipients qs Colour : Approved colour used</p>
vildagliptin 50 mg & metformin hcl 850 mg tablets	<p>Each film coated tablet contains: metformin hcl IP 850 mg vildagliptin 50 mg ip Excipients qs Colour : Approved colour used</p>
Cefditroren pivoxil tablets 200 mg	<p>Each film coated tablet contains: Cefditroren pivoxil IP Eqv. To Cefditroren 200 mg Excipients qs Colour : Approved colour used</p>

vildagliptin 50 mg & metformin hcl 1000 mg tablets	Each film coated tablet contains: metformin hcl IP 1000 mg vildagliptin IP 50 mg Excipients qs Colour : Approved colour used
Allopurinol tablets IP 100 MG	Each un-coated tablet contains: Allopurinol IP 100 mg Excipients qs
Allopurinol tablets IP 300 MG	Each film-coated tablet contains: Allopurinol IP 300 mg Excipients qs
Febuxostat tablets 40 mg	Each film-coated tablet contains: Febuxostat IP 40 mg Excipients qs Colour : Titanium dioxide IP
Sitagliptin Phosphate And Metformin HCL tablets	Each film-coated tablet contains: Sitagliptin Phosphate IP 50 mg Metformin HCL IP 500 mg Excipients qs Colour : yellow oxide of iron
L-Carnitine Mecobalamine & folic acid tablets	Each film-coated tablet contains: L-Carnitine L- tartrate Eq. to L- Carnitine 500 mg Folic acid IP 1.5 mg mecobalamine IP 1500 mcg Excipients qs Colour : red oxide of iron
Lansoprazole orally Disintegrating Tablets 30 mg	Each un-coated tablet contains: Lansoprazole IP 30Mg Excipients qs Colour : Titanium dioxide IP & Red oxide of iorn

Lansoprazole orally Disintegrating Tablets 15 mg	<p>Each un-coated tablet contains: Lansoprazole IP 15Mg Excipients qs Colour : Titanium dioxide IP & Red oxide of iron</p>
Fexofenadine Hydrochloride & Montelukast tablets	<p>Each film-coated tablet contains: Fexofenadine Hydrochloride IP 120 mg Montelukast sodium IP 10 mg Eqv. To Montelukast Excipients qs Colour : Tartrazine</p>
Calcium Aspartate Magnesium vitamin D3 tablets	<p>Each film-coated tablet contains: Calcium Aspartate IP 1120 Mg Magnesium Hydroxide IP 180 mg Vitamin D3 (as stabilized)1000 IU Excipients qs Colour : Titanium Dioxide IP</p>
Calcium Carbonate ,Vitamin D3, Methylcobalamin,L-Methylfolate calcium & Pyridoxol -5 Phosphate Tablets	<p>Each film-coated tablet contains: Calcium Carbonate IP 1250 Mg Vitamin D3 IP 2000 IU Methylcobalamin, IP 1500 mcg Calcium L-5-Methyltetrahydrofolate USP 1 Mg L-Methylfolate calcium Pyridoxol -5 Phosphate 20 mg Excipients qs Colour : Mica based Pearlescent Pigment</p>
Mecobalamin ,Alpha Lipoic Acid .folic acid , Vitamin B6 & Vitamin B1 tablets	<p>Each film-coated tablet contains: Mecobalamin IP 1500 Mcg Alpha Lipoic Acid USP 100 MG folic acid IP 1.5 mg Vitamin B6 IP 1 mg Thiamine HCL IP 10 mg Excipients qs Colour : tartrazine yellow & ponceau 4 R</p>

Oxcarbazepine Tablets IP 150 Mg	<p>Each film-coated tablet contains: Oxcarbazepine IP 150 Mg Excipients qs Colour titanium dioxide & yellow Oxide of iron</p>
Methylcobalamin , folic acid & Pyridoxine HCL tablets	<p>Each film-coated tablet contains: Methylcobalamin IP 1500 Mcg folic acid IP 5 Mg Pyridoxine HCL IP 20 Mg Excipients colour : Erythrosine</p>
Metformin Hcl (SR) Pioglitazone and Glimepiride tablets	<p>Each un-coated bilayered tablet contains: Pioglitazone Hydrochloride IP Eq. to Pioglitazone 15 mg Glimepiride IP 1 mg Metformin Hydrochloride 500 mg as Extended Release Form Excipients Colour : Brilliant Blue Lake</p>
Metformin Hcl (SR) Pioglitazone and Glimepiride tablets	<p>Each un-coated bilayered tablet contains: Pioglitazone Hydrochloride IP Eq. to Pioglitazone 15 mg Glimepiride IP 2mg Metformin Hydrochloride 500 mg as Extended Release Form Excipients Colour : tartrazine</p>

<p>Mecobalamin ,Alpha Lipoic Acid .folic acid , Vitamin B6 & Vitamin D3 tablets</p>	<p>Each Film coated tablet contains : Mecobalamin IP 1500 mcg Alpha Lipoic Acid USP 200 mg biotin 200 mcg folic acid IP 1.5 mg Vitamin B6 IP 3 mg Vitamin D3 IP 1000 IU Excipients Colour : red oxide of iron</p>
<p>Benfotiamine , Alpha Lipoic Acid , Methycobalamin, Vitamin B6, inositol and folic acid tablets</p>	<p>Each Film coated tablet contains : Benfotiamine 150 mg Alpha Lipoic Acid USP 200 mg Methycobalamin IP 1500 Mcg Vitamin B6 -IP 3 Mg inositol 100 mg folic acid IP 1.5 mg Excipients Colour : Ponceau 4R</p>
<p>Ferrous Ascorbate, foilc acid , methyclobalamin & Zinc tablets</p>	<p>Each Film- coated tablet contains : Ferrous Ascorbate equivalent to elemental iron 100 mg foilc acid IP 1.5 mg methyclobalamin IP 750 MG zinc sulphate monohydrate IP equivalent to elemental zinc 22.5 mg Excipients q.s Appropriate overages added colour : red oxide of iron & Titanium dioxide</p>

Rosuvastatin and Fenofibrate Tablets IP	<p>Each Film -coated tablet contains :</p> <p>Rosuvastatin calcium IP equivalent to rosuvastatin 5 mg fenofibrate IP 67 mg excipients q.s colour : sunset yellow FCF & titanium dioxide</p>
Amlodipine and atenolol tablets	<p>Each uncoated tablets contains:</p> <p>Amlodipine Besylate IP equivalent to amlodipine 5 mg Atenolol IP 50 mg excipients q.s</p>
Calcium Carbonate ,Vitamin D3, Tablets	<p>Each uncoated tablets contains:</p> <p>Calcium Carbonate IP 1250mg equivalent to elemental calcium 500 mg (from an organic source oyster shell) vitamin D3 IP 2000 IU excipients q.s Colour: titanium dioxide IP</p>
Erythromycin stearate tablet IP 250 mg	<p>Each film coated tablet contains:</p> <p>Erythromycin stearate IP equivalent to Erythromycin 250mg excipients q.s Colour: Erythrosine</p>
Erythromycin stearate tablet IP 500 mg	<p>Each film coated tablet contains:</p> <p>Erythromycin stearate IP equivalent to Erythromycin 500 mg excipients q.s Colour: Erythrosine</p>
Methylcobalamin , Gabapentin tablets	<p>Each film coated tablet contains:</p> <p>Methylcobalamin IP 750 mcg Gabapentin IP 150 mg excipients q.s Colour: Ponceau 4 R</p>

<p>Calcium Citrate, Magnesium Hydroxide, Zinc and Vitamin D3 Tablets</p>	<p>Each film-coated tablet contains: Calcium Citrate USP 1000 mg Magnesium Hydroxide IP Eq. to Elemental Magnesium 100 mg Zinc Sulphate Monohydrate IP Eq. to Elemental Zinc 22.5mg Vitamin D3 IP 1000 IU Excipients qs Colour : Brilliant Blue</p>
<p>Metformin Hydrochloride (Prolonged Release) & Glimepiride Tablets</p>	<p>Each uncoated bilayered tablet contains: Metformin Hydrochloride IP 500 mg (As Prolonged Release) Glimepiride IP 1 mg Excipients qs Colour : Erythrosine & Titanium Dioxide</p>
<p>Metformin Hydrochloride (Prolonged Release) & Glimepiride Tablets</p>	<p>Each uncoated bilayered tablet contains: Metformin Hydrochloride IP 500 mg (Prolonged Release) Glimepiride IP 3 mg Excipients qs Colour : Red Oxide of iron & Titanium Dioxide</p>
<p>Sodium Bicarbonate Tablets IP 500 mg</p>	<p>Each Film-coated tablet contains: SodiumBicarbonate IP 500 mg Excipients qs Colour : titanium dioxide</p>

Levofloxacin Tablets IP 250 mg	<p>Each film-coated tablet contains: Levofloxacin Hemihydrate IP eqv. To Levofloxacin 250mg Excipients qs Colour : Red Oxide of Iron & Titanium Dioxide IP</p>
Etoricoxib Tablets IP 120 mg	<p>Each film-coated tablet contains: Etoricoxib IP 120mg Excipients q.s. Colour : sunset yellow lake</p>
Methylcobalamin sublingual tablet 1500 mcg	<p>Each uncoated sublingual tablet contains: Methylcobalamin 1500mcg Excipients q.s.</p>
Benfotiamine, methylcobalamin, Alpha Lipoic acid , folic acid, chromium picolinate , myo-inositol , pyridoxine hydrochloride and pregabalin tablets	<p>Each film-coated tablet contains: Benfotiamine 200 mg Methylcobalamin IP 1500 mcg Alpha Lipoic acid IP 200 mg folic acid IP 1.5 mg chromium picolinate USP 200mcg Myo-inositol IP 100mg pyridoxine hydrochloride IP 3mg pregabalin IP 75 mg Excipients q.s. colour: Approved colour used</p>

Pantoprazole and Domperidone Tablets	Each Enteric-coated tablet contains: Pantoprazole sodium IP Eq. to Pantoprazole 20 mg Domperidone IP 10 mg Excipients q.s. colour: Approved colour used
zinc sulphate tablets 200 mg	Each film-coated tablet contains: zinc sulphate IP 200 mg Excipients q.s. colour: Approved colour used
zinc sulphate dispersible tablets 20 mg	Each uncoated dispersible tablet contains: zinc sulphate monohydrate IP Eq. to Elemental zinc 20 mg Excipients q.s. colour: Approved colour used
methyldopa tablets IP 250 mg	Each film-coated tablet contains: methyldopa IP Eq. to anhydrous methyldopa 250 mg Excipients q.s. colour: Approved colour used
Ranolazine Extended Release tablets 500 mg	Each uncoated Extended release tablet contains: Ranolazine 500 mg Excipients q.s. colour: Approved colour used
Glucosamine sulfate ,potassium chloride & methyl sulfonyl methane tablets	Each film-coated tablet contains: Glucosamine sulfate potassium chloride USP 750 mg methyl sulfonyl methane USP 250 mg Excipients q.s. colour:Approved colour used
Vinpocetin tablets 5 MG	Each Film-coated tablet contains: Vinpocetin BP 5 mg excipients qs Colour : Approved colour used

Lacosamide tablets BP 100 mg	Each Film-coated tablet contains: Lacosamide BP 100mg excipients qs Colour : Approved colour used
Propranolol hydrochloride tablets IP 20 Mg	Each uncoated tablet contains: Propranolol hydrochloride IP 20mg excipients qs Colour : Approved colour used
Propranolol hydrochloride (Sustained-release) tablets 40 Mg	Each uncoated Sustained-release tablet contains: Propranolol hydrochloride IP 40mg (As Sustained-release form) excipients qs Colour : Approved colour used
Propranolol hydrochloride (Sustained-release) & flunarizine tablets	Each uncoated bilayered tablet contains: Propranolol hydrochloride IP 40mg flunarizine dihydrochloride BP Eq. to flunarizine 10 mg excipients qs Colour : Approved colour used
Baclofen Tablets IP 20 mg	Each uncoated tablet contains: Baclofen IP 20 mg Excipients qs Colour : Approved colour used
Telmisartan & chlorothiazide & cilnidipine Tablets IP	Each film-coated bilayered tablet contains: Telmisartan IP 40 mg chlorothiazide IP 12.5 mg cilnidipine IP 10mg Excipients qs Colour : Approved colour used

Tamsulosin Hydrochloride (Modified-release) & finasteride tablets	<p>Each uncoated bilayered tablet contains:</p> <p>Finasteride IP 5 mg</p> <p>Tamsulosin Hydrochloride IP 0.4mg (As Modified-release)</p> <p>Excipients qs</p> <p>Colour : Approved colour used</p>
Aspirin Gastro-Resistant tablets IP 75 mg	<p>Each Gastro-Resistant tablet contains:</p> <p>Aspirin IP 75mg</p> <p>Excipients qs</p> <p>Colour : Approved colour used</p>
Aspirin Gastro-Resistant tablets IP 150mg	<p>Each Gastro-Resistant tablet contains:</p> <p>Aspirin IP 150mg</p> <p>Excipients qs</p> <p>Colour : Approved colour used</p>
Levetiracetam Prolonged-release Tablets IP 1000mg	<p>Each film-coated prolonged-release tablet contain:</p> <p>Levetiracetam IP 1000 mg</p> <p>Excipients</p> <p>Colour : Approved colour used</p>
Nimesulide & Paracetamol tablet	<p>composition :</p> <p>Each Uncoated tablet contains:</p> <p>Nimesulide BP 100 mg</p> <p>Paracetamol IP 325 mg</p> <p>Excipients qs</p> <p>Colour: Approved colour used</p>
Methylcobalamin, Alpha Lipoic Acid, biotin & Folic Acid Tablets pyridoxine hydrochloride ,vitamin D3	<p>Each film-coated tablet contains:</p> <p>Methylcobalamin IP 1500 mcg</p> <p>Alpha Lipoic Acid USP 100 mg</p> <p>Folic Acid IP 1.5 mg</p> <p>Pyridoxine Hydrochloride IP 3.0 mg</p> <p>vitamin D3 IP 1000 IU</p> <p>Excipients qs</p> <p>Appropriate overages added To compensate for loss on storage.</p> <p>Colour : Ponceau 4R</p>

Aceclofenac Sustained-release Tablets 100 mg	Each sustained-release tablet contains: Aceclofenac IP 100 mg Excipients qs
Quetiapine Tablets IP 100 mg	Each film-coated tablet contains: Quetiapine IP 100mg Excipients qs Colour : titanium dioxide IP
Quetiapine Tablets IP 200 mg	Each film-coated tablet contains: Quetiapine IP 200mg Excipients qs Colour : titanium dioxide IP
Levocetirizine Dihydrochloride and ambroxol hydrochloride tablets	Each film-coated tablet contains: Levocetirizine Dihydrochloride IP 5 mg ambroxol hydrochloride IP 60 mg Excipients qs Colour : Sunset Yellow FCF
moxifloxacin Tablets	Each un-coated tablet contains: moxifloxacin hcl IP Eq. to moxifloxacin 400 mg Excipients qs Colour : titanium dioxide IP & yellow oxide of iron
Tranexamic Acid & mefenamic acid Tablets	Each film-coated tablet contains: Tranexamic Acid IP 500 mg mefenamic acid IP 250 mg Excipients qs Colour : Ponceau 4R

<p>Quetiapine Tablets IP 25mg</p>	<p>Each film-coated tablet contains: Quetiapine IP 25mg Excipients qs Colour : titanium dioxide IP</p>
<p>Rabeprazole and domperidone gastro-resistant Tablets IP</p>	<p>Each Enteric-coated tablet contains: Rabeprazole Sodium IP Eq. to Rabeprazole 20 mg Domperidone IP 10 mg Excipients qs Colour :titanium dioxide & yellow oxide of iron</p>
<p>Quetiapine Tablets IP 50mg</p>	<p>Each film-coated tablet contains: Quetiapine IP 50mg Excipients qs Colour : titanium dioxide IP</p>
<p>Nitrofurantoin Sustained Release tablets</p>	<p>Each un-coated tablet contains: Nitrofurantoin IP 100mg Excipients qs</p>
<p>Cilnidipine Tablets IP 5 mg</p>	<p>Each film-coated tablet contains: Cilnidipine IP 5mg Excipients qs Colour : Yellow Oxide of Iron</p>
<p>Etodolac & Paracetamol Tablets</p>	<p>Each film-coated tablet contains: Etodolac IP 300 mg Paracetamol IP 325 mg Excipients Colour : Brilliant Blue FCF</p>

<p>Ferrous Ascorbate Tablets</p>	<p>Each film-coated tablet contains: Ferrous Ascorbate IP 100 mg equivalent to elemental Iron Excipients Colour : Red Oxide of Iron</p>
<p>Torsemide & Spironolactone Tablets</p>	<p>Each uncoated tablet contains: Torsemide IP 20 mg Spironolactone IP 50mg Excipients qs</p>
<p>Amlodipine Tablets IP 2.5 mg</p>	<p>Each uncoated tablet contains: Amlodipine Besylate IP equivalent to Amlodipine 2.5 mg Excipients qs</p>
<p>Telmisartan & Metoprolol tartrate Tablets</p>	<p>Each uncoated tablet contains: Telmisartan IP 40 mg (as Immediate-release) Metoprolol tartrate IP (As extended release) 25 mg Excipients qs</p>
<p>Telmisartan & Metoprolol tartrate Tablets</p>	<p>Each uncoated tablet contains: Telmisartan IP 40 mg (as Immediate-release) Metoprolol tartrate IP (As extended release) 50 mg Excipients qs</p>

Glimepiride Tablets IP 3 mg	Each uncoated tablet contains: Glimepiride IP 3 mg Excipients
Glimepiride Tablets IP 4 mg	Each uncoated tablet contains: Glimepiride IP 4 mg Excipients
Aceclofenac & Paracetamol Tablets	Each film-coated tablet contains: Aceclofenac IP 100 mg Paracetamol IP 325 mg Excipients qs Colour : sunset Yellow FCF
Clopidogrel Tablets IP	Each film-coated tablet contains: Clopidogrel Bisulphate IP equivalent to Clopidogrel 75 mg Aspirin IP 150 mg Excipients qs Colour : Quinoline yellow WS.
Telmisartan Tablets IP 40 mg	Each film-coated tablet contains: Telmisartan IP 40 mg Excipients qs Colour : sunset Yellow FCF
Metformin Hydrochloride Prolonged-release and Glimepiride Tablets IP	Each uncoated tablet contains: Metformin Hydrochloride IP 1000 mg (as prolonged-release) Glimepiride IP 3 mg Excipients qs Colour : tartrazine lake

<p>Teneligliptin hydrobromide & metformin hydrochloride Tablets IP</p>	<p>Each un-coated tablet contains: Teneligliptin Hydrobromide equivalent to Teneligliptin 20 mg metformin hydrochloride IP 500mg (sustained release) Excipients qs Colour : Brilliant blue FCF</p>
<p>Sodium Bicarbonate Tablets IP 1000 mg USP</p>	<p>Each film-coated tablet contains: Sodium Bicarbonate USP 1000 mg Excipients qs Colour : Titanium Dioxide</p>
<p>Cetirizine Hydrochloride Tablets IP 5 mg</p>	<p>Each film-coated tablet contains: Cetirizine Hydrochloride IP 5 mg Excipients qs Colour : Titanium Dioxide IP</p>
<p>Doxofylline and Acebrophylline tablets</p>	<p>Each film - coated tablet contains: Doxofylline IP 400 mg Acebrophylline 100 mg Excipients qs Colour: yellow oxide of iron</p>
<p>Bambuterol hydrochloride & montelukast tablets</p>	<p>Each film-coated tablet contains: Bambuterol hydrochloride IP 10mg Montelukast Sodium IP Eq. to Montelukast 10mg Excipients qs Colour : sunset yellow lake</p>
<p>Tofacitinib tablets IP 5 MG</p>	<p>Each film-coated tablet contains: Tofacitinib Citrate IP Eq. to Tofacitinib 5mg Excipients qs Colour : titanium dioxide IP</p>

Ticagrelor tablets IP 90mg	<p>Each film-coated tablet contains: Ticagrelor IP 90mg Excipients qs Colour : titanium dioxide IP & yellow oxide of iron</p>
Bambuterol hydrochloride tablets	<p>Each film-coated tablet contains: Bambuterol hydrochloride IP 10mg Excipients qs Colour : titanium dioxide</p>
Pantoprazole Gastro-resistant and Domperidone sustained- release Capsules IP	<p>Each hard gelatin capsule contains: Pantoprazole Sodium IP Equivalent to Pantoprazole 40 mg (as gastro-resistant pellets) Domperidone Maleate IP 30 mg (as sustained-release pellets) colour: Approved colour used in empty hard gelatin capsule shells.</p>
Rabeprazole Gastro-resistant and Domperidone sustained-release Capsules IP	<p>Each hard gelatin capsule contains: Rabeprazole Sodium IP 20 mg (as gastro-resistant pellets) Domperidone Maleate IP 30 mg (as sustained-release pellets) colour: Approved colour used in empty hard gelatin capsule shells.</p>
Omeprazole and Domperidone Capsules IP	<p>Each hard gelatin capsule contains: Omeprazole IP 20 mg (as gastro-resistant pellets) Domperidone Maleate IP 10 mg (as sustained-release pellets) colour: Approved colour used in empty hard gelatin capsule shells.</p>

<p>Omeprazole and Domperidone Capsules IP</p>	<p>Each hard gelatin capsule contains: Omeprazole IP 20 mg (as gastro-resistant pellets) Domperidone IP 30 mg (as 10 mg immediate-release & 20 mg sustained-release pellets) colour: Approved colour used in empty hard gelatin capsule shells.</p>
<p>Esomeprazole (EC) and Domperidone sustained-release Capsules</p>	<p>Each hard gelatin capsule contains: Esomeprazole Magnesium Trihydrate IP equivalent to Esomeprazole 40 mg (as gastro-resistant pellets) Domperidone Maleate IP 30 mg (As sustained-release pellets) colour: Approved colour used in empty hard gelatin capsule shells.</p>
<p>Tamsulosin Hydrochloride Prolonged-release Capsules IP</p>	<p>Each hard gelatin capsule contains: Tamsulosin Hydrochloride IP 0.4 mg (as modified-release pellets) colour: Approved colour used in empty hard gelatin capsule shells.</p>
<p>Rabeprazole Gastro-resistant and Levosulpiride sustained-release Capsules</p>	<p>Each hard gelatin capsule contains: Rabeprazole Sodium IP 40 mg (as gastro-resistant pellets) Levosulpiride 75 mg (as sustained-release pellets) colour: Approved colour used in empty hard gelatin capsule shells.</p>
<p>Clindamycin Capsules IP 300 mg</p>	<p>Each hard gelatin capsule contains: Clindamycin Hydrochloride IP equivalent to Clindamycin 300 mg colour: Approved colour used in empty hard gelatin capsule shells.</p>

Rosuvastatin & Aspirin Capsules	<p>Each hard gelatin capsule contains: Rosuvastatin Calcium IP equivalent to Rosuvastatin 10 mg (as immediate-release pellets) Aspirin IP 75 mg (as gastro-resistant pellets) colour: Approved colour used in empty hard gelatin capsule shells.</p>
Pantoprazole Gastro-resistant and Levosulpiride sustained- release Capsules	<p>Each hard gelatin capsule contains: Pantoprazole Sodium IP equivalent to Pantoprazole 40 mg (as gastro-resistant pellets) Levosulpiride 75 mg (as sustained-release pellets) colour: Approved colour used in empty hard gelatin capsule shells.</p>
Itraconazole Capsules USP 100 mg	<p>Each hard gelatin capsule contains: Itraconazole USP 100 mg (as pellets form) colour: Approved colour used in empty hard gelatin capsule shells.</p>
Ilaprazole Gastro-resistant and Domperidone sustained-release Capsules	<p>Each hard gelatin capsule contains: Ilaprazole IP 10 mg (as gastro-resistant pellets) Domperidone IP 30 mg (as sustained-release pellets) colour: Approved colour used in empty hard gelatin capsule shells.</p>
Calcium Dobesilate Monohydrate and Docusate Sodium Capsules	<p>Each hard gelatin capsule contains: Calcium Dobesilate Monohydrate equivalent to Calcium Dobesilate IP 500 mg Docusate Sodium IP 100 mg Excipients qs colour: Approved colour used in empty hard gelatin capsule shells.</p>

Lansoprazole Gastro-resistant Capsules IP	Each hard gelatin capsule contains: Lansoprazole IP 200 mg (as gastro-resistant pellets) colour: Approved colour used in empty hard gelatin capsule shells.
Pantoprazole and Cinitapride Hydrogen Tartrate sustained-release Capsules	Each hard gelatin capsule contains: Pantoprazole Sodium IP equivalent to Pantoprazole 40mg (as gastro-resistant pellets) Cinitapride Hydrogen Tartrate 3mg (as sustained-release pellets) colour: Approved colour used in empty hard gelatin capsule shells.
Doxycycline Hydrochloride & Lactic Acid Bacillus Capsules	Each hard gelatin capsule contains: Doxycycline Hydrochloride IP equivalent to Doxycycline 100 mg Lactic Acid Bacillus 5 billion colour: Approved colour used in empty hard gelatin capsule shells.
Thiocolchicoside Capsules IP 4 mg	Each hard gelatin capsule contains: Thiocolchicoside IP 4 mg colour: Approved colour used in empty hard gelatin capsule shells.
Thiocolchicoside Capsules IP 8 mg	Each hard gelatin capsule contains: Thiocolchicoside IP 8 mg colour: Approved colour used in empty hard gelatin capsule shells.
Pregabalin Capsules IP 50 mg	Each hard gelatin capsule contains: Pregabalin IP 50 mg colour: Approved colour used in empty hard gelatin capsule shells.

Methylcobalamin & Folic Acid Capsules	<p>Each hard gelatin capsule contains: Methylcobalamin IP 1500mcg Folic Acid IP 1.5 m colour:Approved colour used in empty hard gelatin capsule shells. (therapeutic use)</p>
Methylcobalamin, Folic Acid, Alpha Lipoic Acid, Inositol & Mineral Capsules	<p>Each hard gelatin capsule contains: Methylcobalamin IP 1500mcg Folic Acid IP 1.5 mg Alpha Lipoic Acid USP 100 mg Inositol USP 100 mg Chromium Picolinate USP equivalent to Chromium 200 mcg Sodium Selenate BP equivalent to Selenium 55 mg Benfotiamine 150 mg Excipients q.s. colour:Approved colour used in empty hard gelatin capsule shells. (therapeutic use)</p>
Diacerein Capsules IP 100 mg	<p>Each hard gelatin capsule contains: Diacerein IP 100 mg colour:Approved colour used in empty hard gelatin capsule shells.</p>
Methylcobalamin, Folic Acid, Alpha Lipoic Acid & Pyridoxine Hydrochloride Capsules	<p>Each hard gelatin capsule contains: Methylcobalamin IP 1500mcg Folic Acid IP 1.5 mg Alpha Lipoic Acid USP 100 mg Pyridoxine Hydrochloride IP 3 mg colour:Approved colour used in empty hard gelatin capsule shells. (therapeutic use)</p>

<p>Carbonyl Iron, Folic Acid & Zinc Sulphate Capsules</p>	<p>Each hard gelatin capsule contains: Carbonyl Iron equivalent to elemental Iron 100 mg Folic Acid IP 1.5 mg zinc sulphate monohydrate IP Eq. to elemental zinc 7.5 mg Excipients q.s. colour: Approved colour used in empty hard gelatin capsule shells.</p>
<p>Probiotic Capsules</p>	<p>Each hard gelatin capsule contains: Saccharomyces Boulardii 0.10 billion spores Lactobacillus Acidophilus 0.75 billion spores Lactobacillus rhamnosus 0.75 billion spores Bifidobacterium longum 0.75 billion spores Bifidobacterium bifidum 0.50 billion spores Fructo-oligosaccharides 100 mg Excipients q.s. Approved colour used in empty hard gelatin capsule shells.</p>
<p>Diacerein Capsules IP 50 mg</p>	<p>Each hard gelatin capsule contains: Diacerein IP 100 mg colour: Approved colour used in empty hard gelatin capsule shells.</p>
<p>Ferrous Fumarate, vitamin B12, Folic Acid & Ascorbic acid Capsules (for therapeutic use)</p>	<p>Each hard gelatin capsule contains: Ferrous Fumarate IP 350 mg equivalent to elemental Iron 115.0 mg Folic Acid IP 0.5 mg Zinc Sulphate Monohydrate IP 61.8 mg equivalent to elemental Zinc 22.6 mcg colour: Approved colour used in empty hard gelatin capsule shells.</p>

<p>Methylcobalamin, Folic Acid, Alpha Lipoic Acid, Thiamine Mononitrate & Pyridoxine Hydrochloride Capsules (for therapeutic use)</p>	<p>Each hard gelatin capsule contains: Methylcobalamin IP 1500mcg Folic Acid IP 1.5 mg Alpha Lipoic Acid USP 100 mg Thiamine Mononitrate IP 10 mg Pyridoxine Hydrochloride IP 3 mg colour:Approved colour used in empty hard gelatin capsule shells.</p>
<p>Calcium Citrate, Calcitriol & Zinc Capsules</p>	<p>Each hard gelatin capsule contains: Calcium Citrate USP equivalent to Calcium 200 mg Calcitriol IP 0.25 mcg Zinc Sulphate Monohydrate IP equivalent to elemental Zinc 7.5 mg colour:Approved colour used in empty hard gelatin capsule shells.</p>
<p>Cyclosporine Capsules IP 250 mg</p>	<p>Each hard gelatin capsule contains: Cyclosporine IP 250 mg Excipients q.s. colour:Approved colour used in empty hard gelatin capsule shells.</p>
<p>Pregabalin & Methylcobalamin Capsules IP</p>	<p>Each hard gelatin capsule contains: Pregabalin IP 50 mg Methylcobalamin IP 750 mcg colour:Approved colour used in empty hard gelatin capsule shells.</p>

<p>Prebiotic Capsules</p>	<p>Each hard gelatin capsule contains: Lactobacillus rhamnosus 0.48 billion spores Lactobacillus Acidophilus 0.48 billion spores Bifidobacterium longum 0.48 billion spores Bifidobacterium bifidum 0.48 billion spores Saccharomyces boulardii 0.10 billion spores Streptococcus thermophilus 0.48 billion spores Fructo-oligosaccharides 300 mg Excipients q.s. colour:Approved colour used in empty hard gelatin capsule shells.</p>
<p>Tacrolimus Capsules IP</p>	<p>Each hard gelatin capsule contains: Tacrolimus IP 0.5 mg Excipients q.s. colour:Approved colour used in empty hard gelatin capsule shells.</p>
<p>Omeprazole Capsules IP 20 mg</p>	<p>Each hard gelatin capsule contains: Omeprazole IP 20 mg (as gastro-resistant pellets) colour:Approved colour used in empty hard gelatin capsule shells.</p>
<p>Lactic Acid Bacillus, Niacinamide, Folic Acid, Pyridoxine Hydrochloride, Cyanocobalamin, Calcium Pantothenate, Biotin & Zinc Capsules</p>	<p>Each hard gelatin capsule contains: Lactic Acid Bacillus 5 billion spores Niacinamide IP 50 mg Folic Acid IP 1500 mcg Pyridoxine Hydrochloride IP 3 mg Cyanocobalamin IP 10 mcg Calcium Pantothenate IP 20 mg Biotin USP 100mcg Zinc Sulphate Monohydrate IP 15 mg Excipients q.s. Approved colour used in empty hard gelatin capsule shells.</p>

Cyclosporine Capsules IP 50 mg	Each hard gelatin capsule contains: Cyclosporine IP 50 mg Excipients q.s. colour:Approved colour used in empty hard gelatin capsule shells.
Cyclosporine Capsules IP 25 mg	Each hard gelatin capsule contains: Cyclosporine IP 25 mg Excipients q.s. colour:Approved colour used in empty hard gelatin capsule shells.
Cyclosporine Capsules IP 100 mg	Each hard gelatin capsule contains: Cyclosporine IP 100 mg Excipients q.s. colour:Approved colour used in empty hard gelatin capsule shells.
Cyclosporine Capsules IP 200 mg	Each hard gelatin capsule contains: Cyclosporine IP 200 mg Excipients q.s. colour:Approved colour used in empty hard gelatin capsule shells.
Orlistat Capsules USP 60 mg	Each hard gelatin capsule contains: Orlistat USP 60 mg (as pellets) Excipients q.s. Approved colour used in empty hard gelatin capsule shells.
Pregabalin Capsules IP 300 mg	Each hard gelatin capsule contains: Pregabalin IP 300 mg Excipients q.s. colour:Approved colour used in empty hard gelatin capsule shells.

<p>Doxycycline Hydrochloride & Lactic Acid Bacillus Capsules</p>	<p>Each hard gelatin capsule contains: Doxycycline Hydrochloride IP equivalent to Doxycycline 100 mg Lactic Acid Bacillus 60 billion spores Excipients q.s. colour:Approved colour used in empty hard gelatin capsule shells.</p>
<p>fluoxetine Capsule I.P 20 MG</p>	<p>Each hard gelatin capsule contains: Fluoxetine Hydrochloride IP Eqv, to Fluxetine 20 mg Colour:Approved colour used in empty capsules shells.</p>
<p>fluoxetine Capsule I.P 40 MG</p>	<p>Each hard gelatin capsule contains: Fluoxetine Hydrochloride IP Eq. to Fluxetine 40 mg Colour:Approved colour used in empty capsules shells.</p>
<p>fluoxetine Capsule I.P 60 MG</p>	<p>Each hard gelatin capsule contains: Fluoxetine Hydrochloride IP Eq. to Fluxetine 60 mg Colour:Approved colour used in empty capsules shells.</p>
<p>Amoxicillin Trihydrate capsule IP 500 mg</p>	<p>Each Hard gelatin capsule contains: Amoxicillin Trihydrate BP Eqv, to Amoxicillin 500 mg Excipients qs colour:Approved colours used in capsules shells</p>
<p>Amoxicillin Trihydrate capsule IP 250 mg</p>	<p>Each Hard gelatin capsule contains: Amoxicillin Trihydrate IP Eq. to Amoxicillin 250 mg Excipients qs colour:Approved colours used in capsules shells</p>

Esomeptazole 40 & Levosulpride -75 capsules	<p>Each Hard gelatin capsule contains: esomeprazole magnesium Eq. to esomeprazole IP 40 mg as enteric coated pellets 75 mg Levosulpride (as immediate release pellets) colour:Approved colours used in capsules shells</p>
Pancreatin Minimicrospheres capsules	<p>Each Hard - gelatin Capsules Contains: Panceratin Minimicrospheres eq. To Pancreatin Excipients qs IP 150 mg colour:Approved Colour used in empty hard gelatin capsules shells</p>
Esomeprazole (EC) & Domperidone (SR) capsule	<p>Each Hard - gelatin Capsules Contains: Esomeprazol magnesium Trihydrate IP eqv. To Esomeprazol 40mg as gastro - resistant pellets Domeridon IP 30 Mg as sustanied release pellets colour:Approved Colour used in empty hard gelatin capsules shells</p>
Esomeprazole (EC) capsule IP	<p>Each Hard - gelatin Capsules Contains: Esomeprazol magnesium Trihydrate IP eqv. To Esomeprazol 40mg as gastro - resistant pellets colour :Approved Colour used in empty hard gelatin capsules shells</p>
L-Carnitine ,Mecobalamine & folic acid capsules	<p>Each Hard - gelatin Capsules Contains: L-carnitine L- tartrate Eqv. To L-carnitine 500 mg folic acid IP 1.5 mg Mecobalamine IP 1500 mcg Excipients : qs colour:Approved Colour used in empty hard gelatin capsules shells</p>

<p>Lactic acid bacillus , folic acid & vit B12 capsules</p>	<p>Each Hard - gelatin Capsules Contains: Lactic acid Bacillus IP 120 Million spores Folic acid IP 1.5 Mcg vit b12 IP 15 Mcg Excipients : qs colour:Approved Colour used in empty hard gelatin capsules shells</p>
<p>Acebrophylline capsules 100 mg</p>	<p>Each Hard - gelatin Capsules Contains: Acebrophylline 100 mg Excipients : qs colour:Approved Colour used in empty hard gelatin capsules shells</p>
<p>Acebrophylline capsules 200 mg</p>	<p>Each Hard - gelatin Capsules Contains: Acebrophylline 200 mg Excipients : qs colour:Approved Colour used in empty hard gelatin capsules shells</p>
<p>Amoxicillin and lactic acid bacillus capsule</p>	<p>Each Hard gelatin capsule contains: Amoxicillin Trihydrate IP Eqv, to Amoxicillin 500 mg Lactic acid bacillus 60 Million spores Excipients qs colour:Approved colour used in Empty Hard Gelatin capsules shells</p>
<p>Pregabalin & Methylcobalamin Capsules IP</p>	<p>Each hard gelatin capsule contains: Pregabalin IP 75 mg Methylcobalamin IP 750 mcg Excipients q.s. colour:Approved colour used in empty hard gelatin capsule shells.</p>

Rosuvastatin & Aspirin Capsules	<p>Each hard gelatin capsule contains: Rosuvastatin Calcium IP equivalent to Rosuvastatin 20 mg (As Pellets) Aspirin IP 75 mg (as Enteric coated pellets) colour: Approved colour used in empty hard gelatin capsule shells.</p>
Pregabalin & Methylcobalamin and alpha lipoic acid Capsules IP	<p>Each hard gelatin capsule contains: Pregabalin IP 50mg Methylcobalamin IP 0.75 mcg Alpha Lipoic acid IP 100 mg Excipients q.s. colour:Approved colour used in empty hard gelatin capsule shells.</p>
Gabapentin & Methylcobalamin Capsules	<p>Each hard gelatin capsule contains: Gabapentin IP 300 mg Methylcobalamin IP 500 mcg Excipients q.s. colour:Approved colour used in empty hard gelatin capsule shells.</p>
Dexlansoprazole (modified-release) capsules 30mg	<p>Each hard gelatin capsule contains: Dexlansoprazole IP 60 mg (As modified-release pellets) Excipients q.s. colour:Approved colour used in empty hard gelatin capsule shells.</p>
Dexlansoprazole (modified-release) capsules 30mg	<p>Each hard gelatin capsule contains: Dexlansoprazole IP 30 mg (As modified-release pellets) Excipients q.s. colour:Approved colour used in empty hard gelatin capsule shells.</p>

<p>Atorvastatin , clopidogrel & Aspirin Capsules</p>	<p>Each hard gelatin capsule contains: Atorvastatin Calcium IP equivalent to Atorvastatin 10 mg (as pellets) Aspirin IP 75 mg (as Enteric-coated pellets) Clopidogrel Bisulphate IP Eq. to Clopidogrel 75 mg (As Pellets) Excipients q.s. colour: Approved colour used in empty hard gelatin capsule shells.</p>
<p>Atorvastatin , clopidogrel & Aspirin Capsules</p>	<p>Each hard gelatin capsule contains: Atorvastatin Calcium IP equivalent to Atorvastatin 20 mg (as pellets) Aspirin IP 75 mg (as Enteric-coated pellets) Clopidogrel Bisulphate IP Eq. to Clopidogrel 75 mg (As Pellets) Excipients q.s. colour: Approved colour used in empty hard gelatin capsule shells.</p>
<p>Carbonyl Iron, Folic Acid & Zinc Sulphate Capsules</p>	<p>Each hard gelatin capsule contains: Carbonyl Iron equivalent to elemental Iron 50 mg Folic Acid IP 1.5 mg ascorbic acid IP 50mg vitamin B12 IP 0.5mcg (for therapeutic use) colour: Approved colour used in empty hard gelatin capsule shells.</p>

<p>Prebiotic and probiotic Capsules</p>	<p>Each hard gelatin capsule contains: Lactobacillus Acidophilus 5 billion spores Bifidobacterium longum 5 billion spores Saccharomyces boulardii 5 billion spores Fructo-oligosaccharides 5 billion spores colour:Approved colour used in empty hard gelatin capsule shells.</p>
<p>Cephalexin Capsules IP 500 mg</p>	<p>Each hard gelatin capsule contains: Cephalexin IP Eq. to anhydrous cephalixin 500 mg Excipients qs colour:Approved colour used in empty hard gelatin capsule shells.</p>
<p>Silodosin capsules 4mg</p>	<p>Each hard gelatin capsule contains: Silodosin 4mg Excipients qs colour:Approved colour used in empty hard gelatin capsule shells.</p>
<p>Silodosin capsules 8mg</p>	<p>Each hard gelatin capsule contains: Silodosin 8mg Excipients qs colour:Approved colour used in empty hard gelatin capsule shells.</p>
<p>Cephalexin Capsules IP 250mg</p>	<p>Each hard gelatin capsule contains: Cephalexin IP Eq. to anhydrous cephalixin 250mg Excipients qs colour:Approved colour used in empty hard gelatin capsule shells.</p>

Rosuvastatin, clopidogrel & Aspirin Capsules	<p>Each hard gelatin capsule contains: Rosuvastatin Calcium IP equivalent to Rosuvastatin 10 mg (as pellets) Aspirin IP 75 mg (as Enteric-coated pellets) Clopidogrel bisulphate IP EQ. TO CLOPIDOGREL 75MG (as pellets) colour: Approved colour used in empty hard gelatin capsule shells.</p>
Lactitol Monohydrate & Benzoic Acid syrup	<p>Each 15 ml syrup contains: Lactitol Monohydrate 10 gm Benzoic Acid 0.0225 gm In an aqueous base</p>
Lactulose Solution USP 70%	<p>Each 15 syrup ml contains: Lactulose solution IP 70% 10GM aqueous base FLAVORED</p>
Sodium Citrate, Paracetamol, Phenylephrine Hydrochloride & Chlorpheniramine Maleate Syrup	<p>Each 5 ml contains: Sodium Citrate IP 120 mg Paracetamol IP 250 mg Phenylephrine Hydrochloride IP 5 mg Chlorpheniramine Maleate IP 2 mg Excipients q.s. In a flavoured Syrup base</p>
Artemether & Lumefantrine Oral Suspension	<p>Each 5 ml after reconstitution contains: Artemether IP 40 mg Lumefantrine USP 240 mg Excipients q.s. In a flavoured base</p>

Dextromethorphan Hydrobromide, Phenylephrine Hydrochloride & Chlorpheniramine Maleate Syrup	Each 5 ml contains: Dextromethorphan Hydrobromide IP 15 mg Phenylephrine Hydrochloride IP 5 mg Chlorpheniramine Maleate IP 2 mg Excipients q.s. In a flavoured syrup base
Paracetamol & Mefenamic Acid Suspension	Each 5 ml contains: Paracetamol IP 125 mg Mefenamic Acid IP 50 mg flavoured base q.s. Palatable base
Nitazoxanide Suspension	Each 5 ml reconstituted suspension contains: Nitazoxanide 100 mg Excipients qs In a flavoured syrup base
Dicyclomine Hydrochloride & Polydimethylsiloxane Drop	Each ml contains: Dicyclomine Hydrochloride IP 10mg Polydimethylsiloxane IP 40 mg In a flavoured syrup base
Ondansetron Hydrochloride syrup	Each ml contains: Ondansetron Hydrochloride 2 mg Eq. to Ondansetron IP In a flavoured syrup base
Pracetamol pediatrics Oral suspension IP 125 mg	Each 5 ml contains : Paracetamol IP 120MG In a flavoured suspension base q.s. colour : Erythosine
Cetirizine Syrup	Each 5 ml contains : Cetirizine Hydrochloride IP 5MG in a flavoured syrupy base q.s. colour : Sunset yellow FCF

Ofloxacin Oral Suspension IP 100 mg	Each 5 ml contains : Ofloxacin IP 100mg In a flavoured suspension base q.s. colour : Sunset yellow FCF
Piracetam Syrup 500 mg	Each 5 ml contains : Piracetam IP 500 mg In a flavoured syrupy base colour :Erythosine
Albendazole Oral Suspension IP 400 mg	Each 5 ml contains : Albendazole IP 400mg In a flavoured Non-syrupy base q.s. colour : Sunset yellow FCF
Ofloxacin Oral Suspension IP 50 mg	Each 5 ml contains : Ofloxacin IP 50mg In a flavoured suspension base q.s. colour : Sunset yellow FCF
Ferrous Ascorbate & Folic Acid Oral Suspension	Each 5 ml contains : Ferrous Ascorbate Eq. to elemental iron IP 30 mg folic acid 0.5 mg In a flavoured suspension base q.s. colour :caramel IP
Paracetamol Pediatric syrup IP	Each 5 ml contains : Paracetamol IP 125mg In a flavoured syrup base q.s. colour : Sunset yellow FCF
Levocetirizine Hydrochloride & Ambroxol Hydrochloride Syrup	Each 5 ml contains : Levocetirizine Hydrochloride IP 2.5 mg Ambroxol Hydrochloride IP 30mg In a flavoured syrup base q.s. colour : Sunset yellow FCF

<p>Cholecalciferol Oral Drops 800 IU</p>	<p>Each ml contains : Cholecalciferol (AS STABILIZED) IP 800 IU In a flavoured non- syrup base q.s. Appropriate Overages of vitamin added to compensate for loss on storage.</p>
<p>Potassium Citrate,Magnesium Citrate and Pyridoxine Hydrochloride Oral Solution</p>	<p>Each 5 ml contains : Potassium Citrate IP 1100 mg Magnesium Citrate USP 375 mg Pyridoxine Hydrochloride IP 20 mg In a flavoured non- suspension base q.s. colour : Caramel IP Appropriate Overages of vitamin added to compensate for loss on storage.Appropriate Overages added</p>
<p>Azithromycin Oral Suspension IP 100 mg</p>	<p>Each 5 ml contains : Azithromycin Dihydrate IP 100 mg equivalent to azithromycin In a flavoured suspension base q.s. colour Quinoline Yellow WS</p>
<p>cholecalciferol Oral Drops 400 IU</p>	<p>Each ml contains : Cholecalciferol (AS STABILIZED) IP 400 IU In a flavoured non- syrupy base q.s. Appropriate Overages of vitamin added to compensate for loss on storage.</p>

ferrous sulphate &Folic Acid syrup IP	<p>Each 5 ml contains :</p> <p>Ferrous sulphate IP Eq. to elemental iron 100 mg folic acid IP 0.5 mg colour : Caramel</p> <p>In a flavoured syrupy base q.s. Appropriate Overages of vitamin added to compensate for loss on storage.</p>
Magaldrate and simethicone Oral Suspension IP	<p>Each 5 ml contains :</p> <p>Magaldrate IP Eq. to anhydrous Magaldrate 400 mg Simethicone IP 50 mg</p> <p>In a flavoured suspension base q.s. colour : Brilliant Blue FCF & Sunset Yellow FCF</p>
phenylephrine Hydrochloride & Chlorpheniramine Maleate syrup IP	<p>Each 5 ml contains :</p> <p>phenylephrine Hydrochloride IP 2.0 mg Chlorpheniramine Maleate IP 5.0MG</p> <p>In a flavoured syrupy base q.s. colour : Ponceau 4R</p>
Piperazine Citrate Syrup IP	<p>Each 5 ml contains :</p> <p>Piperazine Citrate IP 125mg Eq. to Piperazine Hydrate 100 mg</p> <p>In a flavoured Suspension base q.s. colour : sunset yellow FCF</p>
Promethazine Hydrochloride Syrup IP	<p>Each 5 ml contains :</p> <p>Promethazine Hydrochloride IP 5.0 mg</p> <p>In a flavoured syrupy base q.s. colour :caramel IP</p>

<p>Hydroxyzine Hydrochloride Oral Solution IP 10 mg</p>	<p>Each 5 ml contains : Hydroxyzine Hydrochloride IP 10 mg In a flavoured non- Syrupy base q.s. colour :PONCEAU 4R</p>
<p>Hydroxyzine Hydrochloride Oral Solution IP 5 mg</p>	<p>Each 5 ml contains : Hydroxyzine Hydrochloride IP 5mg In a flavoured Syrupy base q.s. colour tartrazine 4R</p>
<p>Ambroxal hydrochloride ,Terbutaline Sulphate ,Guaiphenesin and Menthol Syrup</p>	<p>Each 5 ml contains : Ambroxal hydrochloride IP 30 mg Terbutaline Sulphate IP 2.5 mg Guaiphenesin IP 100mg Menthol IP 5.0mg In a flavoured Syrupy base q.s. colour : Ponceau 4R</p>
<p>Ambroxal hydrochloride ,Terbutaline Sulphate ,Guaiphenesin and Menthol Syrup</p>	<p>Each 5 ml contains : Ambroxal hydrochloride IP 15mg Terbutaline Sulphate IP 1.25mg Guaiphenesin IP 50mg Menthol IP 2.5mg In a flavoured Syrupy base q.s. colour : Ponceau 4R</p>
<p>Levodropropizine and Chlorpheniramine Maleate Syrup</p>	<p>Each 5 ml contains : Levodropropizine IP 30 mg Chlorpheniramine Maleate IP 2.0mg In a flavoured Syrupy base q.s. colour : Sunset yellow FCF</p>

Citicoline sodium and Piracetam Syrup	<p>Each 5 ml contains :</p> <p>Citicoline sodium IP 500mg Eq. to to citicoline Piracetam IP 400 mg In a flavoured Syrup base q.s. colour :Erythosine</p>
Sucralfate Suspension	<p>Each 10ml contains :</p> <p>Sucralfate IP 1000mg In a suspension base q.s. colour : Quinoline yellow WS</p>
Zinc Sulphate oral Solution IP	<p>Each 5 ml contains :</p> <p>Zinc Sulphate Monohydrate IP 20 mg Eq. to elemental Zinc 7.5mg In a flavoured Syrupy base q.s. colour : Sunset yellow FCF</p>
Sodium Picoslfate Oral Solution BP	<p>Each 5 ml contains :</p> <p>Sodium Picoslfate BP 5.0MG In a flavoured Syrup base colour : Tartrazine and brilliant blue FCF</p>
Fexofenadine Hydrochloride Suspension	<p>Each 5 ml contains :</p> <p>Fexofenadine Hydrochloride IP 30mg In a flavoured Syrup base q.s. colour : Sunset Yellow FCF</p>
Ranitidine Hydrochloride Oral Solution IP	<p>Each 5 ml contains :</p> <p>Ranitidine Hydrochloride IP 75mg In a flavoured Syrup base q.s. colour : Quinoline Yellow WS</p>
Pepsin & Fungal Diastase Syrup	<p>Each 5 ml contains :</p> <p>Pepsin IP (1:3000) 10MG Fungal Diastase IP (1:1200) 50MG In a flavoured Suspension base q.s. colour : Caramel IP</p>

<p>Levocetirizine Hydrochloride & Montelukast Syrup IP</p>	<p>Each 5 ml contains : Levocetirizine Hydrochloride IP 2.5 MG Montelukast sodium IP Eq. to Montelukast 4.0MG In a flavoured Syrupy base q.s. colour : Tartrazine</p>
<p>Cyproheptadine Hydrochloride and Tricholine Citrate Syrup</p>	<p>Each 5 ml contains : Cyproheptadine Hydrochloride IP 2.0mg Tricholine Citrate IP 275mg In a flavoured Syrup base q.s. colour :caramel IP</p>
<p>Sodium feredetate Oral Solution BP</p>	<p>Each 5 ml contains : Sodium feredetate BP 231MG Eq. to elemental Iron 33MG In a flavoured Syrup base q.s. colour : caramel IP</p>
<p>Levosalbutamol Sulphate Syrup 1 mg</p>	<p>Each 5 ml contains : Levosalbutamol Sulphate IP Eq. toLevosalbutamol 1.0MG In a flavoured Syrupy base q.s. colour : sunset yellow FCF</p>
<p>Levosalbutamol Sulphate ,Guaiphenesin & Ambroxol Hydrochloride Syrup</p>	<p>Each 5 ml contains : Levosalbutamol Sulphate IP Eq. to Levosalbutamol 0.5MG Guaiphenesin IP 50MG Ambroxol Hydrochloride IP 15MG In a flavoured Syrupy base q.s. colour: Tatrazine</p>

<p>Levosalbutamol Sulphate ,Guaiphenesin & Ambroxol Hydrochloride Syrup</p>	<p>Each 5 ml contains : Levosalbutamol Sulphate IP Eq. to Levosalbutamol 1.0MG Guaiphenesin IP 50MG Ambroxol Hydrochloride IP 30MG In a flavoured Syrupy base q.s. colour: Tatrazine</p>
<p>Ferric Ammonium Citrate ,Cyanocobalamin & Folic Acid Syrup</p>	<p>Each 5 ml contains : Ferric Ammonium Citrate IP 160MG Eq. to elemental iron 32.8MG Cyanocobalamin IP 7.5MCG Folic Acid IP 0.5MG In a flavoured Syrupy base q.s. colour: sunset yellow FCF & Carmoisine</p>
<p>Disodium Hydrogen Citrate Syrup</p>	<p>Each 5 ml contains : Disodium Hydrogen Citrate BP 1.40gm flavoured Syrupy base q.s. colour: tartrazine</p>
<p>Multivitamins with L-lysine syrup</p>	<p>Each 5 ml contains : thiamin HCL IP 2 mg Riboflavin sodium phosphate IP 2.5 mg pyridoxine hydrochloride IP 0.75 m g niacinamide IP 15 mg D- panthenol IP 3 mg cyanocobalamin IP 2 Mcg L-lysine hcl USP 375 mg In a flavoured SORBITAL base qs colour: caramel IP</p>

suspension of calcium with vitamin D3 & vitamin B12	<p>Each 5 ml contains :</p> <p>Tribasic calcium phospahte IP 210 mg Eqv. To elemental calcium 82mg vitamin D3 (cholecalciferol IP) 200 IU cyanocobalamin IP 2.5 mcg In a flavoured Suspension base qs colour: Ponceau 4 R</p>
paracetamol ,phenylephrine hcl & chlorpheniramine maleate suspension	<p>Each 5 ml contains :</p> <p>paracetamol IP 250 mg phenylephrine Hcl IP 5 mg chlorpheniramine maleate IP 2 mg In a flavoured Syrupy base qs colour: sunset yellow</p>
Sucralfate & oxetacaine suspension	<p>Each 10 ml contains :</p> <p>Sucralfate USP 1 gm oxetacaine BP 10 mg In a flavoured suspension base qs colour: sunset yellow FCF</p>
Oxetacaine , aluminium hydroxide & magnesium hydroxide suspension	<p>Each 5 ml contains :</p> <p>Oxetacaine BP 10 mg Dried aluminium hydroxide gel IP 0.291 G Magnesium hydroxide gel IP 98 mg In a flavoured Syrupy base qs colour: brilliant blue and tartrazine</p>
sucrafate & oxetacaine suspension	<p>Each 10ml contains :</p> <p>sucralfate USP 1 gm oxetacaine BP 20 mg In a flavoured Suspension base qs colour: quinoline yellow ws</p>

<p>Dried aluminium hydroxide , magnesium and simethicone oral suspension IP</p>	<p>Each 5ml contains : Dried aluminium hydroxide 250 mg magnesium hydroxide IP 250 mg simethicone 50 Mg flavoured syrup base colour: Tartrazine & brilliant blue</p>
<p>aluminium hydroxide , magnesium hydroxide, simethicone oral suspension IP</p>	<p>Each 5 ml contains : dried aluminium hydroxide gel IP 250mg magnesium hydroxide IP 250 mg simethicone emulsion USP eq. To simethicone 50 Mg In a flavoured base colour: tartrazine & brilliant blue</p>
<p>fungal diastase, pepsin , dill seed oil, caraway oil, and anise oil syrup</p>	<p>Each 5 ml contains : fungal diastase (1:800) IP 20 mg pepsin (1:3000) IP 10 mg dill seed oil IP 2mg caraway oil IP 2 mg anise oil IP 2 mg In flavoured base q.s. colour: caramel IP</p>
<p>Dextromethorphan Hydrobromide, Phenylephrine Hydrochloride & Chlorpheniramine Maleate Syrup</p>	<p>Each 5 ml contains : Dextromethorphan Hydrobromide IP 10 mg Phenylephrine Hydrochloride IP 5 mg Chlorpheniramine Maleate IP 2mg In a flavoured base q.s. colour :Brilliant Blue FCF & Tartrazine</p>
<p>Diphenhydramine Hydrochloride, Ammonium chloride & sodium citrate Syrup</p>	<p>Each 5 ml contains : Diphenhydramine Hydrochloride IP 14.08mg Ammonium chloride IP 138mg sodium citrate IP 5.0 mg In a flavoured Syrupy base q.s. colour : Caramel IP and sunset yellow FCF</p>

Dextromethorphan Hydrobromide & Chlorpheniramine Maleate Syrup	Each 5 ml contains : Dextromethorphan hydrobromide IP 10 mg Chlorpheniramine Maleate IP 4mg In a flavoured base q.s. colour : Approved colour used
Levocetirizine Hydrochloride & Ambroxol Hydrochloride Syrup	Each 5 ml contains : Levocetirizine Hydrochloride IP 5.0 mg Ambroxol Hydrochloride IP 30mg In a flavoured syrup base q.s. colour : Sunset yellow FCF
dextromethorphan Hydrochloride Syrup IP	Each 5 ml contains : dextromethorphan Hydrochloride IP 10mg In a flavoured syrup base q.s. colour : Sunset yellow FCF And carmoisine
Dextromethorphan Hydrochloride & Chlorpheniramine Maleate Syrup	Each 5 ml contains : Dextromethorphan Hydrochloride IP 15mg Chlorpheniramine Maleate IP 1.25mg In a flavoured Syrupy base q.s. colour : Ponceau 4R
Sucralfate & oxetacaine suspension	Each 5 ml contains : Sucralfate IP 75MG oxetacaine BP 20MG In a flavoured Suspension base qs colour:Quinoline yellow WS
Levetiracetam oral Suspension IP	Each ml contains : Levetiracetam IP 100mg flavoured base colour: approved colour used
cefixime oral Suspension IP	Each 5ml after reconstitution contains : cefixime as trihydrate IP Eq. to cefixime (anhydrous) 50MG In a flavoured base colour: sunset yellow FCF

<p>fungal diastase, pepsin , dill seed oil, caraway oil, and anise oil syrup</p>	<p>Each 5 ml contains : fungal diastase (1:1200) IP 50 mg pepsin (1:3000) IP 10 mg dill seed oil IP 1mg caraway oil IP 1mg anise oil IP 1mg In flavoured base q.s. colour: caramel IP</p>
<p>Multivitamins & multiminerals syrup</p>	<p>Each 5 ml contains : lycopeine 6% IP 2500mcg vitamin B6 IP 1.5mg Mecobalamin IP 500mcg folic acid IP 100mcg Niacinamide I IP 25mg Zinc gluconate IP 3.0mg Eq. to zinc Maganese sulphate BP Eq. to Maganese 2mg sodium selenite BP Eq. to selenium 35mcg potassium iodide IP Eq. to idodine 100mcg copper sulphate Eq. to copper 500mcg L-Lysine Hcl USP 25mg flavoured base q.s. colour: approved colour used</p>

<p>Multivitamins & multiminerals drop</p>	<p>Each ml contains :</p> <p>vitamin D3 IP 200 IU vitamin B6 IP 0.5mg Mecobalamin IP 7.5mcg Niacinamide I IP 5mg Zinc gluconate USP 2 mg Maganese (Maganese Chloride USP) 3mcg Molybdenum (sodium molybdate 2elenite 2BP) 1mcg selenium (sodium 2elenite BP) 10mcg Iodine (potassium iodide IP) 20mcg chromium (chromium hcl hexahydrate) 1mcg betacarotein USP 2.5% 18MG biotin USP 5mcg Inositol USP 10mg L-Lysine Hcl USP 30mg flavoured syrup base with fructoligosachrides colour: approved colour used</p>
<p>Liquid paraffin,milk of magnesia & sodium picosulfate oral suspension</p>	<p>Each 5 ml contains :</p> <p>sodium picosulfate IP 3.33mg milk of magnesia IP 3.75mg Liquid paraffin IP 1.25 ml flavoured base qs colour: approved colour used</p>
<p>chlorhexidine Gluconate Solution IP</p>	<p>chlorhexidine Gluconate Solution IP Diluted to chlorhexidine Gluconate 0.2% w/v In a Flavoured Base colour: Brilliant Blue FCF</p>
<p>Fexofenadine Hydrochloride and montelukast Suspension</p>	<p>Each 5 ml contains :</p> <p>Fexofenadine Hydrochloride IP 60mg montelukast sodium IP Eq. to Montelukast 4 mg In a flavoured base q.s. colour : Tartrazine</p>

<p>Ferrous Ascorbate ,zinc and Folic Acid syrup</p>	<p>Each 5 ml contains : Ferrous Ascorbate IP Eq. to elemental iron 30 mg folic acid 550 mcg zinc sulphate monohydrate IP Eq. to Elemental Zinc 22.5mg In a flavoured base q.s. colour :caramel</p>
<p>Dextromethorphan Hydrobromide, Phenylephrine Hydrochloride & Chlorpheniramine Maleate Syrup</p>	<p>Each 5 ml contains: Dextromethorphan Hydrobromide IP 10 mg Phenylephrine Hydrochloride IP 5 mg Chlorpheniramine Maleate IP 2 mg Ambroxol hydrochloride IP 15 mg Colour: Ponceau 4R In a flavoured base</p>
<p>Disodium Hydrogen Citrate Syrup</p>	<p>Each 5 ml contains : Disodium Hydrogen Citrate BP 1.25gm flavoured Syrupy base q.s. colour: tartrazine</p>
<p>sodium alginate, sodium bicarbonate & calcium carbonate suspension</p>	<p>Each 5 ml contains : sodium alginate IP 250 MG sodium bicarbonate IP 133.5 MG Calcium Carbonate IP 80 MG Flavoured Base q.s. Colour: Erythrosine</p>
<p>Sodium Valproate oral soloution IP</p>	<p>Each 5 ml contanis: Sodium Valproate IP 200 mg Flavoured syrup base Colour: Approved colour used</p>

Mefenamic acid & Paracetamol Suspension	Ech 5ml contains: Paracetamol IP 250 mg Mefnamic acid IP 100 mg flavoured base q.s Colour: Approved colour used
Mefenamic acid & Paracetamol Suspension	Ech 5ml contains: Paracetamol IP 125 mg Mefnamic acid IP 50 mg flavoured base q.s Colour: Approved colour used
Azithromycin oral suspension	Each 5 ml contanis: Azithromycin Dihydrate IP 200 mg Eqv. To Azithromycin Flavoured base Colour: Approved colour used
Dreid Alumonium Hydroxide ,Magnesium Hydroxide & Simethicon Suspension IP	Each 10 ml contains: Dreid Alumonium IP 250 mg Magnesium Hydroxide IP 250 mg Simethicon IP 50 mg Flavoured syrup base colour : Approved colour used
Benzydamine HCL 0.15 % mouth wash	Each 5 ml contains: Benzydamine HCL 0.15 % w/v Flavoured Aquous base qs Colour : Approved colour used
Benzydamine HCL & chlorohexidine Gluconate mouth wash	Each 5 ml contains: Benzydamine BP 7.5 Mg chlorohexidine Gluconate solution IP Eqv. To chlorohexidine 6 mg Flavoured Aquous base qs Colour : Approved colour used

Cefpodoxime oral suspension ip 50 mg	Each 5 ml of reconstituted suspension contains : Cefpodoxime Proxetil IP Eqv. To cefodoxime 50 mg Excipients qs Colour : Approved colour used
Dextromethorphan Hydrochloride & Chlorpheniramine Maleate Syrup	Each 5 ml contains : Dextromethorphan hydrochloride IP 10 mg Chlorpheniramine Maleate IP 2.0mg In a flavoured base q.s. colour : sunset yellow FCF & carmoisine
phenylephrine Hydrochloride & Chlorpheniramine Maleate syrup IP	Each 5 ml contains : phenylephrine Hydrochloride IP 5 mg Chlorpheniramine Maleate IP 2MG In a flavoured base q.s. colour : Ponceau 4R
Levosambutamol sulphate ,Guaiphenesin, Ambroxol Hydrochloride & Menthol Syrup	Each 5 ml contains : Levosambutamol sulphate IP 1mg Eq. to Levosambutamol Ambroxol Hydrochloride IP 30MG Guaiphenesin IP 50mg Menthol IP 2.5 mg In a flavoured base q.s. colour : sunset yellow FCF & Ponceau 4R
Levosambutamol sulphate ,Guaiphenesin, Ambroxol Hydrochloride Syrup	Each 5 ml contains : Levosambutamol sulphate IP 0.5mg Eq. to Levosambutamol Ambroxol Hydrochloride IP 15MG Guaiphenesin IP 50mg In a flavoured base q.s. colour : Brilliant blue & tartrazine

Amoxycillin & Potassium Clavulanate Oral Suspension IP 228.5	Each 5 ml after reconstitution contains: Amoxycillin Trihydrate IP equivalent to Amoxycillin 200 mg Potassium Clavulanate Diluted IP equivalent to Clavulanic Acid 228.5 mg Excipients qs Colour: Sunset Yellow FCF
Cefixime Oral Suspension IP 50 mg	Each 5 ml after reconstitution contains: Cefixime as Trihydrate IP equivalent to Cefixime (anhydrous) 50 mg Excipients qs Colour : Sunset Yellow FCF
Cefixime Oral Suspension IP 100 mg	Each 5 ml after reconstitution contains: Cefixime as Trihydrate IP equivalent to Cefixime (anhydrous) 100 mg Excipients qs Colour : Sunset Yellow FCF
Cefpodoxime Proxetil & Potassium Clavulanate Oral Suspension	Each 5ml after reconstitution contains : Cefpodoxime proxetil IP Eq. to Cefpodoxime (anhydrous) 100MG potassium clavulanate diluted IP Eq. to clavulanic acid 62.5MG In a flavoured base colour: Quinoline yellow FCF
Cefpodoxime Proxetil Oral Suspension IP 50 mg	Each 5 ml after reconstitution contains: Cefpodoxime Proxetil IP equivalent to Cefpodoxime 50 mg In a flavoured base colour: Quinoline yellow FCF
Cefpodoxime Proxetil Oral Suspension IP 100 mg	Each 5ml after reconstitution contains : Cefpodoxime proxetil IP Eq. to Cefpodoxime (anhydrous) 100MG In a flavoured base colour: Quinoline yellow FCF

Faropenem Sodium Extended- release Tablets	<p>Each film-coated tablet contains: Faropenem Sodium IP equivalent to Faropenem 200 mg (as extended-release) Excipients qs Colour : Yellow Oxide of Iron</p>
Cefixime Tablets IP 200 mg	<p>Each film-coated tablet contains: Cefixime Trihydrate IP equivalent to Cefixime (anhydrous) 200 mg Excipients qs Colour : Titanium Dioxide IP</p>
Cefuroxime Axetil Tablets IP 500 mg	<p>Each film-coated tablet contains: Cefuroxime Axetil IP equivalent to Cefuroxime 500 mg Excipients qs Colour : Titanium Dioxide IP</p>
Cefpodoxime Proxetil Tablets IP 200 mg	<p>Each film-coated tablet contains: Cefpodoxime Proxetil IP equivalent to Cefpodoxime 200 mg Excipients qs Colour : Titanium Dioxide IP</p>
Cefuroxime Axetil Tablets IP 250 mg	<p>Each film-coated tablet contains: Cefuroxime Axetil IP equivalent to Cefuroxime 250 mg Excipients qs Colour : Titanium Dioxide IP</p>
Cefixime & Ofloxacin Tablets	<p>Each film-coated tablet contains: Cefixime as Trihydrate IP equivalent to Cefixime (anhydrous) 200 mg Ofloxacin IP 200 mg Excipients qs Colour : Tartrazine</p>

Cefpodoxime dispersible Tablets IP 200 mg	Each uncoated dispersible tablet contains: Cefpodoxime Proxetil IP equivalent to Cefpodoxime 200 mg Excipients qs
Bambuterol Hydrochloride tablets IP 10 MG	Each Film-coated tablet contains: Bambuterol Hydrochloride IP 10 mg Excipients qs Colour : Titanium Dioxide IP
Ofloxacin, Cefixime and lactic acid bacillus tablets	Each Film -coated tablet contains : Ofloxacin IP 200 Mg Cefixime Trihydrate IP Eq. to Cefixime 200mg Lactic acid bacillus 60 million spores excipients q.s. coloaur : Tartrazine Lake
Ofloxacin, Cefixime and lactic acid bacillus tablets	Each Film -coated tablet contains : Ofloxacin IP 200 Mg Cefixime Trihydrate IP Eq. to Cefixime 200mg Lactic acid bacillus 2.5 million spores excipients q.s. coloaur : Titanium Dioxide
Cefixime Tablets IP 400 mg	Each film-coated tablet contains: Cefixime Trihydrate IP equivalent to Cefixime 400 mg Excipients qs Colour : Titanium Dioxide
Methylcobalamin tablet 1500 mcg	Each film-coated tablet contains: Methylcobalamin 1500mcg Excipients q.s. colour:Approved colour used

Gabapentin & Methylcobalamin Capsules	<p>Each Film-coated contains: Gabapentin IP 300 mg Methylcobalamin IP 500 mcg Excipients q.s. colour:Approved colour used</p>
mefenamic acid and dicyclomine tablets IP	<p>Each Un-coated tablet contains: mefenamic acid IP 250 mg dicyclomine hcl IP 10 mg Excipients q.s. colour:tartrazine</p>
ferrous ascorbate , folic acid and zinc sulphate tablets	<p>Each film- coated tablet contains: ferrous ascorbate Eq. to elemental iron 100 mg folic acid IP 1.5 mg zinc sulphate monohydrate IP Eq. to Elemental zinc 22.2 mg Excipients q.s. colour:tartrazine</p>
Cefpodoxime proxetil Dispersible Tablets IP 100 mg	<p>Each un-coated Dispersible tablet contains: Cefpodoxime proxetil IP equivalent to Cefpodoxime 100 mg Excipients qs</p>
Cephalexin Dispersible Tablets 250 mg	<p>Each un-coated Dispersible tablet contains: Cephalexin IP Eq. to anhydrous cephalexin 250 mg Excipients qs Colour : Titanium Dioxide IP</p>
Amoxicillin Dispersible Tablets IP 500mg	<p>Each un-coated Dispersible tablet contains: Amoxicillin Trihydrate IP equivalent to Amoxicillin 500 mg Excipients qs Colour: Titanium Dioxide IP</p>

Amoxycillin Dispersible Tablets IP 250mg	Each un-coated Dispersible tablet contains: Amoxycillin Trihydrate IP equivalent to Amoxycillin 250 mg Excipients qs Colour: Titanium Dioxide IP
Cephalexin Dispersible Tablets 125 mg	Each un-coated Dispersible tablet contains: Cephalexin IP Eq. to anhydrous cephalixin 125 mg Excipients qs
Cefpodoxime proxetil & ofloxacin Tablet	Each Film-coated tablet contains: Cefpodoxime proxetil IP Eq. to anhydrous Cefpodoxime 200 mg Ofloxacin IP 200mg Excipients qs Colour : sunset Yellow lake & titanium dioxide
Cefixime , Dicloxacillin & Lactic acid Bacillus tablets	Each film-coated tablet contains: Cefixime Trihydrate IP equivalent to cefixime 200 mg Dicloxacillin sodium IP (Extended-Release) equivalent to Dicloxacillin 500mg Lactic acid Bacillus 2.5 billion spores Excipients qs Colour: Tartrazine
Cephalexin tablets IP 500mg	Each film-coated tablet contains: Cephalexin IP Eq. to anhydrous cephalixin 500mg Excipients qs colour:titanium dioxide IP &sunset yellow

Cefixime tablets 200 Mg	<p>Each Dispersible tablet contains :</p> <p>Cefixime as trihydrate IP</p> <p>Eq. to cefixime (anhydrous) 200 mg</p> <p>lactic acid bacillus 60 million spores</p> <p>Excipients qs</p> <p>Colour: titanium dioxide</p>
cephalexin and probenecid	<p>Each film - coated tablet contains:</p> <p>cephalexin IP 500 mg</p> <p>probenecid IP 25 mg</p> <p>Excipients qs</p> <p>Colour: titanium dioxide</p>
amoxicillin trihydrate and potassium clavulanate tablets IP	<p>composition :</p> <p>Each Film-coated tablet contains:</p> <p>Amoxicillin trihydrate IP</p> <p>Eq. to Amoxicillin 500 mg</p> <p>potassium clavulanate Diluted</p> <p>Eq. to clavulanate acid IP 125 mg</p> <p>Excipients qs</p> <p>Colour: titanium dioxide</p>
Cefixime Dispersible tablets 200 Mg	<p>Each uncoaed Dispersible tablet coantins :</p> <p>Cefixime IP 200 mg</p> <p>Excipients qs</p> <p>Colour: Approved colour used</p>
Azithromycin and lactic acid bacillus tablets	<p>Each Film -coated tablet contains :</p> <p>Azithromycin IP 500 Mg</p> <p>Lactic acid bacillus 60 million spores</p> <p>excipients</p> <p>colour : yellow oxide of iron</p>
Sultamicillin Tosylate Tablets 375 mg	<p>Each film - coated tablet contains:</p> <p>Sultamicillin Tosylate Dihydrate IP 375 mg</p> <p>eqv. to Sultamicillin</p> <p>Excipients qs</p> <p>Colour: approved Colour used</p>

Sultamicillin Tosylate Tablets 750 mg	Each film - coated tablet contains: Sultamicillin Tosylate Dihydrate IP 750 mg eqv. to Sultamicillin Excipients qs Colour: approved Colour used	
Medroxy Progesterone Acetate Tablet I.P.	Each Uncoated Tablet Contains : Medroxy Progesterone Acetate I.P 10 mg Colour: Approved colour used	
Misoprostol Tablet I.P 200 mcg	Each Uncoated Tablet Contains; Misoprostol I.P 200 mcg. Excipients q.s.	
Megestrol Acetate Tablet I.P	Each Uncoated Tablet Contains: Megestrol Acetate I.P 80 mg. Excipients q.s.	
Norethisterone Controlled Release 10 mg	Each Uncoated control release tablet contains:- Norethisterone I.P 10mg Excipients q.s.	
Omeprazole & Domperidone Capsule	Each hard gelatin capsule contains : Omeprazole I.P 20 mg (As enteric coated pellets) Domperidone I.P 10 mg Approved colours used in empty capsule shell	
Omeprazole Capsule	Each Hard Gelatin Capsule Contains : Omeprazole I.P 20 mg (As enteric coated pellets) Approved colours used in empty capsule shell	
Misoprostol Tablets 200 mcg (for export only)	Each Uncoated tablet contains; Misoprostol B.P 200 mcg Excipients q.s.	

Methylcobalamin, Adenosylcobalamin, Vitamin B6, Vitamin B1, Vitamin B2 & Folic Acid Capsules	Each Hard gelatin Capsule contains: Methylcobalamin I.P 750 mcg Adenosylcobalamin 750 mcg Thiamine Moon Nitrate (Vit B1) I.P 5 mg Pyridoxine Hydrochloride (Vit B6) I.P 3 mg Raboflavin (vit b2) I.P 5 mg Folic Acid I.P 1.5 mg Excipients q.s. Approved colour used in empty capsules shell
Amitriptyline Hydrochloride Tablets USP 25 mg (For Export Only)	Each Film Coated Tablet Contains: Amitriptyline Hydrochloride USP 25 mg Excipients q.s. Colour: Approved colour used
Clopidogrel Tablets USP 75 mg (For Export Only)	Each tablets contains Clopidogrel Bisulphate USP Eq. to Clopidogrel 75 mg Excipients q.s. Colour: Approved colour used
Tacrolimus Capsules USP 1 mg (For Export Only)	Each hard gelatin capsule contains: Tacrolimus USP 1 mg Excipients q.s. Approved colour used in empty hard gelatin capsule shells.
Tacrolimus Capsules USP 0.5 mg (For Export Only)	Each hard gelatin capsule contains: Tacrolimus USP 0.5 mg Excipients q.s. Approved colour used in empty hard gelatin capsule shells.
Tacrolimus Capsules USP 2 mg (For Export Only)	Each hard gelatin capsule contains: Tacrolimus USP 2 mg Excipients q.s. Approved colour used in empty hard gelatin capsule shells.
Tacrolimus Capsules USP 3 mg (For Export Only)	Each hard gelatin capsule contains: Tacrolimus USP 3 mg Excipients q.s. Approved colour used in empty hard gelatin capsule shells.

Olanzapine I.P 5 mg Tablet	Each Uncoated dispersible tablet contains: Olanzapine I.P 5 mg Excipients q.s Colour: Approved colour used
Propranolol HCL Tablets I.P 10 mg	Each Uncoated tablet contains: Propranolol Hydrochloride I.P 10 mg Excipients q.s. Colour: Approved colour used
Olanzapine I.P 20 mg Tablet	Each Film Coated Tablet Contains: Olanzapine I.P 20 mg Excipients q.s colour:Approved colour used
Risedronate Sodium Tablets I.P 35 mg	Each Film Coated Tablet Contains: Risedronate Sodium I.P 35 mg (As Risedronate Sodium Hemi-pentahydrate) Excipients q.s Colour:Approved colour used
Betahistine Hydrochloride Extended Release 48 mg Tablet	Each Uncoated extended release tablet contains: Betahistine Hydrochloride I.P 48 mg Excipient q.s Colour: Approved colour used
Naproxen Sodium Sustained Release Tablets 750 mg	Each Uncoated Sustained Release Tablet contains:- Naproxen Sodium USP 750 mg Excipients q.s Colour:Approved colour used
Ofloxacin & Orindazole Tablets	Each Film Coated Tablet Contains: Ofloxacin I.P 100 mg Orindazole I.P 250 mg Excipients q.s Colour; Approved colour used
Propranolol Tablets I.P 40 mg	Each Uncoated tablet contains: Propranolol I.P 40 mg Excipients q.s Colour:Approved colour used

Amisulpride I.P 400 mg	Each Uncoated tablet contains: Amisulpride I.P 400 mg Excipients q.s Colour: Approved colour used
Betahistine Dihydrochloride Sustained Release Tablet 16 mg	Each film coated sustained release tablet contains: Betahistine Dihydrochloride 16 mg Excipients q.s Colour: Approved colour used
Naproxen Sodium & Domperidone Tablet	Each Film coated tablet contains: Naproxen Sodium USP Eq.to Naproxen 250 mg Domperidone Meleate I.P Eq. to Domperidone 10 mg Excipients q.s Colour: Approved colour used
Naproxen Sodium & Domperidone Tablet	Each Film coated tablet contains: Naproxen Sodium USP Eq.to Naproxen 500 mg Domperidone Meleate I.P Eq. to Domperidone 10 mg Excipients q.s Colour: Approved colour used
Amitriptyline & Propranolol Hydrochloride (SR) Tablets	Each Film Coated Tablet Contains: AmitriptylineHydrochloride I.P 10 mg Propranolol Hydrochloride I.P 40 mg (As sustained release tablets) Excipients q.s Colour: Approved colour used
Metformin Hydrochloride Prolonged Release & Glibenclamide Tablet I.P	Each Uncoated bilayered tablet contains: Metformin Hydrochloride I.P 850 mg. (as prolonged release) Glibenclamide I.P 5 mg Excipients q.s Colour: Approved colour used

Esomeprazole & Domperidone Tablets	Each enteric coated Tablet contains: Esomeprazole Magnesium Trihydrate I.P Eq. to Esomeprazole 20mg Domperidone I.P 15mg Excipients q.s Colour: Approved colour used
Lamotrigine Dispersible Tablets I.P 25mg	Each Uncoated dispersible Tablet contains:- Lamotrigine I.P 25mg Excipients q.s Colour: Approved colour used
Lamotrigine Dispersible Tablets I.P 50mg	Each Uncoated dispersible Tablet contains:- Lamotrigine I.P 50mg Excipients q.s Colour: Approved colour used
Lamotrigine Dispersible Tablets I.P 100mg	Each Uncoated dispersible Tablet contains:- Lamotrigine I.P 100mg Excipients q.s Colour: Approved colour used
Lamotrigine Sustained Release Tablets I.P 50mg	Each Uncoated sustained release Tablet contains:- Lamotrigine I.P 50mg Excipients q.s Colour: Approved colour used
Lamotrigine Sustained Release Tablets I.P 100mg	Each Uncoated sustained release Tablet contains:- Lamotrigine I.P 100mg Excipients q.s Colour: Approved colour used
L-Methylfolate Calcium, Vitamin B12, Pyridoxal-5-phosphate, Biotin & Vitamin D3 MD Tablets	Each Uncoated mouth dissolving tablet contains:- L-methylfolate calcium 1 mg Vitamin B12 I.P 1500 mcg Pyridoxal-5-Phosphate I.P 0.5mg Biotin I.P 5 mg Vitamin D3 I.P 2000 IU Excipients q.s Colour: Approved colour used

Methylcobalamin, L-methylfolate Calcium , Pyridoxal-5-Phosphate & Biotin Tablet	Each Film coated Tablet Contains: Methylcobalamin I.P 1500 mcg L-methylfolate Calcium 1 mg Pyridoxal-5-Phosphate I.P 0.5MG Biotin I.P 5mg Excipients q.s Colour: Approved colour used
Olanzapine Tablets I.P 10 mg	Each Film Coated Tablet Contains: Olanzapine I.P 10 mg Excipients q.s Colour:Approved colour used
Olanzapine Tablets I.P 15 mg	Each Film Coated Tablet Contains: Olanzapine I.P 15 mg Excipients q.s Colour:Approved colour used
Flupentixol & Melitracen Tablet (for export only)	Each Film Coated Tablet Contains: Flupentixol Dihydrochloride B.P Eq. to Flupentixol 0.5 mg Melitracen hydrochloride eq.to melitracen 10 mg Excipients q.s Colour: Approved colour used
Fluvoxamine Maleate I.P 100 mg Tablet	Each film Coated Extended Release Tablet contains:- Fluvoxamine Maleate I.P 100 mg Excipients q.s colour:Approved colour used
Fluvoxamine Maleate I.P 50 mg Tablet	Each film Coated Extended Release Tablet contains:- Fluvoxamine Maleate I.P 50 mg Excipients q.s colour:- Approved colour used
Linezolid I.P 300 mg Tablet	Each Film Coated Tablet Contains: Linezolid I.P 300 mg Excipients q.s Colour: Approved colour used

Fluvoxamine Maleate I.P 150 mg Tablet	Each film Coated Extended Release Tablet contains: Fluvoxamine Maleate I.P 150 mg Excipients q.s Colour: Approved colour used
Tadalafil Tablet I.P 2.5 MG	Each Film Coated Tablet Contains: Tadalafil I.P 2.5 MG Excipients q.s Colour: Approved colour used
Flupentixol & Nortriptyline Tablet	Each Film Coated Tablet Contains: Flupentixol Dihydrochloride B.P Eq. to Flupentixol 0.5mg Nortriptyline Hydrochloride Eq. to Nortriptyline 10 mg Excipients q.s Colour: Approved colour used
Naproxen Tablets I.P 250 mg	Each Film Coated Tablet Contains: Naproxen Sodium I.P 250 mg Excipients q.s Colour:Approved colour used
Naproxen Tablets I.P 500 mg	Each Film Coated Tablet Contains: Naproxen Sodium I.P 500 mg Excipients q.s Colour:Approved colour used
Aripiprazole I.P 5 mg	Each Film Coated Tablet Contains: Aripiprazole I.P 5 mg Excipients q.s Colour:Approved colour used
Toremide & Spironolactone Tablet	Each Film Coated Tablet Contains: Toremide I.P 10mg. Spironolactone I.P 50mg Excipients q.s Colour:Approved colour used

Sultamicillin Tosylate Tablet	375 mg	Each Film Coated Tablet Contains: Sultamicillin Tosylate Dihydrate B.P Eq. to Sultamicillin 375 mg (Ampicillin 220 mg & Sulbactum 147 mg) Excipients q.s Colour:Approved colour used
Sultamicillin Tosylate Tablet	750 mg	Each Film Coated Tablet Contains: Sultamicillin Tosylate Dihydrate B.P Eq. to Sultamicillin 750mg (Ampicillin 440mg & Sulbactum 294 mg) Excipients q.s Colour: Approved colour used
Torsemide with Spironolaetone Tablet		Each Film Coated Tablet Contains: Torsemide I.P 10mg. Spironolaetone I.P 25mg Excipients q.s Colour:Approved colour used
Vildagliptin(SR) 100mg Tablet		Each film coated Sustained Release Tablet contains: Vildagliptin I.P 100 mg (Sustained Release Form) Excipients q.s Colour: Approved colour used
Metformin HCL & Glimepiride Tablet		Each Uncoated tablet contains: Metformin Hydrochloride I.P 500 mg Glimepiride I.P 2mg Excipients q.s Colour: Approved colour used

<p>Alpha Lipoic Acid, Benfotiamine, Vitamin E, Folic Acid, Calcium D-Pantothenate, Pyridoxine Hydrochloride, Cynocobalamin, Vitamin A, Chromium Polynicotinate & Sodium Selenate Tablets.</p>	<p>Each Film Coated Tablet Contains:</p> <table border="0"> <tr> <td>Alpha Lipoic Acid I.P</td> <td>300 Mg</td> </tr> <tr> <td>Benfotiamine</td> <td>33 Mg</td> </tr> <tr> <td>Vitamin E I.P</td> <td>10 Mg</td> </tr> <tr> <td>Folic Acid I.P</td> <td>0.4 Mg</td> </tr> <tr> <td>Calcium D-Pantothenate I.P</td> <td>10 Mg</td> </tr> <tr> <td>Pyridoxine Hydrochloride I.P</td> <td>2 Mg</td> </tr> <tr> <td>Cynocobalamin I.P</td> <td>1500 mcg</td> </tr> <tr> <td>Vitamin A I.P</td> <td>600 mcg</td> </tr> <tr> <td>Chromium Polynicotinate USP</td> <td>200 mcg</td> </tr> <tr> <td>Sodium Selenate</td> <td>40 mcg</td> </tr> <tr> <td>Excipients</td> <td>q.s</td> </tr> </table> <p>Colour: Approved colour used</p>	Alpha Lipoic Acid I.P	300 Mg	Benfotiamine	33 Mg	Vitamin E I.P	10 Mg	Folic Acid I.P	0.4 Mg	Calcium D-Pantothenate I.P	10 Mg	Pyridoxine Hydrochloride I.P	2 Mg	Cynocobalamin I.P	1500 mcg	Vitamin A I.P	600 mcg	Chromium Polynicotinate USP	200 mcg	Sodium Selenate	40 mcg	Excipients	q.s
Alpha Lipoic Acid I.P	300 Mg																						
Benfotiamine	33 Mg																						
Vitamin E I.P	10 Mg																						
Folic Acid I.P	0.4 Mg																						
Calcium D-Pantothenate I.P	10 Mg																						
Pyridoxine Hydrochloride I.P	2 Mg																						
Cynocobalamin I.P	1500 mcg																						
Vitamin A I.P	600 mcg																						
Chromium Polynicotinate USP	200 mcg																						
Sodium Selenate	40 mcg																						
Excipients	q.s																						
<p>Sildenafil Citrate Tablets I.P 25mg</p>	<p>Each Film Coated Tablet Contains:</p> <table border="0"> <tr> <td>Sildenafil Citrate I.P</td> <td></td> </tr> <tr> <td>Eq. to Sildenafil</td> <td>25mg</td> </tr> <tr> <td>Excipients</td> <td>q.s</td> </tr> </table> <p>Colour: Approved colour used</p>	Sildenafil Citrate I.P		Eq. to Sildenafil	25mg	Excipients	q.s																
Sildenafil Citrate I.P																							
Eq. to Sildenafil	25mg																						
Excipients	q.s																						
<p>Fluoxetine Tablets I.P 20 mg.</p>	<p>Each film Coated Tablet contains:-</p> <table border="0"> <tr> <td>Fluoxetine Hydrochloride I.P</td> <td></td> </tr> <tr> <td>Eq. to Fluoxetine</td> <td>20 mg</td> </tr> <tr> <td>Excipients</td> <td>q.s</td> </tr> </table> <p>Colour: Approved colour used</p>	Fluoxetine Hydrochloride I.P		Eq. to Fluoxetine	20 mg	Excipients	q.s																
Fluoxetine Hydrochloride I.P																							
Eq. to Fluoxetine	20 mg																						
Excipients	q.s																						
<p>Fluoxetine Tablets I.P 40 mg.</p>	<p>Each film Coated Tablet contains:-</p> <table border="0"> <tr> <td>Fluoxetine Hydrochloride I.P</td> <td></td> </tr> <tr> <td>Eq. to Fluoxetine</td> <td>40 mg</td> </tr> <tr> <td>Excipients</td> <td>q.s</td> </tr> </table> <p>Colour: Approved colour used</p>	Fluoxetine Hydrochloride I.P		Eq. to Fluoxetine	40 mg	Excipients	q.s																
Fluoxetine Hydrochloride I.P																							
Eq. to Fluoxetine	40 mg																						
Excipients	q.s																						
<p>Fluoxetine Tablets I.P 60 mg.</p>	<p>Each Film coated tablet contains:-</p> <table border="0"> <tr> <td>Fluoxetine Hydrochloride I.P</td> <td></td> </tr> <tr> <td>Eq. to Fluoxetine</td> <td>60 mg</td> </tr> <tr> <td>Excipients</td> <td>q.s</td> </tr> </table> <p>Colour: Approved colour used</p>	Fluoxetine Hydrochloride I.P		Eq. to Fluoxetine	60 mg	Excipients	q.s																
Fluoxetine Hydrochloride I.P																							
Eq. to Fluoxetine	60 mg																						
Excipients	q.s																						

Trifluparazine HCL & Tryhexpheldyl HCL Tablet	Each Uncoated tablet contains; Trifluparazine Hydrochloride I.P eq.toTrifluparazine 2 mg Tryhexphedyl Hydrochloride I.P 2 mg Excipients q.s Colour: Approved colour used
Clozapine I.P 25 mg Tablet	Each Uncoated tablets contains: Clozapine I.P 25 mg Excipients q.s Colour: Approved colour used
Atorvastatin Calcium & Fenofibrate Tablet I.P	Each film coated tablet contains: Atorvastatin calcium I.P Eq. to Atorvastatin 10 mg Fenofibrate I.P 160mg Excipients q.s Colour: Approved colour used
Rosuvastatin Calcium & Fenofibrate Tablet I.P	Each film coated tablet contains: Rosuvastatin Calcium I.P Eq. to Rosuvastatin 10 mg Fenofibrate I.P 160mg Excipients q.s Colour: Approved colour used
Metformin HydrochlorideTablet	Each Uncoated tablet contains: Metformin Hydrochloride I.P 500 mg Excipients q.s
Paroxetine HCL Tablet 12.5 mg (For Export only)	Each film coated Sustained Release tablet contains: Paroxetine B.P 12.5 mg Excipients q.s Colour:Approved colour used
Propranolol HCL Tablet 10 mg (For Export only)	Each Uncoated tablet contains: Propranolol B.P 10 mg Excipients q.s Colour:Approved colour used

Pramipexole Dihydrochloride Tablets 0.50 mg	Each Uncoated tablet contains: Pramipexole Dihydrochloride USP 0.50 mg Excipients q.s Colour:Approved colour used
Pramipexole Dihydrochloride Tablets 0.25 mg	Each Uncoated tablet contains: Pramipexole Dihydrochloride USP 0.25 mg Excipients q.s Colour:Approved colour used
Propranolol Hydrochloride Tablets I.P 20 mg	Each Uncoated tablet contains: Propranolol Hydrochloride I.P 20 mg Excipients q.s Colour:Approved colour used
Methylcobalamin, Alpha Lipoic Acid, Pyridoxine Hydrochloride & Benfotiamine Tablets	Each film Coated Tablet contains:- Methylcobalamin I.P 500 mcg Alpha Lipoic Acid I.P 100 mg Pyridoxine Hydrochloride I.P 50 mg Benfotiamine 100 mg Excipients q.s Colour:Approved colour used
Minocycline Hydrochloride Capsules USP 100mg	Each Hard Gelatin Capsules contains: Minocycline Hydrochloride USP eq.to Minocycline 100mg Excipients q.s Approved colour used in empty capsule shell
Gabapentin Capsules I.P 100 mg	Each Hard Gelatin Capsules contains: Gabapentin I.P 100 mg Excipients q.s Approved colour used in empty capsule shell
Gabapentin Capsules I.P 300 mg	Each Hard Gelatin Capsules contains:- Gabapentin I.P 300 mg Excipients q.s Approved colour used in empty capsule shell

<p>Injection of Calcium Gluconate and Calcium Lactobionate (For Export Only)</p>	<p>Composition: Each ml contains: Calcium Gluconate I.P 50 mg Calcium Lactobionate USP 87.5 mg Eq. to Elemental Calcium 9 mg Water for injection I.P q.s Dosage : As directed by the Physician.</p>
<p>Dexamethasone Injection I.P</p>	<p>Composition: Each ml contains: Dexamethasone Sodium Phosphate I.P Eq. to Dexamethasone 4mg Methyl Paraben I.P 0.15% w/v (as Preservative) Propyle Paraben I.P 0.02% w/v (as Prerservative) Water for injection I.P q.s Dosage : As directed by the Physician</p>
<p>Gentamicin Sulphate Inj. I.P</p>	<p>Composition: Each ml contains: Gentamicin Sulphate I.P Eq. to Gentamicin 40mg Methyl Paraben I.P 0.18% w/v (as Preservative) Propyle Paraben I.P 0.02% w/v (as Prerservative) Water for injection I.P q.s Dosage : As directed by the Physician.</p>
<p>Hydrocortisone Sodium Succinate Injection (B.P.) (For Export only)</p>	<p>Composition: Each combination pack containing: One glass vial contains: Hydrocortisone Sodium Succinate (sterile) B.P. Eq. to Hydrocortisone 100 mg Dosage: As directed by the physician</p>

Methylcobalamin , Alpha Lipoic Acid, Thiamine Hydrochloride ,Pyridoxine Hydrochloride & Folic acid Tablet	Each film Coated tablet contains: Methylcobalamin I.P 1500 mcg Alpha Lipoic Acid I.P 100 mg Thiamine Hydrochloride 10 mg Pyridoxine Hydrochloride I.P 3 mg Folic acid I.P 1.5mg Excipients q.s Colour: Ponceau 4R
Fluoxetine Capsules I.P 60 mg.	Each Hard Gelatin Capsule Contains: Fluoxetine Hydrochloride I.P Eq. to Fluoxetine 60 mg Excipients q.s Colour: Approved Colours used in empty hard gelatin capsule shell
Lornoxicam Tablets 8 mg	Each film Coated tablet contains: Lornoxicam 8 mg. Excipients q.s Colour: Titanium Dioxide IP
Isotretinoin (Micronized) Tablet 20 mg (For Export Only)	Each film coated tablet contains: Isotretinoin (Micronized) USP 20 mg Excipients q.s Colour: Sunset Yellow Lake
Prebiotic & Probiotic Capsules.	Each Hard Gelatin Capsule Contains: Fructo Oligosaccharides 300 mg Saccharomyces Boulardii 100 mg Bifidobacterium Bifidum 480 mg Bifidobacterium Longum 480 mg Lactobacillus Acidophilus 480 mg Streptococcus Thermophiles 480 mg Lacticaseibacillus Rhamnosus 480 mg Approved Colours used in empty hard gelatin capsule shells.

<p>Calcium Citrate Maleate, Methylcobalamin, L-Methylfolate Calcium, Pyridoxal 5 – Phosphatet & Vitamin D3 Tablet.</p>	<p>Each film Coated tablet contains: Calcium Citrate Maleate I.P 1250 mg Methylcobalamin I.P 1500 mcg L-Methylfolate Calcium USP 1 MG Pyridoxal 5 – Phosphate 0.6 mg Vitamin D3 I.P 2000 IU Excipients q.s Colour:Approved colour used</p>
<p>Tapentadol Capsules 25 mg.</p>	<p>Each Hard Gelatin Capsule Contains: Tapentadol Hydrochloride I.P Eq. to Tapentadol 25 mg. Excipients q.s Approved colour used in empty hard gelatin capsules shells</p>
<p>Lycopene,Co-Enzyme Q-10, L-Carnitine & Zinc Tablet.</p>	<p>Each film Coated Tablet Contains: Lycopene 10 % USP 2500 mcg Co- Enzyme Q-10 B.P 100 mg L- Carnitine I.P 500 mg Zinc Sulphate Monohydrate I.P 12.5 mg Excipients q.s Colour: Approved colour used</p>
<p>Pantoprazole Sodium & Domperidone Tablet.</p>	<p>Each enteric Coated tablet contains: Pantoprazole Sodium I.P Eq .to Pantoprazole 40 mg. Domperidone I.P 30 MG. Excipients q.s Colour: Approved colour used.</p>
<p>Calcium Carbonate Tablets I.P 500 mg</p>	<p>Each film Coated Tablet contains: Calcium Carbonate I.P Eq. to Elemental Calcium 500 mg. Excipients q.s Colour:Approved colour used.</p>

Calcium Carbonate Tablets I.P 500 mg	Each Uncoated Tablet contains: Calcium Carbonate I.P Eq. to Elemental Calcium 500 mg. Excipients q.s Colour:Approved colour used.
Paracetamol, Diphenhydramine, Phenylephrine ,Caffeine Tablet.	Each film Coated Tablet contains: Paracetamol I.P 325 mg. Diphenhydramine HCL I.P 25 mg. Phenylephrine HCL I.P 5 mg. Caffeine I.P 30 mg. Excipients q.s Colour: Approved colour used.
Esomeprazole Magnesium Gastro Resistant Tablet I.P 40 mg.	Each Enteric coated tablet contains: Esomeprazole Magnesium Trihydrate I.P Eq. to Esomeprazole 40 mg. Excipients q.s Colour:Approved colour used.
Zinc Sulphate Tablets B.P 50mg	Each film Coated Tablet contains: Zinc Sulphate Monohydrate I.P Eq. to Elemental Zinc 50 mg Excipients q.s Colour:Approved colour used.
Minocycline Hydrochloride Extended Release Tablets USP	Each film Coated Tablet contains: Minocycline Hydrochloride USP Eq.to Minocycline 45 mg Excipients q.s Colour: Approved colour used.
Glipizide & Metformin Hydrochloride Tablet I.P.	Each Uncoated tablet contains: Glipizide I.P 5 mg Metformin Hydrochloride I.P 500 mg Excipients q.s Colour:Approved colour used.

Levocetizine Dihydrochloride & Ambroxol Hydrochloride Tablets.	Each Uncoated Tablet contains: Levocetizine Dihydrochloride I.P 5 MG Ambroxol Hydrochloride I.P 75 MG. Excipients q.s Colour:Approved colour used.
Leflunomide Tablets I.P 10 mg.	Each film coated tablet contains: Leflunomide I.P 10 mg. Excipients q.s Colour:Approved colour used.
Leflunomide Tablets I.P 20 mg.	Each film coated tablet contains: Leflunomide I.P 20 mg. Excipients q.s Colour:Approved colour used.
Linagliptin Tablets	Each film coated tablets contains: Linagliptin 2.5mg Excipients q.s Colour:Approved colour used.
Linagliptin Tablets	Each film coated tablets contains: Linagliptin 5mg Excipients q.s Colour:Approved colour used.
Isoxsuprine Hydrochloride Sustained Release Tablet 40 mg.	Each Uncoated sustained release tablet conatins: Isoxsuprine Hydrochloride I.P 40mg Excipients q.s Colour:Approved colour used.
Vardenafil Hydrochloride Tablets	Each film coated tablet contains: Vardenafil Hydrochloride Trihydrate USP Eq. to Vardenafil 20 mg Excipients q.s Colour: Approved colour used.

Vardenafil Hydrochloride Tablets	Each film coated tablet contains: Vardenafil Hydrochloride Trihydrate USP Eq. to Vardenafil 10mg Excipients q.s Colour:Approved colour used.
Labetalol Hydrochloride Injection I.P	Each ml contains: Labetalol Hydrochloride I.P 5 mg. Water For Injection q.s
Dexamethasone Sodium Phosphate Injection I.P	Each 2 ml contains: Dexamethasone sodium phosphate I.P Eq. to Dexamethasone Phosphate 4 mg Methylparaben I.P 0.15% W/V Propylparaben I.P 0.02%W/V (As Preservatives) Water for injection q.s
Gentamicin, Beclomethasone, Clotrimazole & Lignocaine Hydrochloride Ear Drops	Each ml contains:- Gentamicin Sulphate I.P Eq. to Gentamicin 0.3%W/V Beclomethasone Dipropionate I.P 0.025% W/V Clotrimazole I.P 1.0%W/V Lignocaine Hydrochloride I.P 2.0% W/V Glycerine & Propylene Glycol Base I.P q.s Dosage:As directed by the physician
Levocetirizine Dihydrochloride Tablets I.P 5 mg	Each film coated tablet contains: Levocetirizine Dihydrochloride I.P 5 mg Excipients q.s Colour:Approved colour used.
Levocetirizine Dihydrochloride Tablets I.P 10 mg	Each film coated tablet contains: Levocetirizine Dihydrochloride I.P 10 mg Excipients q.s Colour:Approved colour used.

Divalprox Sodium Oral Solution	Each 5 ml of contains: Divalprox Sodium I.P Eq. to Valproic Acid 500 mg Flavoured Syrupy base q.s Colour: Approved colour used
Rabeprazole & Domperidone Capsule	Each hard gelatin capsule Contanis: Rabeprazole Sodium I.P 40 mg (as enteric Coated pellets) Domperidone I.P 30mg (as sustained release pellets) Excipients q.s Approved colour used in empty hard gelatin Capsule Shell
Colistin Sulphate Oral Suspension I.P.	Each 5 ml. of reconstituted suspension contains: Colistin Sulphate I.P Eq. to Colistin 50 mg Excipients q.s Colour: Approved colour used
Glycopyrrolate Tablet I.P 2 mg	Each Uncoated tablet contains: Glycopyrrolate I.P 2 MG Excipients q.s Colour: Approved colour used
Calcium Carbonate Methylcobalamin, L-Methylfolate Calcium, Pyridoxal 5 – Phospahet & Vitamin D3 Tablet.	Each film Coated tablet contains: Calcium Carbonate I.P Eq. to Elemental Calcium 500 mg Methylcobalamin I.P 1500 mcg L-Methylfolate Calcium USP 1 MG Pyridoxal 5 – Phosphate 0.6 mg Vitamin D3 I.P 2000 IU Excipients q.s Colour:Approved colour used

Methylcobalamin, Alpha Lipoic Acid, Pyridoxine Hydrochloride, Folic acid ,Biotin, Benfotiamine & Chromium Picolinate Capsule.	<p>Each Hard Gelatin Capsule Contains:</p> <p>Methylcobalamin I.P 1500 mcg Alpha Lipoic Acid I.P 100 mg Pyridoxine Hydrochloride I.P 3 mg Folic acid I.P 1.5mg Biotin I.P 5 mg Benfotiamine 150 mg Chromium Picolinate I.P Eq. to Elemental Chromium 200 mcg. Colour: Approved colour used in empty hard gelatin capsules shells</p>
Losartan Potassium & Atenolol Tablet.	<p>Each film Coated tablet contains:</p> <p>Losartan Potassium I.P 50 mg Atenolol I.P 50 mg Excipients q.s Colour:Approved colour used</p>
Losartan Potassium Tablet I.P 50 mg	<p>Each film Coated tablet contains:</p> <p>Losartan Potassium I.P 50 Mg. Excipients q.s Colour:Approved colour used</p>
Ursodeoxycholic Acid Tablet I.P 300 mg	<p>Each film coated tablet contains:</p> <p>Ursodeoxycholic Acid I.P 300 Mg. Excipients q.s Colour:Approved colour used</p>
Zonisamide Capsule	<p>Each hard gelatin capsule contains:</p> <p>Zonisamide I.P 100 MG Excipients q.s Approved colour used in empty hard gelatin capsules shells</p>
Sodium Valproate & Valproic Acid Controlled Release tablets.	<p>Each film coated controlled release tablet contains:</p> <p>Sodium Valproate I.P 133 MG. Valproic Acid I.P 58 MG. (Both together corresponds to Sodium Valproate 200 mg) Excipients q.s Colour: Approved colour used</p>

Thiocolchicoside Tablet 8 mg	Each film coated tablet contains: Thiocolchicoside I.P 8 mg Excipients q.s Colour: Approved colour used
Glycopyrrolate Tablets I.P	Each Uncoated tablet contains: Glycopyrrolate I.P 1 mg. Excipients q.s Colour: Approved colour used
Terbutaline Sulphate, Bromohexine HCL & Guaihenesin Tablets	Each Uncoated tablet contains: Terbutaline Sulphate I.P 2.5 mg Bromhexine Hydrochloride I.P 4 mg Guaihenesin I.P 100 mg Excipients q.s Colour: Approved colour used
Tapentadol Capsule 120 mg (For Export Only)	Each Hard Gelatin Capsule Contains: Tapentadol Hydrochloride B.P 120 mg Excipients q.s Approved colour used in empty hard gelatin capsules shells
Tapentadol HCL Tablets 225 mg (For Export Only)	Each film coated tablets contains : Tapentadol Hydrochloride B.P 225 mg. Excipients q.s Colour: Approved colour used
Diclofenac Tablets 50 mg (For Export Only)	Each Uncoated tablet contains: Diclofenac Sodium B.P 50 MG Excipients q.s Colour: Approved colour used
Potassium Bromide Tablets 3325 mg (Export Only)	Each Uncoated tablet contains: Potassium Bromide B.P 3325 MG. Excipients q.s
Paracetamol & Caffeine Tablet (For Export Only)	Each tablet Contains: Paracetamol B.P 325 MG Caffeine B.P 30 MG Excipients q.s Colour: Approved colour used

Ketorolac Tromethamine Dispersible Tablets	Each Uncoated Dispersible tablet contains: Ketorolac Tromethamine I.P 10mg Excipients q.s Colour: Approved colour used
Ketorolac Tromethamine Dispersible Tablets	Each Uncoated Dispersible tablet contains: Ketorolac Tromethamine I.P 20mg Excipients q.s Colour: Approved colour used
Desloratadine Tablet USP 10 Mg	Each film Coated Tablet Contains: Desloratadine USP 10 Mg Excipients q.s Colour: Approved colour used
Calcium & Vitamin D3 Tablets	Each film Coated tablet Contains: Calcium Carbonate I.P (From Coral Grains) Eq. to Elemental Calcium 500 mg. Vitamin D3 I.P (as Stablized form) 500 I U. Excipients q.s Colour: Approved colour used
Nicorandil Tablet 10 mg	Each Uncoated tablet contains: Nicorandil I.P 10 Mg Excipients q.s
Nicorandil Tablet 20 mg	Each Uncoated tablet contains: Nicorandil I.P 20 mg Excipients q.s
Torse mide Tablet 10 Mg	Each Uncoated tablet contains: Torse mide I.P 10 Mg. Excipients q.s
Naltrexone Hydrochloride Tablet I.P 50 mg	Each Uncoated tablet contains: Hydrochloride I.P 50 mg Naltrexone Excipients q.s Colour: Approved colour used

Levamisole Hydrochloride Tablet	Each Uncoted Tablet contains: Levamisole Hydrochloride I.P 50 mg tp Levamisole q.s Approved colour used	Eq. Excipients Colour:
Levamisole Hydrochloride Tablet	Each Uncoted Tablet contains: Levamisole Hydrochloride I.P 150 mg Excipients Colour: Approved colour used	Levamisole Eq. to Levamisole q.s
Biotin Tablet USP 5 mg	Each film Coated tablet contains: USP 5 mg q.s Approved colour used	Biotin Excipients Colour:
Triamcinolone Tablet 4 mg	Each Uncoated tablet contains: Triamcinolone Acetonide I.P 4 Mg Excipients q.s Colour:Approved colour used	
Lactulose Solution USP	Each 15 ml of contains: Lactulose Concentrate USP (70%) 10gm In a flavored Palatable base q.s Colour: Caramel	
Vortioxetine Tablet 5 mg	Each film coated tablet contains: Vortioxetine Hydrobromide Eq. to Vortioxetine 5 mg Colour: Approved colour used	
Vortioxetine Tablet 10 mg	Each film coated tablet contains: Vortioxetine Hydrobromide Eq. to Vortioxetine 10 mg Colour: Approved colour used	
Vortioxetine Tablet 15 mg	Each film coated tablet contains: Vortioxetine Hydrobromide Eq. to Vortioxetine 15 mg Colour: Approved colour used	

Vortioxetine Tablet 20 mg	Each film coated tablet contains: Vortioxetine Hydrobromide Eq. to Vortioxetine 20 mg Colour: Approved colour used
Paracetamol , Chlorpheniramine Maleate & Phenylephrine Hydrochloride Tablet	Each film coated tablet contains: Paracetamol I.P 325 mg Phenylephrine Hydrochloride I.P 5 mg Chlorpheniramine Maleate I.P 4 mg Excipients q.s Colour: Approved colour used
Bilastine Tablet	Each film coated tablet contains: Bilastine 20 mg Excipients q.s Colour: Approved colour used
Linezolid & Lactobacillus Sprongenes Tablet	Each film coated tablet contains: Linezolid I.P 600 mg Lactobacillus spronges 60 million sporenges Excipients q.s Colour: Approved colour used
Isotretinoin(Micronized) 10 mg Tablet	Each film coated tablet contains: Isotretinoin (Micronized) I.P 10 mg Excipients q.s Colour: Approved colour used
Isotretinoin(Micronized) 20 mg Tablet	Each film coated tablet contains; Isotretinoin (Micronized) I.P 20 mg Excipients q.s Colour: Approved colour used
Prulifloxacin Tablet 600 mg	Each film coated tablet contains: Prulifloxacin 600 mg Excipients q.s Colour: Approved colour used

Atorvastatin & Aspirin Capsules	Each hard gelatin capsule contains: Atorvastatin Calcium I.P Eq. to Atorvastatin 10 mg Aspirin I.P 75 mg Excipients q.s Approved colour used in hard gelatin capsule shells
Atorvastatin & Aspirin Capsules	Each hard gelatin capsule contains: Atorvastatin Calcium I.P Eq.to Atorvastatin 10 mg Aspirin I.P 150 mg Excipients q.s Approved colour used in hard gelatin capsule shells
Brivaracetam Tablet I.P 25 mg	Each film coated tablet contains: Brivaracetam I.P 25 Mg Excipients q.s Colour: Approved colour used
Brivaracetam Tablet I.P 50 mg	Each film coated tablet contains: Brivaracetam I.P 50 Mg Excipients q.s Colour: Approved colour used
Brivaracetam Tablet I.P 75 mg	Each film coated tablet contains: Brivaracetam I.P 75 Mg Excipients q.s Colour: Approved colour used
Brivaracetam Tablet I.P 100 mg	Each film coated tablet contains: Brivaracetam I.P 100Mg Excipients q.s Colour: Approved colour used
Flupirtine Malate Sustained Release 400 mg Tablet	Each film coated sustained release tablet contains : Flupirtine Maleate 400 mg Excipients q.s Approved colour used Colour:

Aripiprazole I.P 20 mg Tablet	Each Uncoated tablet contains: Aripiprazole I.P 20 mg Excipients q.s
Tadalafil I.P 5 mg Tablet	Each film coated tablet contains: Tadalafil I.P 5mg Excipients q.s Colour:Approved colour used
Tadalafil I.P 10 mg Tablet	Each film coated tablet contains: Tadalafil I.P 10 mg Excipients q.s Colour: Approved colour used
Tadalafil I.P 20 mg Tablet	Each film coated tablet contains: Tadalafil I.P 20 mg Excipients q.s Colour: Approved colour used
Mefenamic Acid & Paracetamol Tablet	Each film coated tablet contains: Mefenamic Acid I.P 500mg Paracetamol I.P 325 mg Excipients q.s Colour: Approved colour used
Methylcobalamin & L- Methylfolate Calcium & Pyridoxine Tablet	Each film coated tablet contains: Methylcobalamin I.P 1500 mcg L- Methylfolate Calcium USP 1 mg Pyridoxine Hydrochloride I.P 30 mg Excipients q.s Approved colour used Colour:
Telmisartan Tablet	Each film coated tablet contains: Telmisartan I.P 80 mg Excipients q.s Approved colour used Colour:
Telmisartan Tablet	Each film coated tablet contains: Telmisartan I.P 20 mg Excipients q.s Approved colour used Colour:

Glimepride I.P 1 mg Tablet	Each Uncoated tablet contains: Glimepride I.P 1 mg Excipients q.s Approved colour used	Colour:
Glimepride I.P 2 mg Tablet	Each Uncoated tablet contains: Glimepride I.P 2 mg Excipients q.s Approved colour used	Colour:
Telmisartan Tablet	Each film coated tablet contains: Telmisartan I.P 40 mg Excipients q.s Approved colour used	Colour:
Opipramol Dihydrochloride Tablets	Each film coated tablet contains: Opipramol Dihydrochloride 100 mg Excipients q.s Approved colour used	Colour:
Apomorphine Hydrochloride B.P 2 mg Tablet	Each Uncoated sublingual tablet contains: Apomorphine Hydrochloride B.P 2 mg Excipients q.s Approved colour used	Colour:
Apomorphine Hydrochloride B.P 3 mg Tablet	Each Uncoated Sublingual tablet contains: Apomorphine Hydrochloride B.P 3 mg Excipients q.s Approved colour used	Colour:
Dapoxetine HCL 30 mg Tablet	Each film coated tablet contains : Dapoxetine Hydrochloride Eq. to Dapoxetine 30 mg Excipients q.s Approved colour used	Colour:
Dapoxetine HCL 60 mg Tablet	Each film coated tablet contains ; Dapoxetine Hydrochloride Eq. to Dapoxetine 60 mg Excipients q.s Colour: Approved colour used	

Risperidone I.P 2 mg Tablet	Each Uncoated mouth dissolving tablet contains: Risperidone I.P 2 mg Excipients q. s Colour: Approved colour used
Amisulpride I.P 50 mg Tablet	Each Uncoated tablet contains: Amisulpride I.P 50 mg Excipients q.s
Risperidone Tablet	Each Uncoated tablet contains: Risperidone I.P 0.5mg Excipients q.s Colour: Approved colour used
Risperidone Tablet	Each Uncoated tablet contains: Risperidone I.P 1mg Excipients q.s Colour: Approved colour used
Amisulpride I.P 25 mg Tablet	Each film coated tablet contains: Amisulpride I.P 25 mg Excipients q.s Colour: Approved colour used
Glimepride I.P 4 mg Tablet	Each Uncoated tablet contains: Glimepride I.P 4 mg Excipients q.s Colour: Approved colour used
Rivastigmine I.P 1.5 mg Capsule	Each hard geletin capsule contains: Rivastigmine Tartrate I.P Eq. to Rivastigmine 1.5 mg Excipients q.s Approved colour used in capsule shell

Doxofylline (SR) & Montelukast Tablet	Each film coated tablet contains: Doxofylline I.P 400 MG (Sustained release form) Montelukast sodium I.P Eq. to Montelukast 10 mg Excipients q.s Colour: Approved colour used
Rivastigmine Capsule I.P 3 MG	Each hard geletin capsule contains: Rivastigmine Tartrate I.P Eq. to Rivastigmine 3 mg Excipients q.s Approved colour used in capsule shell
Carbamazepine Tablet	Each Uncoated tablet contains: Carbamazepine 300 mg Excipients q.s
Carbamazepine Sustained Release Tablet	Each Uncoated sustained release tablet contains: Carbamazepine 300 mg Excipients q.s
Lurasidone Hydrochloride Tablets	Each film coated tablet contains: Lurasidone Hydrochloride 20mg Excipients q.s Colour: Approved colour used
Tofisopam JP 25 mg Tablet	Each Uncoated tablet contains: Tofisopam jp 25 mg Excipients q.s Approved colour used
Tetrabenazine 25 mg Tablet	Each Uncoated tablet contains: Tetrabenazine 25 mg Excipients q.s Approved colour used

Sertraline Hydrochloride Tablet	12.5 mg	Each film coated tablet contains : Sertraline Hydrochloride I.P Eq. to Sertraline 12.5 mg Excipients q.s Colour: Approved colour used
Paroxetine Prolonged Release Tablet	6.25 mg	Each film coated Prolonged release tablet contains: Paroxetine Hydrochloride Hemihydrate I.P Eq.to Paroxetine 6.25 mg Excipients q.s Colour: Approved colour used
Mirtazapine I.P 3.75 mg Tablet		Each film coated tablet contains: Mirtazapine I.P 3.75 mg Excipients q.s Colour: Approved colour used
Propranolol Hydrochloride I.P 20 mg Capsule		Each hard gelatin Prolonged release capsule contains: Propranolol Hydrochloride I.P 20 mg Excipients q.s Colour: Approved colour used in capsule shell
Propranolol Hydrochloride I.P 60 mg Capsule		Each hard gelatin Prolonged release capsule contains: Propranolol Hydrochloride I.P 60 mg Excipients q.s Approved colour used in capsule shell
Propranolol Hydrochloride I.P 80 mg Capsule		Each hard gelatin Prolonged release capsule contains: Propranolol Hydrochloride I.P 80 mg Excipients q.s Approved colour used in capsule shell
Propranolol Hydrochloride I.P 40 mg Capsule		Each hard gelatin Prolonged release capsule contains: Propranolol Hydrochloride I.P 40 mg Excipients q.s Approved colour used in capsule shell
Escitalopram I.P 30 mg Tablet		Each film coated tablet contains: Escitalopram I.P 30 mg Excipients q.s Colour: Approved colour used

Sucralfate & Oxetacaine Suspension	Each 5 ml of contains: Sucralfate I.P 1mg Oxetacain B.P. 20mg In a flavoured palatable base Colour: Approved colour used
Cefixime Oral Suspension 50 mg/ml	Each ml of the reconstituted suspension contains: Cefixime Trihydrate I.P Eq.to Cefixime (anhydrous) 50 mg Excipients q.s Colour: Approved colour used
Cefixime Oral Suspension 25 mg/ml	Each ml of the reconstituted suspension contains: Cefixime Trihydrate I.P Eq.to Cefixime (anhydrous) 25 mg Excipients q.s Colour: Approved colour used
Cefpodoxime Proxetil Oral Suspension 50 mg/ml	Each ml of the reconstituted suspension contains: Cefpodoxime Proxetil I.P Eq. to Cefpodoxime 50mg Excipients q.s Colour: Approved colour used
Cefpodoxime Proxetil Oral Suspension 25mg/ml	Each ml of the reconstituted suspension contains: Cefpodoxime Proxetil I.P Eq. to Cefpodoxime 25 mg Excipients q.s Colour: Approved colour used
Gentamicin & Beclomethasone & Dipropionate Clotrimazole & Lignocaine Hydrochloride Ear Drops	Each 5 ml of contains; Gentamicin Sulphate I.P Eq. to Gentamicin 0.3% W/V Clotrimazole I.P 1.0 % W/V Beclomethasone Dipropionate I.P 0.025 % w/v Lignocaine Hydrochloride I.P 2.0 % w/v Benzalkonium Chloride I.P 0.02 % W/V (As preservative) Glycerine & Propylene Glycol Base I.P q.s

<p>Ambroxol Hydrochloride & Terbutaline Sulphate & Guaiphenesin & Menthol Suspension</p>	<p>Each 5 ml of contains: Ambroxol Hydrochloride I.P 15 MG Terbutaline Sulphat I.P 1.25 MG Guaiphenesin I.P 50 MG Menthol I.P 2.5 MG In a flavoured Palatable base q.s Colour: Approved colour used</p>
<p>Clotrimazole & Lignocaine Hydrochloride Ear Drop</p>	<p>Each 5 ml of contains` Clotrimazole I.P 1.0% W/V Lignocaine Hydrochloride I.P 2.0%W/V Benzalkonium chloride I.P 0.02%W/V (AS PRESERVATIVE) Glycerine & Propylene Glycol Base I.P q.s Colour: Approved colour used</p>
<p>Cyprophetadine Hydrochloride & Tricholine Citrate Syrup</p>	<p>Each 5 ml of contains: Cyprophetadine Hydrochloride (ANHYDROUS) I.P 2 mg Tricholine citrate 275 mg Sorbital Solution (70%) I.P q.s In a flavoured palatable base Colour: Approved colour used</p>
<p>Oxetacain, Aluminium Hydroxide & Magnesium Hydroxide Gel</p>	<p>Each 5 ml of contains: Oxetacain B.P 10 mg Aluminium Hydroxide I.P 0.291 gm (Added as Aluminium Hydroxide Paste eq. to 0.380 gm of Dried Aluminium Hydroxide Gel ip) Magnesium Hydroxide I.P 98 mg (Added as Magnesium Hydroxide Paste) In a flavoured palatable base Colour: Approved colour used</p>

Magadrate & Simethicone Oral Suspension	Each 5 ml of contains: Magadrate I.P 400 mg Simethicone I.P 60 mg In a flavoured palatable base q.s Colour: Approved colour used
Aluminium Hydroxide & Magnesium Hydroxide & Simethicone Suspension	Each 5 ml of contains: Aluminium Hydroxide I.P 250 mg magnesium Hydroxide I.P 250 mg Activated Dimethicone I.P 25 mg In a flavoured palatable base q.s Colour: Approved colour used
Milk of Magnesia & Liquid Paraffin & Sodium Picosulfate Suspension	Each 5 ml of contains: Milk Of Magnesia I.P 3.75 ml Liquid Paraffin I.P 1.25 ml Sodium Picosulfate B.P 3.33 mg In a flavoured palatable base q.s Colour: Approved colour used
Methylcobalamin, Niacinamide, D- Panthenol, Benzyl Alcohol & Pyridoxine Hydrochloride Injection	Each 2 ml of contains: Methylcobalamin I.P 1000 mcg Pyridoxine Hydrochloride I.P 100 mg Niacinamide I.P 100 mg D- Panthenol I.P 50 mg Benzyl Alcohol I.P 2% V/V (AS PRESERVATIVE) water for injection I.P q.s
Sodium Chloride Nasal Solution 0.65 % w/v	Composition: Sodium Chloride I.P 0.65 % W/V In as an isotonic solution Benzalkonium Chloride Solution I.P 0.01% W/V water for injection ip q.s Dosage: As directed by the phusician

Vitamin D3 oral solution	Each 5 ml of contains: Cholecalciferol I.P 60000 I.U (Vit D3) In a flavoured palatable base Colour: Approved Colour used
Acebrophylline, Terbutaline sulphate, Guaiphenesin & Menthol Suspension	Each 5 ml of contains Acebrophylline 50 mg Terbutaline sulphate I.P 1.25 mg Guaiphenesin I.P 50 mg In a flavoured palatable base Colour: Approved Colour used
Telmisartan & Cilidipine Tablet	Each film Coated Tablet Contains: Telmisartan I.P 40 mg Cilidipine I.P 5 mg Excipients q.s Colour : Approved Colour used
Racecadotril I.P 100 mg capsule	Each hard gelatin capsule contains: Racecadotril I.P 100 mg Excipients q.s Colour : Approved Colour used
Roxithromycin I.P 150 mg Tablet	Each film coated tablet contains: Roxithromycin I.P 150 mg Excipients q.s Colour : Approved Colour
Pancreatin & Bile Constituent & Activated Dimethicone Tablet	Each enteric coated tablet contains: Pancreatin I.P 192 mg Bile constituent 25 mg Activated Dimethicone I.P 40 mg Excipients q.s Colour: Approved Colour

Rabeprazole Sodium Enteric Coated & Levosulpiride Sustained Release Capsule	Each hard gelatin capsule contains: Rabeprazole sodium I.P 40 mg (As enteric coated pellets) Levosulpiride 75 mg (As sustained release pellets) Approved colours used in empty capsule shells
Tofacitinib 5 mg Tablet	Each film coated tablet contains: Tofacitinib Citrate Eq to Tofacitinib 5 mg Excipients q.s Colour: Approved colour used
Rabeprazole & Levosulpride Tablet	Each enteric coated tablet contains: Rabeprazole sodium I.P 40 mg Levosulpride 75 mg Excipients q.s Colour: Approved colour used
Azithromycin Tablet I.P	Each film coated tablet cotains:- Azithromycin Dihydrate I.P Eq. to Azithromycin Anhydrous 500 mg Excipients q.s Colour: Approved colour used
Azithromycin Tablet I.P	Each film coated tablet cotains:- Azithromycin Dihydrate I.P Eq. to azithromycin Anhydrous 250 mg Excipients q.s Colour: Approved colour used
Acebrophylline 100 mg Tablet	Each film coated tablet contains Acebrophylline 100 mg Excipients q.s Colour: Approved colour used
Desloratadine USP 5 mg Tablet	Each film coated tablet contains Desloratadine USP 5mg Excipients q.s Colour: Approved colour used

Methylprednisolone I.P 8 mg Tablet	Each uncoted tablet contains Methylprednisolone I.P 8 mg Excipients q.s Colour: Approved colour used
Telmisartan & Amlodipine Tablet	Each Uncoated tablet contains Amlodipine Besylate I.P Eq.to Amlodipine 5 mg Telmisartan I.P 40 mg Excipients q.s Colour: Approved colour used
Acebrophylline & Montelukast Tablet	Each film coated tablet contains Acebrophylline 200 mg (In sustained release form) Montelukast Sodium I.P Eq. to Montelukast 10 mg Excipients q.s Colour: Approved colour used
Thioridazine Hydrochloride USP 100 mg Tablet	Each film coated tablet contains: Thioridazine Hydrochloride USP 100 mg Excipients q.s Colour: Approved colour used
Divalproex extended Release I.P Tablets 250 mg	Each film coated extended release tablet contains: Divalproex Sodium I.P Eq. to Valproic Acid 250 mg Excipients q.s Colour: Approved colour used
Divalproex extended Release I.P Tablets 500 mg	Each film coated extended release tablet contains: Divalproex Sodium I.P Eq. to Valproic acid 500 mg Excipients q.s Colour: Approved colour used

Divalproex extended Release I.P Tablets 750 mg	Each film coated extended release tablet contains: Divalproex Sodium I.P Eq. to Valproic Acid 750 mg Excipients q.s Colour Approved used
Divalproex extended Release I.P Tablets 1000 mg	Each film coated extended release tablet contains: Divalproex Sodium I.P Eq to Valproic Acid 1000 mg Excipients q.s Colour: Approved colour used
Voriconazole Tablet I.P	Each film coated tablet contains: Voriconazole I.P 200 mg Excipients q.s Colour: Approved colour used
Febuxostat 20 mg Tablet	Each film coated tablet contains: Febuxostat 20 mg Excipients q.s Colour: Approved colour used
Febuxostat 40 mg Tablet	Each film coated tablet contains: Febuxostat 40 mg Excipients q.s Colour: Approved colour used
Calcium Citrate Malate, Methylcobalamin, Vitamin D3 , Magnesium Oxide & Zinc Oxide Tablets	Each film coated tablet contains: Calcium Citrate Malate 1250 mg Methylcobalamin I.P 1500 mcg Vitamin D3 I.P 2000 IU Magnesium Oxide I.P 50mg Zinc Oxide I.P 50mg Excipients q.s Colour: Approved colour used

Desvenlafaxine Extended Release Tablets 25 mg	Each film coated Extended Release tablet contains: Desvenlafaxine Succinate Eq. to Desvenlafaxine 25 mg Excipients q.s Colour: Approved colour used
Tamsulosin Hydrochloride (MR) & Dutasteride Tablets	Each film coated tablet contains: Tamsulosin Hydrochloride I.P 0.4 mg (As modified release) Dutasteride I.P 0.5 mg Excipients q.s Colour: Approved colour used
Tamsulosin Hydrochloride (MR) & Dutasteride Capsule	Each hard gelatin capsule contains; Tamsulosin Hydrochloride I.P 0.4 mg (As modified release) Dutasteride I.P 0.5 mg Excipients q.s Colour: Approved colour used
Cilnidipine I.P 5 mg Tablet	Each film coated tablet contains: Cilnidipine I.P 5 mg Excipients q.s Colour: Approved colour used
Cilnidipine I.P 10 mg Tablet	Each film coated tablet contains: Cilnidipine I.P 10 mg Excipients q.s Colour: Approved colour used
Cilnidipine I.P 20 mg Tablet	Each film coated tablet contains: Cilnidipine I.P 20 mg Excipients q.s Colour: Approved colour used
Ondansetron Orally Disintegrating Tablet I.P 4 mg	Each Uncoated Orally Disintegrating tablet contains: Ondansetron Hydrochloride I.P Eq to ondansetron 4 mg Excipients q.s Colour: Approved colour used

Ondansetron Orally Disintegrating Tablet I.P 8 mg	Each Uncoated Orally Disintegrating tablet contains: Ondansetron Hydrochloride I.P Eq to Ondansetron 8 mg Excipients q.s Colour:Approved colour used
Cefixime & Lactic Acid Bacillus Suspension	Each 5 ml of the Reconstituted suspension contains: Cefixime Trihydrate I.P Eq. to Cefixime (anhydrous) 100mg Lactic Acid Bacillus 60 Millions Sporenges Excipients q.s Colour: Approved colour used
Cefixime & Lactic Acid Bacillus Suspension	Each 5 ml of the reconstituted suspension contains: Cefixime Trihydrate I.P Eq. to Cefixime (anhydrous) 50mg Lactic Acid Bacillus 60 Millions Sporenges Excipients q.s Colour : Approved colour used
Methyl Prednisolone Sodium Succinate for Inj USP	Each vial contains: Methyl Prednisolone Sodium Succinate (sterile) USP Eq. to Methyprednisolone 40mg
Methyl Prednisolone Acetate for Inj I.P	Each ml Contains: Methyl Prednisolone Acetate I.P 40mg Injection q.s Water for
Diclofenac Sodium & Thiocolchicoside inj	Each ml Contains: Diclofenac Sodium I.P 37.5mg Thiocolchicoside I.P 2mg Benzyle Alcohol I.P 4%v/v (As Preservatives) Water for Inj.
Nitrofurantoin Suspension	Each 5 ml of Contains: Nitrofurantoin I.P 25mg In a flavoured Palatable base q.s Colour: Approved colour used

Isotretinoin I.P 10 mg Tablet	Each film coated tablet contains: Isotretinoin I.P 10 mg Excipients q.s Colour:Approved colour used
Isotretinoin I.P 20 mg Tablet	Each film coated tablet contains: Isotretinoin I.P 20 mg Excipients q.s Colour: Approved colour used
Ofloxacin & Orindazole & Lactic Acid Tablet	Each film coated tablet contains; Ofloxacin I.P 200mg Orindazole I.P 500mg Lactic acid 120million Excipients q.s Colour: Approved colour used
Trifluparazine & Tryhexphedyl Tablet	Each Uncoated tablet contains: Trifluparazine Hydrochloride I.P Eq.toTrifluparazine 10 mg Tryhexphedyl Hydrochloride I.P 2 mg Excipients q.s Colour: Approved colour used
Pregabalin & Methylcobalamin Tablet	Each film coated tablet contains; Methylcobalamin I.P 1500mcg Pregabalin I.P 75mg Excipients q.s Colour: Approved colour used
Prochlorperazine- Maleate I.P 5 mg Tablet	Each Uncoated mouth dissolving tablet contains: Prochlorperazine Maleate I.P 5 mg excipients q.s
Telmisartan, Metoprolol Succinate (Extended Release) & Chlorthalidone Tablets	Each film coated tablet contains: Telmisartan I.P 40mg Metoprolol Succinate I.P 47.5mg Eq.to Metoprolol Tartrate (As Extended Release Form) 50mg Excipients q.s Colour: Approved colour used

Telmisartan & Hydrochlorothiazide Tablet	Each film coated tablet contains; Telmisartan I.P 40 mg Hydrochlorothiazide I.P 12.5 mg Excipients q.s Colour: Approved colour used
Risperidone I.P 0.5 mg Tablet	Each Uncoated mouth dissolving tablet contains; Risperidone I.P 0.5 mg Excipients q.s Colour: Approved colour used
Amlodipine Benylate & Atenolol Tablet	Each film coated tablet contains; Amlodipine benylate I.P Eq. to Amlodipine 5 mg Atenolol I.P 50 mg Excipients q.s Colour: Approved used
Ofloxacin & Metronidazole Benzotae & Simethicone Suspension	Each 5 ml of contains: Ofloxacin I.P 50mg Metronidazole Benzotae I.P Eq. to Metronidazole 120mg Simethicone I.P 10mg In a flavored syrupy base q.s Colour: Approved colour used
Paracetamol & Phenylephrine Hydrochloride & Chlopheniramin Maleate & Sodium Citrate & Ammonium Chloride & Menthol Syrup	Each 5ml of contains: Paracetamol I.P 250mg Phenylephrine Hydrochloride I.P 5mg Chlopheniramin Maleate I.P 2mg Sodium Citrate I.P 60mg Ammonium Chloride I.P 120mg Menthol I.P 1mg In a flavoured syrupy base q.s Colour: Approved colour used

Dextromethorphan Hydrobromide & Phenylephrine & Chlopheniramin Maleate Syrup	<p>Each 5ml contains:</p> <p>Dextromethorphan Hydrobromide I.P 15mg</p> <p>Phenylephrine Hydrochloride I.P 5 mg</p> <p>Chlopheniramin Maleate I.P 2mg</p> <p>In a flavored syrupy base q.s</p> <p>Colour: Approved colour used</p>
Dextromethorphan Hydrobromide & Phenylephrine & Chlopheniramin Maleate Syrup	<p>Each 5ml contains:</p> <p>Dextromethorphan Hydrobromide I.P 10 mg</p> <p>Phenylephrine Hydrochloride I.P 5 mg</p> <p>Chlopheniramin Maleate I.P 2 mg</p> <p>In a flavored syrupy base q.s</p> <p>Colour: Approved colour used</p>
Bromhexine Hydrochloride & Terbutaline Sulphate & Guaiphenesin & Menthol Syrup	<p>Each 5 ml of contains:</p> <p>Bromhexine Hydrochloride I.P 4 mg</p> <p>Terbutaline Sulphate I.P 1.25 mg</p> <p>Guaiphenesin I.P 50 mg</p> <p>Menthol I.P 1 mg</p> <p>In a flavored syrupy base q.s</p> <p>Colour: Approved colours used</p>
Ambroxol Hydrochloride & Levosalbutamol Sulphate & Guaiphenesin Syrup	<p>Each 5ml contains:</p> <p>Ambroxol Hydrochloride I.P 30mg</p> <p>Levosalbutamol Sulphate I.P</p> <p>Eq. to Levosalbutamol 1mg</p> <p>Guaiphenesin I.P 50mg</p> <p>In a falovoured syrupy base q.s</p> <p>Colour: Approved colour used</p>
Ambroxol Hydrochloride & Levosalbutamol Sulphate & Guaiphenesin Syrup	<p>Each 5ml contains:</p> <p>Ambroxol Hydrochloride I.P 15 mg</p> <p>Levosalbutamol Sulphate I.P</p> <p>Eq. to Levosalbutamol 0.5 mg</p> <p>Guaiphenesin I.P 50 mg</p> <p>In a falovoured syrupy base q.s</p> <p>Colour: Approved colour used</p>

Mefenamic Acid & Paracetamol Suspension	Each 5 ml contains: Mefenamic Acid I.P 50 mg Paracetamol I.P 125 mg In a flavoured syrupy base q.s Colour: Approved colour used	
Mefenamic Acid & Paracetamol Suspension	Each 5 ml contains: Mefenamic Acid I.P 100 mg Paracetamol I.P 250 mg In a flavoured syrupy base q.s Colour: Approved colour used	
Donepezil HCL & Memantine HCL Tablet	Each film coated tablet contains: Donepezil Hydrochloride I.P 5mg Memantine Hydrochloride I.P 5mg Excipients q.s Colour: Approved colour used	
Cefdinir 300 mg Tablet	Each film coated tablet contains: Cefdinir I.P 300 mg Excipients q.s Colour: Approved colour used	
Labetalol Hydrochloride I.P 100mg Tablet	Each film coated tablet contains: Labetalol Hydrochloride I.P 100mg Excipients q.s Colour: Approved colour used	
Balofloxacin 100 mg Tablet	Each film coated tablet contains: 100 mg q.s colour used	Balofloxacin Excipients Colour: Approved
Sertraline Tablet	Each film coated tablet contains: Hydrochloride I.P Sertraline 50 mg Excipients q.s Colour: Approved colour used	Sertraline Eq. to

Sertraline Tablet	Each film coated tablet contains: sertraline Hydrochloride I.P Eq. to Sertraline 100 mg Excipients q.s Colour: Approved colour used
Gemifloxacin Tablet I.P	Each film coated tablet contains: Gemifloxacin Mesylate I.P Eq. to Gemifloxacin 320 mg Excipients q.s Colour: Approved colour used
Sultamicillin Tosylate 750 mg Tablet	Each film coated tablet contains: Sultamicillin Tosylate Dihydrate B.P 750mg Excipients q.s Colour: Approved colour used
Risperidone & Trihexyphenidyl Tablet	Each Uncoated mouth dissolving tablet contains: Risperidone I.P 3mg Trihexyphenidyl Hydrochloride I.P 2 mg Excipients q.s Colour: Approved Colour used
Sertaline Tablets	Each film coated tablets contains: Sertraline Hydrochloride I.P Eq. to Sertraline 25mg Excipients q.s Colour: Approved colour used
Disulfiram I.P 250 mg Tablet	Each Uncoated tablet contains: Disulfiram I.P 250 mg Excipients q.s
Disulfiram I.P 500 mg Tablet	Each Uncoated tablet contains: Disulfiram I.P 500mg Excipients q.s

Flavoxate 200 mg Tablet	Each film coated tablet contains: Flavoxate Hydrochloride I.P 200mg Excipients q.s Colour: Approved colour used
Methylprednisolone 16 mg Tablet	Each Uncoated tablet contains: Methylprednisolone I.P. 16mg Excipients q.s Colour: Approved colour used
Clozapine I.P 50 mg Tablet	Each Uncoated tablets contains : Clozapine I.P 50 mg Excipients q.s Colour: Approved colour used
Clozapine I.P 100 mg Tablet	Each Uncoated tablets contains : Clozapine I.P 100 mg Excipients q.s Colour:Approved colour used
Telmisartan & CilidipineTablet	Each film coated tablet Contains: Telmisartan I.P 40mg Cilidipine I.P 10mg Excipients q.s Colour : Approved Colour
Risperidone orally disintegrating I.P 2 mg Tablet	Each Uncoated orally disintegrating tablet Contains: Risperidone I.P 2 mg Excipients q.s Colour: Approved colour used
Clarithromycin Mouth Dissolving I.P 125 mg Tablet	Each Uncoated mouth dissolving tablet Contains: Clarithromycin I.P 125 mg Excipients q.s Colour: Approved colour used
Empagliflozin 5 mg Tablet	Each film coated Tablet Contains: Empagliflozin 5mg Excipients q.s Colour: Approved Colour used

Empagliflozin 10 mg Tablet	Each film coated Tablet Contains: Empagliflozin 10 mg Excipients q.s Colour: Approved colour used
Empagliflozin 25 mg Tablet	Each film coated tablet Contains: Empagliflozin 25 mg Excipients q.s Colour: Approved Colour used
Empagliflozin & Metformin HCL Tablet (Extended Release)	Each film Coated Tablet Contains: Empagliflozin 5 mg Metformin Hydrochloride I.P 500 mg (As Extended release) Excipients q.s Colour : Approved Colour used
Empagliflozin & Metformin HCL Tablet (Extended Release)	Each film Coated Tablet Contains: Empagliflozin 5 mg Metformin Hydrochloride I.P 1000 mg (As Extended release) Excipients q.s Colour : Approved Colour
Empagliflozin & Metformin HCL Tablet (Extended Release)	Each film Coated Tablet Contains: Empagliflozin 5 mg Metformin Hydrochloride I.P 850 mg (As Extended release) Excipients q.s Colour : Approved Colour
Empagliflozin & Metformin HCL Tablet (Extended Release)	Each film coated tablet Contains: Empagliflozin 12.5 mg Metformin Hydrochloride I.P 500 mg (As Extended release) Excipients q.s Colour : Approved Colour used

Empagliflozin & Metformin HCL Tablet (Extended Release)	Each film coated tablet Contains: Empagliflozin 12.5 mg Metformin Hydrochloride I.P 1000 mg (As Extended release) Excipients q.s Colour : Approved Colour used
Empagliflozin & Metformin HCL Tablet (Extended Release)	Each film coated tablet Contains: Empagliflozin 12.5 mg Metformin Hydrochloride I.P 850 mg (As Extended release) Excipients q.s Colour : Approved Colour used
Acyclovir Dispersible I.P 200 mg Tablet	Each Uncoated dispersible tablet contains: Acyclovir I.P 200 mg Excipients q.s Colour;Approved colour used
Acyclovir Dispersible I.P 400 mg Tablet	Each Uncoated dispersible tablet contains: Acyclovir I.P 400 mg Excipients q.s Colour: Approved colour used
Acyclovir Dispersible I.P 800 mg Tablet	Each Uncoated dispersible tablet contains: Acyclovir I.P 800 mg Excipients q.s Colour: Approved colour used
Acyclovir Sustained Release I.P 1200 mg Tablet	Each Uncoated Sustained Release tablet contains: Acyclovir I.P 1200 mg Excipients q.s Colour: Approved colour used
Tranexamic & Mefenamic Tablet	Each film Coated Tablet Contains: Tranexamic Acid I.P 500mg Mefenamic Acid I.P 250mg Excipients q.s Colour: Approved colour used

Methylcobalamin, Alpha Lipoic Acid, Pyridoxine HCL, Benfotiamine, Folic Acid & Chromium Picolinate Capsule	Each hard gelatin capsule contains: Methylcobalamin I.P 1500 mcg Alpha Lipoic Acid B.P 100mg Pyridoxine Hydrochloride I.P 3mg Benfotiamine 50mg Biotin USP 5mg Folic Acid 1.5mg Chromium picolinate USP Eq. to Elemental Chromium 200 mcg Excipients q.s Approved colour used in empty capsule shell
Metoprolol Succinate Extended Release Tablet	Each film coated extended release Tablet Contains: Metoprolol Succinate I.P 47.5mg Eq. to Metoprolol Tartrate 50mg Excipients q.s Colour: Approved colour used
Metoprolol Succinate Extended Release Tablet	Each film coated extended release Tablet Contains: Metoprolol Succinate I.P 23.75mg Eq. to Metoprolol Tartrate 25mg Excipients q.s Colour: Approved colour used
Telmisartan & S (-) Amlodipine Tablet	Each Uncoated tablet contains: Telmisartan I.P 40mg S(-) Amlodipine Besylate I.P Eq. to S(-) Amlodipine 2.5mg Excipients q.s Colour: Approved colour used
Famciclovir I.P 500 mg Tablet	Each film coated tablet contain: Famciclovir I.P 500 mg Excipients q.s Approved colour used Colour:

Famciclovir I.P 250 mg Tablet	Each film coated tablet contain: Famciclovir I.P 250 mg Excipients q.s Approved colour used Colour:
Tranexamic & Ethamsylate Tablet	Each film coated tablet contains: Tranexamic Acid I.P 500 mg Ethamsylate B.P 250 mg Excipients q.s Colour: Approved colour used
Valacyclovir USP 500 mg Tablet	Each film coated tablet contains: Valacyclovir Hydrochloride Eq. to Valacyclovir 500mg Excipients q.s Colour: Approved colour used
Valacyclovir UDP 250 mg Tablet	Each film coated tablet contains: Valacyclovir Hydrochloride Eq. to valacyclovir 250 mg Excipients q.s Colour: Approved colour used
Valacyclovir USP 1000 mg Tablet	Each film coated tablet contains: Valacyclovir Hydrochloride Eq. to valacyclovir 1000 mg Excipients q.s Colour: Approved colour used
Methylcobalamin, Alpha Lipoic Acid, Pyridoxine HCL, Benfotiamine, Folic Acid & Inositol Capsule	Each Hard gelatin Capsule contains: Methylcobalamin I.P 1000 mcg Alpha Lipoic Acid B.P 200 mg Pyridoxine Hydrochloride I.P 3 mg Folic Acid I.P 1.5 mg Benfotiamine 100 mg Inositol USP 100 mg Approved colour used in empty capsules shell

Artemether & Lumefantrine Tablet	Each film coated tablet contains: Artemether I.P 80 mg Lumefantrine I.P 480 mg Excipients q.s Colour: Approved colour used
Artemether & Lumefantrine Tablet	Each Uncoated Dispersible tablet contains: Artemether I.P 40 mg Lumefantrine I.P 240 mg Excipients q.s Colour: Approved colour used
Sitagliptin 50 mg Tablet	Each film coated Tablet Contains: Sitagliptin Phosphate Monohydrate I.P Eq. to Sitagliptin 50 mg Excipients q.s Colour; Approved colour used
Sitagliptin 25 mg Tablet	Each film coated Tablet Contains: Sitagliptin Phosphate Monohydrate I.P Eq. to Sitagliptin 25 mg Excipients q.s Colour: Approved colour used
Sitagliptin 100 mg Tablet	Each film coated Tablet Contains: Sitagliptin Phosphate Monohydrate I.P Eq. to Sitagliptin 100 mg Excipients q.s Colour: Approved colour used
Sitagliptin & Metformin Tablet	Each film coated Tablet Contains: Sitagliptin Phosphate Monohydrate I.P Eq. to Sitagliptin 50 mg Metformin Hydrochloride I.P 500 mg Excipients q.s Colour: Approved colour used

Sitagliptin & Metformin Tablet	Each film coated Tablet Contains: Sitagliptin Phosphate Monohydrate I.P Eq. to Sitagliptin 50 mg Metformin Hydrochloride I.P 850 mg Excipients q.s Colour: Approved colour used
Sitagliptin & Metformin Tablet	Each film coated Tablet Contains: Sitagliptin Phosphate Monohydrate I.P Eq. to Sitagliptin 50 mg Metformin Hydrochloride I.P 1000 mg Excipients q.s Colour: Approved colour used
Diacerein & Glucosamine & Methyl Sulfonyl Methane Tablet	Each film coated tablet contains: Diacerein I.P. 50 mg Glucosamine sulphate Potassium Chloride U.S.P. 750 mg Methylsulfonylmethane U.S.P. 250 mg Excipients q.s Colour: Approved colour used
Tacrolimus I.P 1 mg Capsule	Each hard gelatin capsule contains: Tacrolimus I.P 1 mg Excipients q.s Approved colour used in empty capsule shell
Tacrolimus I.P 2 mg Capsule	Each hard gelatin capsule contains: Tacrolimus I.P 2 mg Excipients q.s Approved colour used in empty capsule shell
Tacrolimus I.P 3 mg Capsule	Each hard gelatin capsule contains: Tacrolimus I.P 3 mg Excipients q.s Approved colour used in empty capsule shell

<p>Tacrolimus I.P 5 mg Capsule</p>	<p>Each hard gelatin capsule contains: Tacrolimus I.P 5 mg Excipients q.s Approved colour used in empty capsule shell</p>
<p>Pregabalin & Etoricoxib Tablet</p>	<p>Each Uncoated bilayered tablet contains: Pregabalin I.P 75mg (as sustained release) Etoricoxib I.P 60 mg Excipients q.s Colour: Approved colour used</p>
<p>Rosuvastatin & Aspirin & Clopidogrel Tablet</p>	<p>Each film coated tablet contains: Rosuvastatin Calcium I.P Eq. to Rosuvastatin 10 mg Aspirin I.P 75 mg Clopidogrel Bisulphate I.P Eq. to Clopidogrel 75 mg Excipients q.s Colour: Approved colour used</p>
<p>Rosuvastatin & Aspirin & Clopidogrel Tablet</p>	<p>Each film coated tablet contains: Rosuvastatin Calcium I.P Eq. to Rosuvastatin 20 mg Aspirin I.P 75 mg Clopidogrel Bisulphate I.P Eq. to Clopidogrel 75 mg Excipients q.s Colour: Approved colour used</p>
<p>Atrovastatin & Aspirin & Clopidogrel Tablet</p>	<p>Each film coated tablet contains: Atrovastatin Calcium I.P Eq. to Atrovastatin 10 mg Aspirin I.P 75 mg Clopidogrel Bisulphate I.P Eq. to Clopidogrel 75 mg Excipients q.s Colour: Approved colour used</p>

Atrovastatin & Aspirin & Clopidogrel Tablet	<p>Each film coated tablet contains:</p> <p>Atrovastatin Calcium I.P Eq. to Atrovastatin 20 mg</p> <p>Aspirin I.P 75 mg</p> <p>Clopidogrel Bisulphate I.P Eq. to Clopidogrel 75 mg</p> <p>Excipients q.s Colour:</p> <p>Approved colour used</p>
Dapagliflozin 5 mg Tablet	<p>Each film coated tablet contains:</p> <p>Dapagliflozin Propanediol Monohydrate</p> <p>Eq.to Dapagliflozin 5 mg Excipients</p> <p>q.s</p> <p>Colour: Approved colour used</p>
Dapagliflozin 10 mg Tablet	<p>Each film coated tablet contains:</p> <p>Dapagliflozin Propanediol Monohydrate</p> <p>eqv.to Dapagliflozin 10 mg Excipients</p> <p>q.s</p> <p>Colour: Approved colour used</p>
Dapagliflozin & Metformin Tablet	<p>Each film coated tablet contains:</p> <p>Dapagliflozin Propanediol Monohydrate</p> <p>Eq.to Dapagliflozin 5 mg</p> <p>Metformin Hydrochloride I.P 500 mg</p> <p>(As Extended release) Excipients q.s</p> <p>Colour : Approved colour used</p>
Dapagliflozin & Metformin Tablet	<p>Each film coated tablet contains:</p> <p>Dapagliflozin Propanediol Monohydrate</p> <p>Eq.to Dapagliflozin 10 mg</p> <p>Metformin Hydrochloride I.P 1000 mg</p> <p>(As Extended release) Excipients q.s</p> <p>Colour:Approved colour used</p>

Colistin Sulphate Suspension	Each 5 ml .of the reconstituted suspension contains : Colistin sulphate I.P Eq. to Colistin 12.5 mg Excipients q.s Approved colour used
Colistin Sulphate Suspension	Each 5 ml .of the reconstituted suspension contains : Colistin sulphate I.P Eq. to colistin 25 mg Excipients q.s Approved colour used
Metformin & Gliclazide Tablet	Each Uncoated tablet contains: Metformin Hydrochloride I.P. 500mg Gliclazide I.P. 80mg Excipients q.s Colour: Approved colour used
Flavoxate & Ofloxacin Tablet	Each film coated tablet contains: Flavoxate Hydrochloride I.P. 200mg Ofloxacin I.P 200 mg Excipients q.s Colour: Approved colour used
Ilaprazole & domperidone capsule	Each hard gelatin capsule contains: Ilaprazole I.P 10 mg (As enteric coated pellets) Domperidone I.P 30 mg (As sustained release pellets) Approved colour used in empty capsule shell)
Eperisone Hydrochloride 150mg Tablet	Each film sustained release tablet contains: Eperisone Hydrochloride 150mg (As sustained release) Excipients q.s
Eperisone Hydrochloride 150mg Capsule	Each hard gelatin capsule contains: Eperisone Hydrochloride 150mg (As sustained release) Excipients q.s Approved colours used in empty capsule shells

Cinnarizine & Domperidone Tablet	Each Uncoated tablet contains: Cinnarizine I.P. 20 mg Domperidone I.P. 15 mg Excipients q.s Colour: Approved colour used
Trypsin, Bromelain & Rutoside Tablet	Each entric coated tablet contains: Trypsin B.P. 48 mg Bromelain 90mg Rutoside Trihydrate B.P. 100 mg Excipients q.s Colour: Approved colour used
Trypsin, Bromelain & Rutoside Tablet	Each entric coated tablet contains: Trypsin 96 mg Bromelain 180 mg Rutoside Trihydrate 200 mg Excipients q.s Colour: Approved colour used
Trypsin Chymotrypsin Tablet	Each Enteric Coated Tablet contains: Trypsin Chymotrypsin USP 1,00,000 A.U. of enzymatic Activity (AS ENTERIC COATED GRANULES) supplied by a purified concentrate which has specific Trypsin and Chymotrypsin activity in a ratio (6:1) Excipients q.s Colour: Approved colour used
Gabapentin & Nortriptyline Tablet	Each film coated tablet contains: Gabapentin I.P. 300 mg Nortriptyline Hydrochloride Eq. to Nortriptyline I.P. 10 mg Excipients q.s Colour: Approved colour used

Gabapentin & Nortriptyline Tablet	Each film coated tablet contains: Gabapentin I.P 100 mg Nortriptyline Hydrochloride Eq. to Nortriptyline I.P 10 mg Excipients q.s Colour: Approved colour used
Ondansetron & Pantoprazole Tablet	Each film coated tablet contains Ondansetron Hydrochloride I.P EQ. TO Ondansetron I.P. 4mg Pantoprazole sodium I.P 20 mg Excipients q.s Colour: Approved colour used
Nalidixic Acid I.P 250 mg Tablet	Each Uncoated tablet contains: Nalidixic Acid I.P 250 mg Excipients q.s Colour: Approved colour used
Nalidixic Acid I.P 500 mg Tablet	Each Uncoated tablet contains: Nalidixic Acid I.P 500 mg Excipients q.s Colour: Approved colour used
Pregabalin & Methylcobalamin Tablet	Each film coated tablet contains: Pregabalin I.P 50mg Methylcobalamin I.P 750 mcg Excipients q.s Colour: Approved colour used
Amoxicillin Trihydrate & Cloxacillin Capsule	Each hard gelatin capsule contains: Amoxicillin Trihydrate I.P Eq. to Amoxicillin 250 mg. Cloxacillin Sodium I.P Eq.to Cloxacillin 250 mg Excipients q.s Approved colour used in empty hard gelatin capsule shells

Drotaverine & Paracetamol Tablet	Each film coated tablet contains: Drotaverine Hydrochloride I.P. 80mg Paracetamol I.P. 325 mg Excipients q.s Colour: Approved colour used
Cefixime Trihydrate & Dicloxacillin (ER) Tablet	Each film coated tablet contains: Cefixime (As Trihydrate) I.P. eq.to Anhydrous Cefixime 200 mg Dicloxacillin Sodium I.P. Eq. to Dicloxacillin 500 mg (in Extended Released form) Excipients q.s Colour: Approved colour used
Doxofylline (SR) 400 mg Tablet	Each film coated sustained-release tablet contains: Doxofylline I.P. 400 mg Excipients q.s Colour: Approved colour used
Amoxicillin Trihydrate 250 mg Capsule	Each Hard Gelatin Capsule Contains: Amoxycillin Trihydrate I.P. Eq. to Amoxicillin 250 mg. Excipients q.s Approved colour used in empty hard gelatin capsule shell
Rifaximin & Metronidazole Tablet	Each film coated tablet contains: Rifaximin B.P. 200 mg Metronidazole Benzoate I.P. Eq. to Metronidazole 400 mg Excipients q.s Colour: Approved colour used

Amoxycillin Trihydrate, Cloxacillin & Lactic Acid Capsule	<p>Each hard gelatin capsule contains:</p> <p>Amoxycillin Trihydrate I.P Eq. to Amoxicillin 250 mg</p> <p>Cloxacillin Sodium I.P Eq. to Cloxacillin 250 mg</p> <p>Lactic Acid Bacillus 1.7 billion spores</p> <p>Approved colour used in empty hard gelatin capsule shell</p>
Etoricoxib & Paracetamol Tablet	<p>Each film coated Tablet Contains:</p> <p>Etoricoxib I.P 60 mg</p> <p>Paracetamol I.P 325mg</p> <p>Excipients q.s</p> <p>Colour: Approved colour used</p>
Methylcobalamin, Pyridoxine HCL, Folic Acid & Vitamin D3 Tablet	<p>Each Uncoated mouth dissolving tablet contains:</p> <p>Methylcobalamin I.P 1500 mg</p> <p>Folic Acid I.P 5 mg</p> <p>Pyridoxine Hydrochloride I.P 3 mg</p> <p>Vitamin D3 I.P 1000 IU</p> <p>Excipients q.s</p> <p>Colour:Approved colour used</p>
Cefixime & Sulbactam Tablet	<p>Each film tablet contains:</p> <p>Cefixime (As Trihydrate) I.P Eq.to Anhydrous Cefixime 200 mg</p> <p>Sulbactam Pivoxil Eq.to Sulbactam 150 mg</p> <p>Excipients q.s</p> <p>Colour:Approved colour used</p>
Gestodene & Ethinyloestradiol Tablet	<p>Each tablet contains:</p> <p>Gestodene B.P 0.075 mg</p> <p>Ethinyloestradiol 0.03 mg</p> <p>Excipients q.s</p> <p>Colour: Approved colour used</p>

Dydrogesterone I.P 10 mg Tablet	Each film coated tablet contains Dydrogesterone I.P 10 mg Excipients q.s Colour: Approved colour used
Mifepristone I.P 200 mg Tablet	Each Uncoated tablet contains: Mifepristone I.P 200 mg Excipients q.s
Megestrol Acetate I.P 160 mg Tablet	Each Uncoted tablet contains Megestrol Acetate I.P 160 mg Excipients q.s
Megestrol Acetate I.P 40 mg Tablet	Each Uncoted tablet contains: Megestrol acetate I.P 40 mg Excipients q.s
Lynestrenol I.P 5 mg Tablet	Each film coted tablet contains: Lynestrenol I.P 5 mg Excipients q.s Colour: Approved colour used
Cyproterone Acetate I.P 2 mg Tablet	Each uncoted tablet contains: Cyproterone Acetate I.P 2 mg Excipients q.s Colour: Approved colour used
Estradiol Valerate USP 1 mg Tablet	Each film coated tablet contains: Estradiol Valerate U.S.P 1 mg Excipients q.s Colour: Approved colour used
Estradiol Valerate sustained release 4 mg Tablet	Each film coated sustained release tablet contains: Estradiol valerate U.S.P 4 mg Excipients q.s Colour: Approved colour used
Estradiol Valerate sustained release 6 mg Tablet	Each film coated sustained release tablet contains: Estradiol valerate U.S.P 6 mg Excipients q.s Colour: Approved colour used

Mifepristone I.P 25 mg Tablet	Each uncoated tablet contains: Mifepristone I.P 25 mg Excipients q.s
Aripiprazole I.P 5 mg Tablet	Each Uncoated mouth dissolving Tablet Contains: Aripiprazole I.P 5 mg Excipients q.s
Aripiprazole I.P 10 mg Tablet	Each Uncoated mouth dissolving Tablet Contains: Aripiprazole I.P 10 mg Excipients q.s
Aripiprazole I.P 15 mg Tablet	Each Uncoated mouth dissolving Tablet Contains: Aripiprazole I.P 15 mg Excipients q.s
Desvenlafaxine (ER)100 mg Tablet	Each film coated extended release tablet contains: Desvenlafaxine Succinate 100 mg Excipients q.s Colour: Approved colour used
Desvenlafaxine (ER) 50 mg Tablet	Each film coated extended release tablet contains: Desvenlafaxine Succinate 50 mg Excipients q.s Approved colour used Colour:
Acarbose I.P 50 mg Tablet	Each film coated Tablet Contains : Acarbose I.P 50mg Excipients q.s Colour: Approved colour used
Acarbose I.P 100 mg Tablet	Each film coated tablet contains : Acarbose I.P 100mg Excipients q.s Colour:Approved colour used

Telmisartan & Amlodipine & Hydrochlorothiazide Tablet	Each film coated tablet contains: Telmisartan I.P 40 mg Amlodipine Besylate I.P Eq. to Amlodipine 5 mg Hydrochlorothiazide I.P 12.5 mg Excipients q.s Colour:Approved colour used
Thiocolchicoside I.P 4mg Capsule	Each hard gelatin capsule Contanis: Thiocolchicoside I.P 4mg Excipients q.s Approved Colour used inempty hard gelatin Capsule Shell
Thiocolchicoside I.P 8mg Capsule	Each hard gelatin capsule Contanis: Thiocolchicoside I.P 8mg excipients q.s Approved Colour used inempty hard gelatin Capsule Shell
Pantoprazole Gastro Resistant 20 mg Tablet	Each enteric coated tablet contains: Pantoprazole Sodium I.P to Pantoprazole 20 mg Excipients q.s Colour : Approved colour used
Doxofylline & Ambroxol HCL Tablet	Each film coated tablet contains: Doxofylline I.P 400mg Ambroxol Hydrochloride I.P. 30 mg Excipients q.s Colour: Approved colour used
Tranexamic Acid (SR) 500 mg Tablet	Each film coated sustained release tablet contains: Tranexamic Acid I.P 500 mg Excipients q.s Colour: Approved colour used
Levocloperastine Fendizoate Suspension	Each 5 ml of contains: Levocloperastine Fendizoate 35.4 mg eq. to L Levocloperastine Hydrochloride 20 mg In a flavoured syrupy base q.s Colour: Approved colour used

Levetiracetam Oral Solution	Each 5 ml of contains: Levetiracetam I.P 500 mg In a flavoured syrupy base q.s Colour: Approved colour used
Sodium Valproate Oral Solution	Each 5 ml of contains: Sodium Valproate I.P 200 mg In a flavoured syrupy base q.s colour: Approved colour used
Divalprox Sodium Oral Solution	Each 5 ml of contains: sodium I.P Divalprox Valproic Acid 200mg eq. to In a flavoured syrupy base q.s Colour: Approved colour used
Piracetam Oral Solution	Each 5 ml of contains I.P 500mg Piracetam syrupy base q.s In a flavoured colour used Colour: Approved
Aluminium Hydroxide & Magnesium Hydroxide & Simethicone Suspension	Each 5 ml Contains:- Dried Aluminium hydroxide Gel I.P 250 mg Magnesium Hydroxide I.P. 250 mg Simethicone Emulsion USP Eq. Simethicone 20 mg. Flavoured Syrupy base Q.s Colour: Approved colour used
Cefpodoxime 100 mg Oral Suspension	Each 5 ml of the Reconstituted Suspension contains: Cefpodoxime Proxetil I.P Eq.to cefpodoxime 100 mg In a Palatable suspension base Colour: Approved colour used
Cefixime 50 mg oral Suspension	Each 5 ml of the reconstituted suspension contains: Cefixime Trihydrate I.P Eq. to Cefixime (Anhydrous) 50 mg In a Palatable suspension base Colour: Approved colour used

Cefixime Oral Suspension 100 mg	Each 5ml of reconstituted suspension contains: Cefixime Trihydrate I.P. Eq. to Cefixime (Anhydrous) 100 mg In a Palatable suspension base Colour: Approved colour used
Cefuroxime Oral Suspension	Each 5ml of the reconstituted suspension contains: Cefuroxime Axetil I.P Eq. to Cefuroxime 125 mg In a palatable suspension base q.s Colour: Approved colours used
Cefuroxime & Potassium Clavulanate Oral Suspension	Each 5ml of the reconstituted suspension contains: Cefuroxime Axetil I.P Eq. to Cefuroxime 125 mg Potassium Clavulanate Diluted I.P Eq. to Clavulanic Acid 28.5 mg In a palatable suspension base q.s Colour: Approved colours used
Cefixime & Ofloxacin Suspension	Each 5ml of the reconstituted suspension contains: Cefixime Trihydrate I.P Eq. to Anhydrous Cefixime 50 mg Ofloxacin I.P 50 mg In a palatable suspension base q.s Colour: Approved colours used
Cefixime & Lactic Acid Oral Suspension	Each 5ml of the reconstituted suspension contains: Cefixime Trihydrate I.P Eq. to Anhydrous Cefixime 100 mg Lactic acid bacillus 60 million sporenges. Excipients q.s Colour: Approved colour used

Cefixime & Lactic acid Suspension	Each 5ml of the reconstituted suspension contains: Cefixime Trihydrate I.P Eq.to Anhydrous Cefixime 50 mg Lactic acid bacillus 60 million sporenges. Excipients q.s Colour: Approved colour used
Clarithromycin Oral Suspension USP	Each 5ml of the reconstituted suspension contains: Clarithromycin I.P 125 mg Excipients q.s Colour: Approved colour used
Linezolid Oral Suspension	Each 5ml of the reconstituted suspension contains: Linezolid I.P 100 mg Excipients q.s Colour: Approved colour used
Vitamin D3 Oral Drop	Each ml contains: D3 I.P 800 IU Vitamin Flavoured syrupy base Colour: Approved colour used
Clarithromycin Oral Suspension	Each 5ml of the reconstituted suspension contains: Clarithromycin I.P 250 mg Excipients q.s Colour: Approved colour used
Methylcobalamin & Alpha Lipoic Acid & Pyridoxine Hydrochloride & Folic acid & Vitamin D3 Tablet	Each film coated tablet contains: Methylcobalamin I.P 1500 mcg Alpha Lipoic acid USP 100 mg Folic acid I.P 5 mg Pyridoxine Hydrochloride I.P 3 mg Vitamin D3 I.P 2000 IU Excipients q.s Colour: Approved colour used
Etodolac & Thiocolchicoside Tablet	Each film Coated Tablet Contains : Etodolac I.P 400mg Thiocolchicoside I.P 4 mg Colour: Approved Colour Used

Etodolac 400mg Tablet	Each film coated extended release tablet Contains: Etodolac I.P 400mg Colour: Approved Colour Used
Etodolac 600mg Tablet	Each film coated extended release Tablet Contains: Etodolac I.P 600mg Colour: Approved Colour Used
Aceclofenac, Paracetamol, Phenylephrine, Cetirizine & Caffeine	Each film Coated Tablet Contains : Aceclofenac I.P. 100mg Paracetamol I.P. 325mg Phenylephrine Hydrochloride I.P 5 mg Cetirizine Hydrochloride I.P 10 mg Caffeine Anhydrous I.P 25 mg Excipients q.s Colour: Approved colour used
Gabapentin & Nortriptyline Tablet	Each film Coated Tablet Contains: Gabapentin I.P 400 mg Nortriptyline Hydrochloride Eq. to Nortriptyline 10 mg Excipients q.s Colour: Approved colour used
Etodolac 400 mg Tablet	Each film Coated Tablet Contains : Etodolac I.P 400mg Excipients q.s Colour: Approved colour used
Etodolac 600 mg Tablet	Each film Coated Tablet Contains: Etodolac I.P. 600 mg Excipients q.s Colour: Approved colour used
Piroxicam 20 mg Tablet	Each Uncoated dispersible tablet contains: Piroxicam I.P 20mg Excipients q.s Colour: Approved colour used

Risperidone & Trihexyphenidyl Tablet	Each film coated Tablet Contains: Risperidone I.P 3 mg Trihexyphenidyl Hydrochloride I.P 2 mg Excipients q.s Colour: Approved colour used
Risperidone & Trihexyphenidyl Tablet	Each film coated Tablet Contains: Risperidone I.P 4 mg Trihexyphenidyl Hydrochloride I.P 2 mg Excipients q.s Colour: Approved colour used
Nitrofurantoin 100 mg Tablet	Each uncoted sustained released tablet contains: Nitrofurantoin I.P 100mg Excipients q.s Colour: Approved colour used
Gabapentin 100 mg Tablet	Each film coated tablet contains: Gabapentin I.P 100mg Excipients q.s Colour: Approved colour used
Letrozole I.P 2.5 mg Tablet	Each film coated tablet contains: Letrozole I.P 2.5mg Excipients q.s Colour: Approved colour used
Letrozole I.P 5 mg Tablet	Each film coated tablet contains : Letrozole I.P 5 mg Excipients q.s Colour: Approved colour used
Tamsulosin HCL (MR) & Dutasteride Tablet	Each film Coated Tablet contains: Tamsulosin Hydrochloride I.P 0.4 mg (As modified Release) Dutasteride I.P 0.5 mg Excipients q.s Colour: Approved colour used

TamsulosinHCL (MR) Tablet	Each film Coated Tablet contains: Tamsulosin Hydrochloride I.P 0.4 mg (As modified Release) Excipients q.s Colour: Approved colour used
Olanzapine & Fluoxetine Tablet	Each film coated tablet contains: Olanzapine I.P 5 mg Fluoxetine I.P 20 mg Colour: Approved colour used
Olanzapine & Fluoxetine Tablet	Each film coated tablet contains: Olanzapine I.P 10 mg Fluoxetine I.P 20 mg Colour: Approved colour used
Tolperisone Hydrochloride 150 mg Tablet	Each film coated tablet contains: Tolperisone Hydrochloride 150 mg Colour: Approved colour used
Tolperisone Hydrochloride 300 mg Tablet	Each film coated tablet contains: Tolperisone Hydrochloride 300 mg Colour: Approved colour used
Paracetamol I.P 650 mg Tablet	Each Uncoated Dispersible Tablet contains: Paracetamol I.P. 650 mg Excipients q.s Colour: Approved colour used
Aceclofenac I.P 100 mg Tablet	Each Uncoated Dispersible tablet contains: Aceclofenac I.P 100 mg Excipients q.s Colour: Approved colour used
Rabeprazole & Domperidone Capsule	Each hard gelatin capsule Contains: Rabeprazole Sodium I.P 40 mg (as enteric Coated pellets) Domperidone I.P 30 mg (as sustained release pellets) Excipients q.s Colour: Approved colour used

Tolperisone & Paracetamol Tablet	Each film coated tablet contains: Tolperisone hydrochloride J.P 150mg Paracetamol I.P 325 mg Excipients q.s Colour: Approved colour used
Tolperisone & Diclofenac Tablet	Each film coated tablet contains: Tolperisone hydrochloride J.P 150mg Diclofenac sodium I.P 50 mg Excipients q.s Colour: Approved colour used
Olanzapine I.P 5 mg Tablet	Each Uncoated orally disintegrating tablet contains: Olanzapine I.P 5 mg Excipients q.s Colour:Approved colour used
Olanzapine I.P 10mg Tablet	Each Uncoated orally disintegrating tablet contains: Olanzapine I.P 10 mg Excipients q.s Colour: Approved colour used
Gabapentin & Methylcobalamin Tablet	Each film coated tablet contains: Gabapentin I.P 100 mg Methylcobalamin I.P 500 mcg
Gabapentin & Methylcobalamin Tablet	Each film coated tablet contains: Gabapentin I.P 300 mg Methylcobalamin I.P 500 mcg
Gabapentin I.P 400 mg Tablet	Each film coated tablet contains: Gabapentin I.P 400 mg Excipients q.s Colour:Approved colour used
Gabapentin I.P 300 mg Tablet	Each film coated tablet contains: Gabapentin I.P 300 mg Excipients q.s Colour: Approved colour used

Pioglitzone & Glimepride Tablet	Each Uncoated bi-layered tablet contains: Pioglitzone Hydrochloride I.P Eq. to Pioglitzone 15 mg Glimepride I.P 1 mg Excipients q.s Colour: Approved colour used
Pioglitzone & Glimepride Tablet	Each Uncoated bi-layered tablet contains: Pioglitzone Hydrochloride I.P Eq. to Pioglitzone 15 mg Glimepride I.P 2 mg Excipients q.s Colour: Approved colour used
Olanzapine I.P 2.5 mg Tablet	Each Uncoated orally disintegrating tablet contains: Olanzapine I.P 2.5 mg Excipients q.s Colour: Approved colour used
Meropenam & Sulbactam Sodium Injection	Each vial contains: Meropenam Trihydrate I.P EQV.to Meropenam Anhydrous 1000 mg Sodium (AS sodium carbonate i.p.) 90.2 mg Sterile sulbactam sodium I.P. Eq. To Anhydrous sulbactam 500 mg Dosage: AS directed by the physician.
Methylcobalamin & Pyridoxine Hydrochloride & Niacinamide & D- panthenol with Benzyl Alcohol Injection	Each 2 ml contains: Methylcobalamin I.P 1000 mcg Thiamine Hydrochloride I.P 100 mg Pyridoxine Hydrochloride I.P 100 mg Niacinamide I.P 100 mg D-panthenol I.P 50 mg Benzyl Alcohol I.P 2% v/v water for injection I.P q.s

Methylcobalamin & Pyridoxine Hydrochloride & Niacinamide Injection	Each 2 ml contains: Methylcobalamin I.P 1500 mcg Pyridoxine Hydrochloride I.P 100 mg Niacinamide I.P 100 mg water for injection I.P q.s
Piperacillin & Tazobactam Injection	Each vial contains: Piperacillin sodium I.P. Eq. To Piperacillin Anhydrous 1000 mg Tazobactam sodium I.P Anhydrous Tazobactam 125 mg Sterile Eq. to
Methylcobalamin Injection	Each ml contains; Methylcobalamin I.P 2500 mcg Benzyl Alcohol I.P 2% v/v Water for injection I.P q.s
Cefepime & Tazobactam Injection	Each vial contains; Cefepime Hydrochloride I.P Eq.to Anhydrous cefepime 1000 mg Sterile Tazobactum sodium I.P Eq.to Anhydrous Tazobactum 125 mg
Methylcobalamin & Pyridoxine Hydrochloride & Niacinamide & D- panthenol with Benzyl Alcohol Injection	Each 2 ml contains: Methylcobalamin I.P 1500 mcg Thiamine Hydrochloride I.P 100 mg Pyridoxine Hydrochloride I.P 100 mg Niacinamide I.P 100 mg D-panthenol I.P 50 mg Benzyl Alcohol I.P 2% v/v Water for injection i.p q.s
Triamcinolone Acetonide Injection	Each ml contains: Triamcinolone Acetonide I.P 40 mg Benzyl Alcohol I.P 1% v/v Water for injection i.p q.s

Meropenam & Tazobactam Injection	Each vial contains: Meropenam Trihydrate I.P Eq.to Meropenam Anhydrous 1000 mg Sodium (As sodium carbonate I.P) 90.2 mg Sterile Tazobactum Sodium I.P Eq.to Anhydrous Tazobactum 1 25 mg
Cefepime & Sulbactam Injection	Each vial contains: Cefepime Hydrochloride I.P Eq.to Anhydrous Cefepime 1000 mg Sterile Sulbactam Sodium I.P Eq. Anhydrous Sulbactam 500 mg
Imipenem & Cilastatin Injection	Each vial contains: Imipenem 500 mg eq.to Anhydrous sterile Cilastatin Sodium I.P eq. to Anhydrous Cilastatin 500 mg
Artesunate Injection	Each vial contains; Artesunate 120 mg
Diclofenac sodium Injection	Each ml contains: Diclofenac Sodium I.P 75 mg Benzyl Alcohol I.P 4% v/v Water for injection i.p. q.s
Piracetam Injection	Each ml contains: Piracetam I.P 200 mg Water for injection i.p. q.s
L-Ornithine & Ornithine L-Aspartate Injection	Each 10 ml contains: L-Ornithine L-Aspartate 5 gm Water for injection I.P q.s
Cefoperazone & Tazobactum Injection	Each vial contains: Sterile Cefoperazone Sodium I.P Eq.to Anhydrous Cefoperazone 1000 Mg Sterile Tazobactum sodium I.P Eq.to Anhydrous Tazobactum 125 mg

Cefoperazone & Sulbactam Injection	Each vial contains: Sterile Cefoperazone Sodium I.P Eq.to Anhydrous Cefoperazone 500 mg Sterile Sulbactam sodium I.P Eq.to Anhydrous Tazobactum 500 mg
Edaravone Injection	Each ml contains: Edaravone I.P 1.5 mg Water for injection I.P q.s Dosage: As directed by the physician.
Cefuroxime Injection	Each vial contains: Sterile Cefuroxime Sodium I.P Eq.to Anhydrous Cefuroxime 750 mg
Cefuroxime Injection	Each vial contains: Sterile Cefuroxime Sodium I.P Eq.to Anhydrous Cefuroxime 1500 mg
Ceftazidime & Tazobactam Injection	Each vial contains: Sterile Ceftazidime I.P 1000 mg (sterile blend of ceftazidium pentahydrate I.P & Sterile sodium carbonate I.P) Sterile Tazobactam Sodium I.P Eq.to Anhydrous Tazobactum 125 mg
Ceftazidime Injection	Each vial contains: Sterile Ceftazidime I.P 1000 mg (sterile blend of ceftazidium pentahydrate I.P & sterile Sodium carbonate I.P)
Meropenam Injection	Each vial contains: Meropenam Trihydrate I.P Eq. to Meropenam Anhydrous 500 mg Sodium (As sodium carbonate I.P) 45.1 mg Dosage:As directed by the physician.

Piperacillin & Tazobactam Injection	Each vial contains: Piperacillin Sodium I.P Eq.to Piperacillin Anhydrous 2000 mg Sterile Tazobactam Sodium I.P Eq.to Anhydrous Tazobactam 250 mg Dosage:As directed by the physician.
Ceftriaxone & Sulbactam Injection	Each vial contains: Sterile Ceftriaxone Sodium I.P. eq.to Anhydrous Ceftriaxone 500 MG Sterile Sulbactam Sodium I.P eq. To Anhydrous Sulbactam 250 mg Dosage: As directed by the physician.
Ceftriaxone & Sulbactam Injection	Each vial contains: Sterile Ceftriaxone Sodium I.P. eq. to Anhydrous Ceftriaxone 250 mg Sterile Sulbactam Sodium I.P eq. To Anhydrous Sulbactam 125 mg Dosage: As directed by the physician.
Ceftriaxone Injection 250 mg	Each vial contains: Sterile Ceftriaxone Sodium I.P to Anhydrous Ceftriaxone 250 mg Dosage: As directed by the physician.
Ceftriaxone Injection 2000 mg	Each vial contains: Sterile Ceftriaxone Sodium I.P. Eq to Anhydrous Ceftriaxone 2000 mg Dosage: As directed by the physician.
Citicoline Sodium Injection	Each ml contains: Citicoline Sodium I.P eq. to Citicoline 250 mg Water for injection I.P q.s Dosage: As directed by the physician

Ofloxacin & Clotrimazole & Betamethasone Dipropionate & Lignocaine Hydrochloride Ear Drop	Composition: Ofloxacin I.P 0.30% w/v Clotrimazole I.P 1.00%w/v Betamethasone Dipropionate I.P 0.025%w/v Lignocaine Hydrochloride I.P 2.00%w/v sterile Aqueous vehicle base q.s
Diclofenac & Paracetamol Tablet	Each film coated tablet contains.- Diclofenac Potassium B.P 50 mg Paracetamol I.P 325 mg Colour: Approved colour used
Aceclofenac & Paracetamol Tablet	Each film coated tablet contains: Aceclofenac I.P 100 mg Paracetamol I.P 325 mg Colour: Approved colour used
Deflazacort 6 mg Tablet	Each Uncoated tablet contains: Deflazacort 6 mg Colour: Approved colour used
Deflazacort 12 mg Tablet	Each Uncoated tablet contains: Deflazacort 12 mg Colour: Approved colour used
Tapentadol 100 mg Tablet	Each film coated tablet contains: Tapentadol Hydrochloride I.P Eq. to Tapentadol 100 mg Colour: Approved colour used
Tapentadol 50 mg Tablet	Each film coated tablet contains: Tapentadol Hydrochloride I.P Eq. to Tapentadol 50 mg Colour: Approved colour used
Aceclofenac I.P. 200 mg Tablet	Each film coated Tablet Contains: Aceclofenac I.P 200 mg Colour: Approved colour used

Flupirtine Maleate 100 mg Capsule	Each Hard Geltain Capsule Contains: Flupirtine Maleate 100 mg excipients q.s Colour: Approved colour used in hard gelatin capsul shells.
Levetiracetam I.P 500 mg Tablet	Each film coated Tablet Contains: Levetiracetam I.P 500 mg Colour: Approved colour used
Levetiracetam I.P 250 mg Tablet	Each film coated Tablet Contains: Levetiracetam I.P 250 mg Colour: Approved colour used
Olanzapine I.P 15 mg Tablet	Each Uncoated orally Disintegrating tablet contains: Olanzapine I.P 15 mg Colour: Approved colour used
Metformin & Voglibose Tablet	Each uncoated bilayered tablet contains: Metformin Hydrochloride I.P 500 mg. (as prolonged release) Voglibose I.P 0.2 mg Colour: Approved colour used
Metformin & Voglibose Tablet	Each uncoated bilayered tablet contains: Metformin Hydrochloride I.P 500 mg. (as prolonged release) Voglibose I.P 0.3 mg Colour: Approved colour used
Metformin & Glimepiride & Pioglitazone Tablet	Each uncoated bilayered tablet contains: Metformin Hydrochloride I.P 500 mg. (as prolonged release) Glimepiride I.P 1 mg Pioglitazone Hydrochloride I.P eq.to Pioglitazone 15 mg Colour: Approved colour used

Metformin & Glimepiride & Pioglitazone Tablet	Each uncoated bilayered tablet contains: Metformin Hydrochloride I.P 500 mg (as prolonged release) Glimepiride I.P 2 mg Pioglitazone Hydrochloride IP eq.to Pioglitazone 15 mg Colour: Approved colour used
Metformin HCL Sustained Release & Glimepiride Tablet	Each Uncoated bilayered tablet contains: Metformin Hydrochloride I.P 500 mg (Sustained Release) Glimepiride I.P 3mg excipients q.s Colour: Approved colour used
Metformin HCL Prolonged Release & Glimepiride Tablet	Each Uncoated bilayered tablet contains: Metformin Hydrochloride I.P 500 mg (as Prolonged Release) Glimepiride I.P 5mg excipients q.s Colour: Approved colour used
Metformin HCL Prolonged Release & Glimepiride Tablet	Each Uncoated bilayered tablet contains: Metformin Hydrochloride I.P 500 mg (as Prolonged Release) Glimepiride I.P 4mg excipients q.s Colour: Approved colour used
Metformin & Glimepiride Tablet	Each uncoated bilayered tablet contains: Metformin Hydrochloride I.P 1000 mg (as prolonged release) Glimepiride I.P 1 mg Colour: Approved colour used

Metformin & Glibenclamide & Pioglitazone Tablet	Each uncoated bilayered tablet contains: Metformin Hydrochloride I.P 500 mg. (as prolonged release) Glibenclamide I.P 5 mg Pioglitazone Hydrochloride I.P eq.to Pioglitazone 15 mg Approved colour used Colour:
Metformin HCL Prolonged Release & Glimepiride Tablet	Each Uncoated bilayered tablet contains: Metformin Hydrochloride I.P 500 mg (as Prolonged Release) Glimepiride I.P 0.5mg excipients q.s Colour: Approved colour used
Metformin HCL Prolonged Release & Glimepiride Tablet	Each uncoated bilayered tablet contains: Metformin Hydrochloride I.P 1000 mg (as prolonged release) Glimepiride ip 3mg Colour: Approved colour used
Metformin HCL Prolonged Release & Glimepiride Tablet	Each uncoated bilayered tablet contains: Metformin Hydrochloride I.P 1000 mg (as prolonged release) Glimepiride ip 2mg Colour: Approved colour used
Metformin HCL Prolonged Release & Glimepiride Tablet	Each uncoated bilayered tablet contains: Metformin Hydrochloride I.P 1000 mg (as prolonged release) Glimepiride I.P 4mg Colour: Approved colour used
Metformin HCL Prolonged Release & Glimepiride Tablet	Each uncoated bilayered tablet contains: Metformin Hydrochloride I.P 1000 mg (as prolonged release) Glimepiride I.P 0.5mg Colour: Approved colour used

Metformin & Gliclazide Tablet	Each uncoated bilayered tablet contains: Metformin Hydrochloride IP 500 mg (as extended release) Gliclazide IP 60 mg (as modified release) Colour: Approved colour used
Metformin Hydrochloride I.P 1000 mg Tablet	Each uncoated prolonged release tablet contains: Metformin Hydrochloride I.P 1000 mg Colour: Approved colour used
Metformin Hydrochloride I.P 500 mg Tablet	Each uncoated prolonged release tablet contains: Metformin Hydrochloride I.P 500 mg Colour: Approved colour used
Medroxy Progesterone Acetate I.P 10 mg Tablet	Each uncoated tablet contains: Medroxy progesterone Acetate I.P 10 mg Colour: Approved colour used
Gestodene & Ethinyloestradio Tablet	Each tablet contains: Gestodene B.P 0.075 mg Ethinyloestradiol 0.02 mg Colour: Approved colour used
Cyproterone & Ethinyloestradio Tablet	Each uncoated tablet contains: Cyproterone Acetate I.P 2 mg Ethinyloestradiol I.P 0.035 mg Colour: Approved colour used
Levonorgestrel USP 1.5 mg Tablet	Each tablet contains: Levonorgestrel usp 1.5 mg Colour: Approved colour used
Levonorgestrel & Ethinyloestradiol Tablet	Each tablet contains: Levonorgestrel ip 0.15 mg Ethinyloestradiol ip 0.03 mg Colour: Approved colour used
Levonorgestrel & Ethinyloestradiol Tablet	Each tablet contains: Levonorgestrel ip 0.25 mg Ethinyloestradiol ip 0.05 mg Colour: Approved colour used

Drosperinone & Ethinyloestradiol Tablet	Each tablet contains: Drosperinone 3 mg Ethinyloestradiol ip 0.02 mg Colour: Approved colour used
Stanozolol USP 1.5 mg Tablet	Each tablet contains: Stanozolol usp 1.5 mg Colour: Approved colour used
Drosperinone & Ethinyloestradiol Tablet	Each tablet contains: Drosperinone 3 mg Ethinyloestradiol I.P 0.03 mg Colour: Approved colour used
Mifepristone I.P 200 mg Tablet	Each uncoated tablet contains; Mifepristone I.P 200 mg Colour: Approved colour used
Misoprostol I.P 200 mcg Tablet	Each uncoated tablet contains; Misoprostol I.P 200 mcg Colour: Approved colour used
Medroxyprogesterone Acetate I.P 5 mg Tablet	Each uncoated tablet contains: Medroxyprogesterone Acetate I.P 5 mg Colour: Approved colour used
Medroxyprogesterone Acetate I.P 100 mg Tablet	Each uncoated tablet contains: Medroxyprogesterone Acetate I.P 100 mg Approved colour used Colour:
Medroxyprogesterone Acetate I.P 200 mg Tablet	Each uncoated tablet contains; Medroxyprogesterone Acetate I.P 200 mg Colour: Approved colour used
Levonorgestrel USP 0.75 mg Tablet	Each tablet contains: Levonorgestrel U.S.P 0.75 mg Colour: Approved colour used
Levonorgestrel & Ethinyloestradiol Tablet	Each tablet contains: Levonorgestrel I.P 1.5 mg Ethinyloestradiol I.P 0.03 mg Colour: Approved colour used

Levonorgestrel & Ethinyloestradiol Tablet	Each tablet contains Levonorgestrel I.P 0.75 mg Ethinyloestradiol I.P 0.02 mg Colour: Approved colour used
Desogestrel B.P 0.15 mg Tablet	Each uncoated tablet contains: Desogestrel B.P 0.15 mg Colour: Approved colour used
Desogestrel B.P 0.75 mg Tablet	Each uncoated tablet contains: Desogestrel B.P 0.75 mg Colour: Approved colour used
Fluvoxamine Maleate I.P 100 mg Tablet	Each Film Coated Extended Release Tablet contains: Fluvoxamine maleate I.P 100 mg Excipients q.s. Colour: Approved colour used
Fluvoxamine Maleate I.P 50 mg Tablet	Each Film Coated Extended Release Tablet contains: Fluvoxamine maleate I.P 50 mg Excipients q.s. Colour: Approved colour used
Baclofen Extended Release Tablets 20mg	Each uncoated Extended Release tablet contains: Baclofen I.P 20mg Excipients q.s. Colour: Approved colour used
Baclofen Tablets 20mg	Each uncoated tablet contains: Baclofen I.P 30mg Excipients q.s. Colour: Approved colour used
Amisulpride I.P 100 mg Tablet	Each uncoated control release tablet contains: Amisulpride I.P 100 mg Excipients q.s
Amisulpride I.P 200 mg Tablet	Each uncoated control release tablet contains: Amisulpride I.P 200 mg Excipients q.s

Amisulpride I.P 300 mg Tablet	Each uncoated control release tablet contains: Amisulpride I.P 300 mg Excipients q.s
Escitalopram 10 mg Tablet	Each film coated tablet contains: Escitalopram Oxalate I.P eq. to Escitalopram 10 mg Colour: Approved colour used
Escitalopram 20 mg Tablet	Each film coated tablet contains: Escitalopram Oxalate I.P eq. to Escitalopram 20 mg Colour: Approved colour used
Escitalopram 5 mg Tablet	Each film coated tablet contains: Escitalopram Oxalate I.P eq. to Escitalopram 5 mg Colour: Approved colour used
Tofisopam JP 50 mg Tablet	Each uncoated Tablet contains : Tofisopam J.P 50 mg Excipients q.s Colour: Approved colour used
Tofisopam JP 100 mg Tablet	Each uncoated Tablet contains : Tofisopam J.P 100 mg Excipients q.s Colour: Approved colour used
Oxcarbazepine I.P 150 mg Tablet	Each film coated tablet contains: Oxcarbazepine I.P 150 mg Colour: Approved colour used
Oxcarbazepine I.P 300 mg Tablet	Each film coated tablet contains: Oxcarbazepine I.P 300 mg Colour: Approved colour used
Oxcarbazepine I.P 450 mg Tablet	Each film coated tablet contains: Oxcarbazepine I.P 450 mg Colour: Approved colour used

Oxcarbazepine I.P 600 mg Tablet	Each film coated tablet contains: Oxcarbazepine I.P 600 mg Colour: Approved colour used
Oxcarbazepine I.P 150 mg Tablet	Each film coated sustained release tablet contains: Oxcarbazepine I.P 150 mg Colour: Approved colour used
Oxcarbazepine I.P 300 mg Tablet	Each film coated sustained release tablet contains: Oxcarbazepine I.P 300 mg Colour: Approved colour used
Oxcarbazepine I.P 450 mg Tablet	Each film coated sustained release tablet contains: Oxcarbazepine I.P 450 mg Colour: Approved colour used
Oxcarbazepine I.P 600 mg Tablet	Each film coated sustained release tablet contains: Oxcarbazepine I.P 600 mg Colour: Approved colour used
Tiapride 50 mg Tablet	Each uncoated tablet contains; Tiapride hydrochloride J.P eq.to Tiapride 50 mg Colour: Approved colour used
Tiapride 25 mg Tablet	Each Uncoated tablet contains: Tiapride hydrochloride J.P eq.to Tiapride 25 mg Colour: Approved colour used
Metaxalone & Diclofenac Tablet	Each coated tablet contains: Metaxalone usp 400 mg Diclofenac Potassium BP 50 mg Excipients q.s Colour: Approved colour used
Sodium Valproate I.P 500 mg Tablet	Each enteric coated tablet contains: Sodium Valproate IP 500 mg Colour: Approved colour used
Cyclosporine I.P 25 mg Capsule	Each hard gelatin capsule contains: Cyclosporine IP 25mg Colour: Approved colour used

Cyclosporine I.P 50 mg Capsule	Each hard gelatin capsule contains: Cyclosporine IP 50 mg Colour: Approved colour used
Cyclosporine I.P 100 mg Capsule	Each hard gelatin capsule contains: Cyclosporine IP 100 mg Colour: Approved colour used
Topiramate I.P 50 mg Tablet	Each film coated tablet contains: Topiramate IP 50 mg excipients q.s Colour: Approved colour used
Topiramate I.P 100 mg Tablet	Each film coated tablet contains: Topiramate IP 100 mg excipients q.s Colour: Approved colour used
Topiramate I.P 25 mg Tablet	Each film coated tablet contains: Topiramate IP 25 mg excipients q.s Colour: Approved colour used
Progesterone I.P 200 mg Tablet	Each film coated sustained-release tablet contains: Progesterone I.P 200 mg (natural micronized) excipients q.s Colour: Approved colour used
Progesterone I.P 300 mg Tablet	Each film coated sustained-release tablet contains: Progesterone I.P 300 mg (natural micronized) excipients q.s Colour: Approved colour used
Norethisterone I.P 10 mg Tablet	Each uncoated control release tablet contains: Norethisterone I.P 10 mg Colour: Approved colour used
Norethisterone I.P 15 mg Tablet	Each uncoated control release tablet contains: Norethisterone I.P 15 mg Colour: Approved colour used

Pregabalin 50 mg Tablet	Each film coated tablet contains: Pregabalin I.P Eq.to Pregabalin 50mg excipients q.s Colour: Approved colour used
Pregabalin 75 mg Tablet	Each film coated tablet contains: Pregabalin I.P Eq.to Pregabalin 75 mg excipients q.s Colour: Approved colour used
Pregabalin 25 mg Tablet	Each film coated tablet contains: Pregabalin I.P Eq.to pregabalin 25 mg excipients q.s Colour: Approved colour used
Clarithromycin I.P 250 mg Tablet	Each film coated tablet contains: Clarithromycin IP 250 mg Excipients q.s. Colour: Approved colour used
Clarithromycin I.P 500 mg Tablet	Each film coated tablet contains: Clarithromycin IP 500 mg Excipients q.s. Colour: Approved colour used
Methylcobalamin & Alpha Lipoic Acid & Pyridoxine & Vitamin D3 Tablet	Each film coated tablet contains: Methylcobalamin IP 1500 mcg Alpha Lipoic acid USP 100mg Folic acid IP 1.5mg Pyridoxine Hydrochloride IP 3mg Vitamin D3 IP 1000 IU Colour: Approved colour used

Azithromycin & Lactic Acid Tablet	Each film coated tablet contains: Azithromycin Dihydrate IP Eq. to Azithromycin Anhydrous 250 mg Lactic acid bacillus 60 m.s. Excipients q.s. Colour: Approved colour used
Levocetirizine Dihydrochloride Tablets I.P 5 mg	Each Film coated tablet contains: Levocetirizine Dihydrochloride I.P 5 mg Excipients q.s. Colour: Approved colour used
Azithromycin Dispersible Tablets 100 mg	Each film uncoated dispersible tablet cotains: Azithromycin (as dihydrate) IP Eq.to azithromycin anhydrous 100 mg Excipients q.s
Pantoprazole & Itopride Capsule	Each hard gelatin capsule Contanis: Pantoprazole Sodium I.P 40 mg (as enteric coated pallets) Itopride hydrochloride I.P 150 mg (as sustained release pallets) Excipients q.s. Approved Colour used in empty hard gelatin Capsule Shell
Rabeprazole & Itopride Capsule	Each hard gelatin capsule Contanis: Rabeprazole Sodium I.P 20 mg (as enteric coated pallets) Itopride hydrochloride I.P 150 mg (as sustained release pallets) Excipients q.s Approved Colour used in empty hard gelatin Capsule Shell
Levocetirizine Dihydrochloride I.P 10 mg Tablet	Each film coated tablet contains: Levocetirizine Dihydrochloride I.P 10 mg Colour: Approved colour used

Methylcobalamin & Alpha Lipoic Acid & Folic Acid & Pyridoxine & Vit D3 Tablet	Each film coated tablet contains: Methylcobalamin I.P 1500 mcg Alpha lipoic acid USP 100 mg Folic Acid 5 mg Pyridoxine Hydrochloride IP 3 mg Vit D3 IP 2000 IU Excipients q.s Approved colour used Colour:
Cetirizine Hydrochloride I.P 10 mg Tablet	Each Film coated tablet contains: Cetirizine Hydrochloride IP 10 mg Colour: Approved colour used
Cefpodoxime 100 mg Tablet	Each uncoated dispersible tablet contains: Cefpodoxime Proxetil IP eq. to Cefpodoxime 100 mg
Sevelamer Carbonate 400 mg Tablet	Each film coated Tablet contains: Sevelamer Carbonate 400 mg Excipients q.s Colour: Titanium dioxide I.P
Sevelamer Carbonate 800 mg Tablet	Each film coated Tablet contains: Sevelamer Carbonate 800 mg Excipients q.s Colour: Titanium dioxide I.P
Amoxicillin & Potassium Clavulanate Tablet	Each film coated tablet contains: Amoxicillin Trihydrate I.P eq.to Amoxicillin 500 mg Potassium clavulanate I.P (As potassium clavulanate diluted I.P) eq. to Clavulanic Acid 125 mg Excipients q.s Colour:Titanium dioxide i.p

Amoxicillin & Potassium Clavulanate Tablet	<p>Each film coated tablet contains:</p> <p>Amoxicillin Trihydrate I.P eq.to Amoxicillin 500 mg</p> <p>Potassium clavulanate I.P (As potassium clavulanate diluted i.p) eq. to Clavulanic Acid 125 mg</p> <p>Excipients q.s</p> <p>Colour: Approved colour used</p>
Cefpodoxime Proxetil & Potassium Clavulanate Tablet	<p>Each Film Coated Tablet Contains:</p> <p>Cefpodoxime Proxetil I.P eq. to Cefpodoxime 200 mg</p> <p>Potassium Clavulanate I.P (as potassium clavulanate diluted i.p) eq. to clavulanic Acid 125 mg Excipients</p> <p>q.s Colour: Lake of Sunset Yellow FCF & Tartrazine Dioxide I.P</p>
Cefpodoxime Proxetil & Potassium Clavulanate Tablet	<p>Each Film Coated Tablet Contains:</p> <p>Cefpodoxime Proxetil I.P eq. to Cefpodoxime 100 mg</p> <p>Potassium Clavulanate I.P (as potassium clavulanate diluted i.p) eq. to clavulanic Acid 62.5 mg</p> <p>Excipients qs.</p> <p>Colour: Titanium Dioxide I.P</p>

Alpha Ketoanalogue Tablet	<p>Each film coated tablet contains:</p> <p>Calcium-3- methyl-2-oxo-valerate--67 mg (a- ketoanalogue to isoleucine,calcium salt) Calcium-4- methyl-2-oxo-valerate--101 mg (a- ketoanalogue to leucine,calcium salt) Calcium- 2-oxo-3-phenylpropionate--68 mg (a- ketoanalogue to phenylalanine, calcium salt) Calcium-3-methyl-2-oxo- butyrate--86 mg (a- ketoanalogue to valine, calcium salt) Calcium - DI-2-Hydroxy-4(Methylthio)Butyrate-59 mg (a- hydroxyanalogue to methionine,calcium salt) L- Lysine Acetate U.S.P.--105 mg (eq.to L-Lysine 75 mg) L-Threonine U.S.P.---53 Mg L- Histidine U.S.P.--38 mg L- Tyrosine U.S.P. -- 30 mg total nitrogen content per tablet--36 mg calcium content per tablet ---1.25 mmol=0.05 g Excipients q.s Colour:Titanium dioxide ip Appropriate overages added to compensate for loss on storages</p>
Cefixime & Potassium Clavulanate Tablet	<p>Each film coated tablet contains:</p> <p>Cefixime Trihydrate I.P Eq. to Anhydrous Cefixime 100 mg Potassium Clavulanate Diluted I.P eq. to clavulanate Acid 62.5 mg Excipients q.s. Colour: Titanium Dioxide ip</p>

Cefixime & Potassium Clavulanate Tablet	Each film coated tablet contains: Cefixime Trihydrate I.P. eq.to Anhydrous Cefixime 200 mg Potassium Clavulanate Diluted I.P eq. to Clavulanate Acid 125 mg Excipients q.s. Colour: Approved colour used
Amoxicillin & Potassium Clavulanate Oral Dispersible Tablets	Each Uncoated dispersible tablet contains: Amoxicillin Trihydrate I.P eq. to Amoxicillin 200 mg Potassium Clavulanate Diluted I.P eq.to Clavulanic Acid 28.5 mg Excipients q.s. Colour: Approved colour used
Amoxicillin & Potassium Clavulanate Suspension	Each 5 ml reconstitution: Amoxicillin Trihydrate I.P eq.to Amoxicillin 200 mg Potassium Clavulanate Diluted I.P eq.to Clavulanic Acid 28.5 mg In a palatable suspension base q.s. Colour: Approved colour used
Amoxicillin & Potassium Clavulanate Suspension	Each 5 ml reconstitution suspension contains: Amoxicillin Trihydrate I.P eq.to Amoxicillin 200 mg Potassium Clavulanate Diluted IP eq.to Clavulanic Acid 28.5 mg In a palatable suspension base q.s. Colour: Approved colour used

Amoxicillin & Potassium Clavulanate Suspension	<p>Each 5 ml reconstitution suspension contains:</p> <p>Amoxicillin Trihydrate I.P eq.to Amoxicillin 80 mg Potassium Clavulanate Diluted I.P Eq.to Clavulanic Acid 11.4 mg In a palatable suspension base q.s. Colour: Approved colour used</p>
Cefpodoxime Proxetil & Potassium Clavulanate Suspension	<p>Each 5ml (after reconstituted) contains:</p> <p>Cefpodoxime proxetil I.P eq. to Cefpodoxime 50 mg Potassium Clavulanate I.P (as potassium Clavulanate Diluted i.p) eq.to Clavulanic Acid 31.25 mg In a flavoured palatable base Colour: Sunset Yellow FCF</p>
Cefpodoxime Proxetil & Potassium Clavulanate Suspension	<p>Each 5ml (after reconstituted) contains:</p> <p>Cefpodoxime proxetil I.P eq. to Cefpodoxime 100 mg Potassium Clavulanate I.P (as potassium Clavulanate Diluted i.p) eq.to Clavulanic Acid 62.5 mg In a flavoured palatable base Colour: Sunset Yellow FCF</p>
Cefixime & Potassium Clavulanate Suspension	<p>Each 5ml (after reconstituted) contains:</p> <p>Cefixime Trihydrate I.P eq. to Anhydrous Cefixime 50 mg Potassium Clavulanate I.P (as potassium Clavulanate Diluted IP eq.to Clavulanic Acid 31.25 mg In a flavoured palatable base Colour: ponceau-4R</p>

Divalproex Sodium 500 mg Syrup	Each 5 ml contains: Divalproex sodium I.P eq. to Valproic acid 500 mg Flavoured syrupy base qs Colour: Approved colour used
Omeprazole I.P 20 mg Capsule	Each hard gelatin capsule contains: Omeprazole IP 20 mg. (as enteric coated granules) Excipient q.s Approved colour used in empty hard gelatin capsule shells
Trifluoperazine & Trihexyphenidyl Tablet	Each Uncoated Tablet Contains: Trifluoperazine Hydrochloride I.P eq. to Trifluoperazine 5 mg Trihexyphenidyl Hydrochloride I.P 2 mg Excipients q.s Colour: Approved colour used
Pregabalin I.P 150 mg Tablet	Each film coated tablet contains: Pregabalin I.P eq. to Pregabalin 150 mg Colour: Approved colour used
Acebrophylline 100 mg Capsule	Each hard gelatin capsule contain: Acebrophylline 100 mg excipients q.s. Approved colours used in empty gelatin capsule shells
Metformin & Vildagliptin Tablet	Each Film coated Tablet Contains: Metformin Hydrochloride I.P 500 mg Vildagliptin I.P 50 mg (AS Extended release) Excipients q.s. Colour: Approved colour used
Vildagliptin I.P 50 mg Tablet	Each uncoated Tablet Contains: Vildagliptin I.P 50 mg Excipients q.s Colour: Approved colour used

Pregabalin & Methylcobalamin Tablet	Each film coated tablet contains: Pregabalin I.P 75mg Methylcobalamin I.P 750mcg Colour: Approved colour used
Etoricoxib & Thiocolchocside Tablet	Each film coated Tablet contains : Etoricoxib I.P 90 mg Thiocolchocside I.P 4 mg Excipients q.s Colour: Approved colour used
Etoricoxib & Thiocolchocside Tablet	Each film coated Tablet contains: Etoricoxib I.P 60 mg Thiocolchocside I.P 8 mg Excipients q.s Colour: Approved colour used
Trifluoperazine & Trihexyphenidyl Tablet	Each film coated Tablet Contains: Trifluoperazine Hydrochloride I.P eq. to Trifluoperazine 5 mg Trihexyphenidyl Hydrochloride I.P 2 mg Excipients q.s Colour: Approved colour used
Acebrophylline 100 mg Tablet	Each film coated Sustained Release Tablet contains: Acebrophylline 100 mg Excipients: q.s Colour: Approved colour used
Cabergoline I.P 0.5 mg Tablet	Each uncoted tablet contains: Cabergoline I.P 0.5 mg Colour: Approved colour used
Cabergoline I.P 0.25 mg Tablet	Each uncoted tablet contains: Cabergoline I.P 0.25 mg Colour: Approved colour used

Cefixime & Lactic Acid Tablet	Each uncoated dispersible tablet contains: Cefixime Trihydrate I.P Eq. to Cefixime Anhydrous 100 mg Lactic Acid Bacillus 60 million sporenges Excipients q.s
Flupentixol & Melitracen Tablet	Each film coated tablet contains: Flupentixol Dihydrochloride B.P Eq. to Flupentixol 0.5 mg Melitracen hydrochloride Eq.to melitracen 10 mg Excipients q.s Colour: Approved colour used
Cefixime & Ofloxacin Suspension	Each 5 ml of the Reconstituted Suspension contains: Cefixime Trihydrate I.P Eq. to Cefixime Anhydrous 50 mg Ofloxacin I.p 50 mg Colour: Approved colour used
Acebrophylline & Fexofenadine & Montilukast Tablet	Each film coated sustained release tablet contains: Acebrophylline 200 mg Fexofenadine Hydrochloride 120 mg Montilukast sodium 10 mg (in Sustained Released form) Excipients q.s Colour: Approved colour used
Cefixime & Lactic Acid Bacillus Suspension	Each 5 ml of the Reconstituted suspension contains: Cefixime Trihydrate I.P Eq. to Cefixime(anhydrous) 100 mg Lactic Acid Bacillus 2.5 Millions Sporenges Excipients q.s Colour: Approved colour used

Cefixime & Lactic Acid Bacillus Suspension	<p>Each 5 ml of the Reconstituted suspension contains:</p> <p>Cefixime Trihydrate I.P Eq. to Cefixime(anhydrous) 50 mg</p> <p>Lactic Acid Bacillus 2.5 Millions Sporenges Excipients q.s Colour : Approved colour used</p>
Rosuvastatin & Aspirin & Clopidogrel Capsule	<p>Each Hard Gelatin Capsule contains:</p> <p>Rosuvastatin Calcium I.P eq.to Rosuvastatin 20 mg (As Pellets)</p> <p>Aspirin I.P 75 mg (As Enteric Coated Pellets)</p> <p>Clopidogrel bisulphate I.P Eq .to Clopidogrel 75 mg Excipients q.s Approved colour used in hard gelatin capsule shell</p>
Rosuvastatin & Aspirin & Clopidogrel Capsule	<p>Each Hard Gelatin Capsule contains:</p> <p>Rosuvastatin Calcium I.P Eq. to Rosuvastatin 10 mg (As Pellets)</p> <p>Aspirin I.P 75 mg (As Enteric Coated Pellets)</p> <p>clopidogrel bisulphate I.P eq .to Clopidogrel 75 mg Excipients q.s Approved coloured used in hard gelatin capsule shell</p>
Ofloxacin & Lactobacillus Tablet	<p>Each film coated tablet contains;</p> <p>Ofloxacin I.P 200 MG</p> <p>lactobacillus sporogenes 60 million sporenges</p> <p>Excipients q.s Colour: Approved colour used</p>

Metformin & Glimepiride & Voglibose Tablet	Each uncoated bilayered tablet contains: Metformin hydrochloride I.P 500 mg (as prolonged release) Glimepiride I.P 1 mg Voglibose I.P 0.2 mg Colour: Approved colour used
Metformin & Glimepiride & Voglibose Tablet	Each uncoated bilayered tablet contains: Metformin Hydrochloride I.P 500 mg (as prolonged release) Glimepiride I.P 2 mg Voglibose I.P 0.2 mg Colour: Approved colour used
Depoxetine & Sildenafil Tablet	Each film coated tablet contains: Depoxetine HCL I.P Eq.to Depoxetine 30 mg Sildenafil Citrate I.P 50 mg Colour: Approved colour used
Depoxetine & Sildenafil Tablet	Each film coated tablet contains: Depoxetine HCL I.P Eq.to Depoxetine 30 mg Sildenafil citrate I.P 100 mg Colour: Approved colour used
Depoxetine & Tadalafil Tablet	Each film coated tablet contains: Depoxetine HCL I.P Eq. to Depoxetine 30 mg Tadalafil I.P 10 mg Colour: Approved colour used
Depoxetine & Tadalafil Tablet	Each film coated tablet contains: Depoxetine HCL I.P Eq. to Depoxetine 30 mg Tadalafil I.P 20 mg Colour: Approved colour used

Metformin & Glimepiride & Voglibose Tablet	<p>Each uncoated bilayered tablet contains:</p> <p>Metformin Hydrochloride I.P 500 mg (as prolonged release)</p> <p>Glimepiride I.P 1 mg</p> <p>Voglibos I.P 0.3 mg</p> <p>Excipients q.s</p> <p>Colour: Approved colour used</p>
Metformin & Glimepiride & Voglibose Tablet	<p>Each uncoated bilayered tablet contains:</p> <p>Metformin Hydrochloride I.P 500 mg (as prolonged release)</p> <p>Glimepiride I.P 2 mg</p> <p>Voglibos I.P 0.3 mg</p> <p>Excipients q.s</p> <p>Colour: Approved colour used</p>
Metformin & Glimepiride & Voglibose Tablet	<p>Each uncoated bilayered tablet contains:</p> <p>Metformin Hydrochloride I.P 500 mg (as prolonged release)</p> <p>Glimepiride I.P 3 mg</p> <p>Voglibos I.P 0.3 mg</p> <p>Excipients q.s</p> <p>Colour: Approved colour used</p>
Metformin & Glimepiride & Voglibose Tablet	<p>Each uncoated bilayered tablet contains:</p> <p>Metformin Hydrochloride I.P 500 mg (as prolonged release)</p> <p>Glimepiride I.P 3 mg</p> <p>Voglibos I.P 0.2 mg</p> <p>Excipients q.s</p> <p>Colour: Approved colour used</p>

Metformin & Glimepiride & Voglibose Tablet	<p>Each uncoated bilayered tablet contains:</p> <p>Metformin Hydrochloride I.P 500 mg (as prolonged release)</p> <p>Glimepiride I.P 4 mg</p> <p>Voglibos I.P 0.3 mg</p> <p>Excipients q.s</p> <p>Colour: Approved colour used</p>
Metformin & Glimepiride & Voglibose Tablet	<p>Each uncoated bilayered tablet contains:</p> <p>Metformin Hydrochloride I.P 500 mg (as prolonged release)</p> <p>Glimepiride I.P 4 mg</p> <p>Voglibos I.P 0.2 mg</p> <p>Excipients q.s</p> <p>Colour: Approved colour used</p>
Metformin & Glimepiride & Voglibose Tablet	<p>Each uncoated bilayered tablet contains:</p> <p>Metformin Hydrochloride I.P 1000 mg (as prolonged release)</p> <p>Glimepiride I.P 1 mg</p> <p>Voglibos I.P 0.2 mg</p> <p>Excipients q.s</p> <p>Colour: Approved colour used</p>
Metformin & Glimepiride & Voglibose Tablet	<p>Each uncoated bilayered tablet contains:</p> <p>Metformin Hydrochloride I.P 1000 mg (as prolonged release)</p> <p>Glimepiride I.P 1 mg</p> <p>Voglibos I.P 0.3 mg</p> <p>Excipients q.s</p> <p>Colour: Approved colour used</p>

Metformin & Glimepiride & Voglibose Tablet	<p>Each uncoated bilayered tablet contains:</p> <p>Metformin Hydrochloride I.P 1000 mg (as prolonged release)</p> <p>Glimepiride I.P 2 mg</p> <p>Voglibos I.P 0.2 mg</p> <p>Excipients q.s</p> <p>Colour: Approved colour used</p>
Metformin & Glimepiride & Voglibose Tablet	<p>Each uncoated bilayered tablet contains:</p> <p>Metformin Hydrochloride I.P 1000 mg (as prolonged release)</p> <p>Glimepiride I.P 2 mg</p> <p>Voglibos I.P 0.3 mg</p> <p>Excipients q.s</p> <p>Colour: Approved colour used</p>
Metformin & Glimepiride & Voglibose Tablet	<p>Each uncoated bilayered tablet contains:</p> <p>Metformin Hydrochloride I.P 1000 mg (as prolonged release)</p> <p>Glimepiride I.P 3 mg</p> <p>Voglibos I.P 0.2 mg</p> <p>Excipients q.s</p> <p>Colour: Approved colour used</p>
Metformin & Glimepiride & Pioglitazone Tablet	<p>Each uncoated bilayered tablet contains:</p> <p>Metformin Hydrochloride I.P 500 mg (as prolonged release)</p> <p>Glimepiride I.P 3 mg</p> <p>Pioglitazone Hydrochloride I.P pioglitazone 15 mg</p> <p>Excipients q.s</p> <p>Colour: Approved colour used</p> <p style="text-align: right;">Eq.to</p>

Metformin & Glimepiride & Pioglitazone Tablet	<p>Each uncoated bilayered tablet contains:</p> <p>Metformin Hydrochloride I.P 1000 mg (as prolonged release)</p> <p>Glimepiride I.P 1 mg</p> <p>Pioglitazone Hydrochloride I.P eq.to Pioglitazone 15 mg</p> <p>Excipients q.s</p> <p>Colour: Approved colour used</p>
Metformin & Glimepiride & Pioglitazone Tablet	<p>Each uncoated bilayered tablet contains:</p> <p>Metformin Hydrochloride I.P 1000 mg (as prolonged release)</p> <p>Glimepiride I.P 2 mg</p> <p>Pioglitazone Hydrochloride I.P eq.to pioglitazone 15 mg</p> <p>Excipients q.s</p> <p>Colour: Approved colour used</p>
Metformin & Glimepiride & Pioglitazone Tablet	<p>Each uncoated bilayered tablet contains:</p> <p>Metformin Hydrochloride I.P 1000 mg (as prolonged release)</p> <p>Glimepiride I.P 3 mg</p> <p>Pioglitazone Hydrochloride I.P eq.to Pioglitazone 15 mg</p> <p>Excipients q.s</p> <p>Colour: Approved colour used</p>
Metformin & Glimepiride & Pioglitazone Tablet	<p>Each uncoated bilayered tablet contains:</p> <p>Metformin Hydrochloride I.P 1000 mg (as prolonged release)</p> <p>Glimepiride I.P 4 mg</p> <p>Pioglitazone Hydrochloride I.P Eq.to Pioglitazone 15 mg</p> <p>Excipients q.s</p> <p>Colour: Approved colour used</p>

Metformin & Glicazide Tablet	Each uncoated bilayered tablet contains: Metformin Hydrochloride I.P 500 mg (as prolonged release) Glicazide I.P 40 mg Excipients q.s Colour: Approved colour used
Metformin & Glicazide Tablet	Each uncoated bilayered tablet contains: Metformin Hydrochloride I.P 500 mg (as prolonged release) Glicazide I.P 80 mg Excipients q.s Colour: Approved colour used
Naproxen & Domperidone Tablet	Each film coated tablet contains: Naproxen Sodium B.P 500 mg Domperidone I.P 10 mg Excipients q.s Colour: Approved colour used
Naproxen & Domperidone Tablet	Each film coated tablet contains: Naproxen Sodium B.P 250 mg Domperidone I.P 10 mg Excipients q.s Colour: Approved colour used
Amoxicillin & Potassium Clavulanate & Lactic Acid Suspension	Each 5 ml of reconstituted suspension contains: Amoxicillin Trihydrate I.P Eq.to Amoxicillin 200 mg Potassium clavulanate Diluted I.P Eq. to Clavulanate Acid 28.5 mg Lactic Acid Bacillus 2.5 million spores In a palatable suspension base Excipients q.s Colour: Approved colour used

Doxycycline & Lactic Acid Capsule	Each hard gelatin capsule contains: Doxycycline Hyclate I.P Eq. to Doxycycline 100 mg Lactic acid Bacillus 5 billions sporeng Colour: Approved colour used
Pioglitazone 15 mg Tablet	Each uncoated tablet contains: Pioglitazone Hydrochloride I.P eq. to Pioglitazone 15 mg Colour: Approved colour used
Metformin & Pioglitazone & Gliclazide Tablet	Each uncoated bi-layered tablet contains: Metformin HCL I.P 500 mg (As sustained release) Pioglitazone Hydrochloride I.P Eq. to Pioglitazone 15 mg Gliclazide I.P 60 mg Colour: Approved colour used
Metformin & Tenegliptin Tablet	Each uncoated bi-layered tablet contains: Metformin HCL I.P 500 mg (As sustained release) Tenegliptin Hydrochloride Hydrate I.P Eq. to Tenegliptin 20 mg Colour; Approved colour used
Metformin & Tenegliptin Tablet	Each uncoated bi-layered tablet contains: Metformin HCL I.P 1000 mg (As sustained release) Tenegliptin Hydrochloride Hydrate I.P Eq. to Tenegliptin 20 mg Colour; Approved colour used
Montelukast & Levocetirizine Tablet	Each film coated tablet contains: Montelukast Sodium I.P Eq. to Montelukast 10 mg Levocetirizine Dihydrochloride I.P 5mg Excipients q.s Colour: Approved colour used

Aripiprazole 1.25 Tablet	Each film coated Tablet Contains: Aripiprazole 1.25 Approved colour used Colour:
Divalproex Sodium Tablet	Each film coated Tablet Contains: Divalproex Sodium I.P eq. To Valproic Acid 1000 Approved colour used Colour:
Methylprednisolone I.P 8 mg Tablet	Each uncoated Tablet Contains: Methylprednisolone I.P 8 mg Colour: Approved colour used
Etoricoxib I.P 60 mg Tablet	Each film coated Tablet Contains: Etoricoxib I.P 60 mg Approved colour used Colour:
Etoricoxib I.P 90 mg Tablet	Each film coated Tablet Contains: Etoricoxib I.P 90 mg Approved colour used Colour:
Ilaprazole & Levosulpiride Capsule	Each hard gelatin capsule contains: Ilaprazole 10 mg (As Gastro resistant pellets) Levosulpiride 75 mg (As Sustained release pellets) Excipients q.s Colour: Approved colours used
Doxofylline & Montelukast Tablet	Each film coated Tablet Contains: Doxofylline I.P 400 MG (Sustained release form) Montelukast Sodium I.P eq. to Montelukast 10 mg Excipients q.s Colour: Approved colours used
Olanzapine I.P 1.125 mg Tablet	Each orally disintegrating tablet contains: Olanzapine I.P 1.125 mg Colour: Approved colour used

Faropenam Sodium Tablets JP 200 mg	Each film coated tablets contains: Faropenam Sodium Hydrate J.P eq.to Faropenam 200mg Excipients q.s Colour: Approved colour used
Faropenam Sodium Tablets JP 300 mg	Each film coated tablets contains: Faropenam Sodium Hydrate J.P Eq.to Faropenam 300mg Excipients q.s Colour: Approved colour used
Meropenam & Tazobactum Injection	Each vial contains: Meropenam Trihydrate I.P eq.to Meropenam Anhydrous 1000 mg Sodium (As sodium carbonate i.p) 90.2 mg Sterile Tazobactum Sodium I.P eq.to Anhydrous Tazobactum 125 mg
Meropenam Injection IP	Each vial contains; Meropenam Trihydrate I.P eqv. To Meropenam Anhydrous 125mg Dosage: As directed by the physician.
Meropenam & Sulbactam Injection	Each vial contains: Meropenam Trihydrate I.P eq.to Meropenam Anhydrous 1000 mg Sodium (AS sodium carbonate i.p.) 90.2 mg Sterile sulbactam sodium ip. eq. to Anhydrous sulbactam 500 mg Dosage: AS directed by the physician.
Piperacillin & Tazobactum Injection USP	Each vial contains: Sterile Piperacillin Sodium U.S.P eqv.to Piperacillin Anhydrous 4000 mg Sterile Tazobactum Sodium U.S.P eq.to Anhydrous Tazobactum 500 mg Dosage: AS directed by the physician.

Piperacillin & Tazobactum Injection USP	Each vial contains: Sterile Piperacillin sodium usp eqv.to piperacillin Anhydrous 1000 mg Sterile Tazobactum Sodium U.S.P eq.to Anhydrous Tazobactum 125 mg Dosage; AS directed by the physician.
Cefepime & Tazobactum Injection	Each vial contains: Cefepime Hydrochloride I.P eq.to Anhydrous Cefepime 1000 mg Sterile Tazobactum Sodium I.P eq.to Anhydrous Tazobactum 125 mg Dosage: As directed by the physician.
Alpha Beta Arteether Injection	Each ml contains: Alpha Beta Arteether I.P 75 mg Oily base q.s Dosage: As directed by the physician.
Levetiracetam Injection	Each ml Contains: Levetiracetam I.P 100 mg Water for injection q.s Dosage: As directed by the physician.
Piracetam Injection	Each ml contains: Piracetam I.P 200 mg water for injection i.p. q.s Dosage: As directed by the physician.
Metformin & Glimepiride & Pioglitazone Tablet	Each uncoated bilayered tablet contains: Metformin Hydrochloride I.P 500 mg (as prolonged release) Glimepiride I.P 80mg Pioglitazone Hydrochloride I.P eq.to Pioglitazone 15 mg Excipients q.s Colour: Approved colour used

Pioglitazone 30 mg Tablet	Each uncoated tablet contains: Pioglitazone Hydrochloride I.P eq.to Pioglitazone 30mg Excipients q.s. Approved colour used.
Divalproex Sodium Tablet	Each film coated extended release tablet contains: Divalproex sodium I.P eq. to Valproic acid 750 mg Colour: Approved colour used
Ascorbic Acid , Ascorbate, Zinc Citrate & Vitamin D3 Tablet	Each uncoated chewable tablet contains: Ascorbic Acid I.P 100 mg Sodium Ascorbaten I.P 450 mg (eq. to 400 mg of Ascorbic Acid) Zinc Citrate U.S.P 50 mg Vitamin D3 I.P 2000 I.U Colour: Approved colour used
Drosperinone & Ethinyl Estradiol Tablet	Each film uncoated tablet contains: Drosperinone I.P 3mg Ethinyl Estradiol I.P 0.02mg Colour: Approved colour used
Doxycycline Hyclate & Lactic Acid Tablet	Each film tablet contains: Doxycycline Hyclate IP Eq. to Doxycycline 100 mg Lactic Acid Bacillus 60 Millions Spores Excipients q.s. Colour: Approved colour used
Levonorgestrel & Ethinyloestradiol Tablet	Each tablet contains: Levonorgestrel I.P 0.15 mg Ethinyloestradiol I.P 0.03 mg Colour: Approved colour used
Levonorgestrel & Ethinyloestradiol Tablet	Each tablet contains: Levonorgestrel I.P 0.25mg Ethinyloestradiol I.P 0.05 mg Colour: Approved colour used

Betahistine Hydrochloride I.P 24 mg Tablet	Each film coated sustained release tablet contains: Betahistine Hydrochloride I.P 24 mg Excepiant Colour-Approved colour used
Betahistine Hydrochloride I.P 48 mg Tablet	Each film coated sustained release tablet contains: Betahistine Dihydrochloride I.P 48 mg Colour-Approved colour used Excepiant
Sodium Valproate & Valproic Acid Tablet	Each film coated controlled release table contains: Sodium Valproate I.P 133.5 mg Valproic Acid I.P 58 mg (Both together corresponds to sodium valproate 200 mg) Colour; Approved colour used
Sodium Valproate & Valproic Acid Tablet	Each film coated controlled release table contains: Sodium Valproate I.P 200 mg Valproic Acid I.P 87 mg (Both together corresponds to sodium valproate 300 mg) Colour:Approved colour used
Sodium Valproate & Valproic Acid Tablet	Each film coated controlled release table contains: Sodium Valproate I.P 333 mg Valproic Acid I.P 145 mg (Both together corresponds to sodium valproate 500 mg) Colour:Approved colour used
Nicorandil I.P5 mg Tablet	Each uncoated tablet contains: Nicorandil I.P 5 mg Colour: Approved colour used
Propranolol & Flunarizine Tablet	Each uncoated bilayered tablet contains: Propranolol Hydrochloride I.P 40 mg (As Sustained Release) Flunarizine Dihydrochloride B.P eq. to Flunarizine 5 mg Colour: Approved colour used

Propranolol & Flunarizine Tablet	Each uncoated bilayered tablet contains: Propranolol Hydrochloride I.P 40 mg (As Sustained Release) Flunarizine Dihydrochloride B.P eq. to Flunarizine 10 MG Approved colour used Colour:
Metformin & Pioglitazone Tablet	Each uncoated bilayered tablet contains: Metformin HCl I.P 500 mg (As Sustained Release) Pioglitazone HCl I.P eq. to pioglitazone 15 mg Colour: Approved colour used
Norethisterone I.P 5 mg Tablet	Each uncoated control release tablet contains: Norethisterone I.P 5 mg Colour: Approved colour used
Etizolam Mouth Dissolving Tablets 0.25 mg	Each Uncoated mouth dissolving tablet contains: Etizolam IP 0.25 mg Excipients q.s Colour:Approved colour used
Etizolam Mouth Dissolving Tablets 0.5 mg	Each Uncoated mouth dissolving tablet contains: Etizolam IP 0.5 mg Excipients q.s Colour:Approved colour used
Estradiol Valerate USP 2 mg Tablet	Each film coted tablet contains: Estradiol Valerate U.S.P 2 mg excipients q.s Colour: Approved colour used
Sodium Valporate & Valproic Acid Tablet	Each film coated controlled release tablet contains: Sodium valporate IP 266.66 mg Valproic Acid 116 mg (Both together corresponds to sodium valproate 400 mg) Excipients q.s Colour: Approved colour used

Hydroxyurea USP 500 mg capsule	Each hard gelatin capsule contains: Hydroxyurea U.S.P 500 mg Colour: Approved colour used in empty capsule shell
Ascorbic Acid & Sodium Ascorbate & Zinc Citrate & Vit D3 Tablet	Each uncoated chewable tablet contains: Ascorbic acid I.P 100 MG Sodium Ascorbate 450 MG (eq. to 400 MG OF ASCORBIC ACID) Zinc Citrate U.S.P 5 MG excipients q.s Colour: Approved colour used
Ascorbic Acid & Sodium Ascorbate & Zinc Citrate Tablet	Each uncoated chewable tablet contains: Ascorbic Acid I.P 100 MG Sodium Ascorbate 450 MG (EQV,TO 400 MG OF ASCORBIC ACID) Zinc Citrate U.S.P 5 MG excipients q.s Colour: Approved colour used
Acebrofylline 200 mg Tablet	Each Uncoated Sustained Release tablet contains: Acebrofylline 200 mg Colour: Approved colour used
Misoprostol ip 200 mcg Tablet	Each uncoated tablet contains: Misoprostol I.P 200 mcg Colour: Approved colour used
Misoprostol BP 200 mcg Tablet	Each Uncoated tablet contains: Misoprostol BP 200 mcg Colour: Approved colour used
Pantoprazole & Domperidone capsule	Each hard gelatin capsule contains: Pantoprazole Sodium I.P 40 mg (As gastro-resistant pellets) Domperidone I.P 30 mg (As prolonged - release pellets) Approved colours used in empty capsule shell

Rabeprazole & Domperidone capsule	Each hard gelatin capsule contains: Rabeprazole Sodium I.P 20 mg (As enteric coated pellets) Domperidone I.P 30 mg (As sustained release pellets) Approved colours used in empty capsule shell
Pantoprazole & Levosulpirid capsule	Each hard gelatin capsule contains: Pantoprazole Sodium I.P 40 mg (As enteric coated pellets) Levosulpiride 75 mg (As sustained release pellets) Approved colours used in empty capsule shell
Itraconazole bp 200 mg capsule	Each hard gelatin capsule contains: Itraconazole B.P 200 mg (As enteric coated pellets) Approved colours used in empty capsule shell
Itraconazole bp 100 mg capsule	Each hard gelatin capsule contains: Itraconazole B.P 100 mg (As enteric coated pellets) Approved colours used in empty capsule shell
Pantoprazole & Cinitapride capsule	Each hard gelatin capsule contains: Pantoprazole Sodium 40 mg (As enteric coated pellets) Cinitapride Hydrogen Tartrate eq. to Cinitapride 3 mg (As sustained release pellets) Approved colours used in empty capsule shell
Rabeprazole & Levosulpirid capsule	Each hard gelatin capsule contains: Rabeprazole sodium I.P 20 mg (As enteric coated pellets) Levosulpiride 75 mg (As sustained release pellets) Approved colours used in empty hard gelatin capsule shell

Domperidone & Omeprazole capsule	Each hard gelatin capsule contains: Domperidone I.P 10 mg Omeprazole I.P 20 mg (As enteric coated granules) Approved colours used in empty hard gelatin capsule shell
Aceclofenac & Rabeprazole capsule	Each hard gelatin capsule contains : Aceclofenac I.P 200 mg (As sustained released pellets) Rabeprazole sodium I.P 20 mg (As enteric coated pellets) Approved red clear coloured empty hard gelatin capsule shell
Divalproex sodium 250mg Tablet	Each film coated sustained release tablet contains: Divalproex Sodium I.P eq. to Valproic Acid 250 mg Colour: Approved colour used
Divalproex sodium 500mg Tablet	Each film coated sustained release tablet contains: Divalproex Sodium I.P eq. to Valproic Acid 500 mg Colour: Approved colour used
Aceclofenac & Thiocolchicoside Tablet	Each film coated Contains: Aceclofenac I.P 100 mg Thiocolchicoside I.P 4 mg Colour: Approved colour used
Aceclofenac & Thiocolchicoside Tablet	Each film coated Tablet Contains: Aceclofenac I.P 100 mg Thiocolchicoside I.P 8 mg Approved colour used Colour:
Etoricoxib & Thiocolchicoside Tablet	Each film coated Tablet Contains: Etoricoxib I.P 60 mg Thiocolchicoside I.P 4 mg Colour: Approved colour used

Linezolid ip 600 mg Tablet	Each film coated Tablet Contains: Linezolid I.P 600 mg Colour: Titanium dioxide I.P
Tenegliptin 20 mg Tablet	Each film coated tablets contains: Tenegliptin Hydrochloride Hydrate eq.to Tenegliptin 20 mg Colour: Approved colour used
Metformin & Glimepiride Tablet	Each uncoated bilayered tablet contains: Metformin Hydrochloride I.P 500 mg (as Prolonged Release) Glimepiride I.P 2 mg Colour: Approved colour used
Metformin & Glimepiride Tablet	Each uncoated bilayered tablet contains: Metformin Hydrochloride I.P 500 mg (As Prolonged Release) Glimepiride I.P 1 mg Colour:Approved colour used
Cefixime & Ofloxacin Tablet	Each film tablet contains: Cefixime(as Trihydrate) I.P Eq. to Cefixime Anhydrous 200 mg Ofloxacin I.P 200 mg Excipients q.s. Colour: Approved colour used
Cefpodoxime 200 mg Tablet	Each film tablet contains: Cefpodoxime Proxetil I.P Eq. to Cefpodoxime 200 mg Excipients q.s. Colour: Approved colour used
Cefixime 200 mg Tablet	Each uncoated Dispersible tablet contains: Cefixime (As Trihydrate) Eq. to Anhydrous Cefixime 200 mg Excipients q.s. Colour: Approved colour used

Cefuroxime 250 mg Tablet	Each film tablet contains: Cefuroxime Axetil I.P Eq. to Anhydrous Cefuroxime 250 mg Colour: Approved colour used
Cefuroxime 500 mg Tablet	Each film tablet contains: Cefuroxime Axetil I.P Eq. to Anhydrous Cefuroxime 500 mg Colour: Approved colour used
Amoxicillin 250 mg Tablet	Each Uncoated dispersible tablet contains: Amoxicillin Trihydrate I.P Eq. to Amoxicillin 250 mg Excipients q.s. Colour: Approved colour used
Cefixime 400 mg Tablet	Each Uncoated dispersible tablet contains: Cefixime (As Trihydrate) Eq. to Anhydrous Cefixime 400 mg Excipients q.s. Colour: Approved colour used
Cefpodoxime & Ofloxacin Tablet	Each film tablet contains: Cefpodoxime Proxetil I.P Eq. to Cefpodoxime 200 mg Ofloxacin I.P 200 mg Colour: Approved colour used
Pregabalin & Methylcobalamin Capsule	Each hard gelatin capsule contains: Pregabalin 75 mg Methylcobalamin 750 mcg Colour: Approved colours used in empty hard gelatin capsule shells
Amoxicillin 500 mg Capsule	Each hard gelatin capsule contains: Amoxicillin Trihydrate I.P Eq. to Amoxicillin 500 mg Colour: Approved colours used in empty capsule shells

Ampicillin 500 mg Capsule	Each hard gelatin capsule contains: Ampicillin Trihydrate I.P Eq. to Ampicillin 500 mg Colour: Approved colours used in empty capsule shells
Ampicillin 250 mg Capsule	Each hard gelatin capsule contains: Ampicillin Trihydrate I.P Eq. to Ampicillin 250 mg Colour: Approved colours used in empty capsule shells
Pregabalin & Methylcobalamin Capsule	Each hard gelatin capsule contains: Pregabalin I.P 75 mg Methylcobalamin I.P 500 mcg Colour: Approved colour used in empty hard gelatin capsule shells
Pregabalin & Methylcobalamin & Vitamin B6 & Folic Acid & Benfotiamine Capsule	Each hard gelatin capsule contains: Methylcobalamin I.P 750 mcg Pregabalin I.P 150 mg Vitamin B6 I.P 1.5 mg Folic Acid I.P 0.75 mg Benfotiamine 7.5 mg Colour: Approved colour used in empty capsule shell
Pregabalin & Methylcobalamin & vitamin B6 & Folic Acid & Benfotiamine Capsule	Each hard gelatin capsule contains: Methylcobalamin I.P 750 mcg Pregabalin I.P 75 mg Vitamin B6 I.P 1.5 mg Folic Acid I.P 0.75 mg Benfotiamine 7.5 mg Colour: Approved colour used in empty capsule shell
Cefixime Anhydrous 100 mg Suspension	Each 5 ml of the Reconstituted Suspension contains: Cefixime Trihydrate I.P Eq. to Cefixime Anhydrous 100 mg Colour: Approved colour used

Cefixime Anhydrous 50 mg Suspension	Each 5 ml of the Reconstituted Suspension contains: Cefixime Trihydrate I.P Eq. to Cefixime Anhydrous 50 mg Colour: Approved colour used
Cefixime Anhydrous 25 mg Suspension	Each ml of the Reconstituted Suspension contains: Cefixime Trihydrate I.P Eq. to Cefixime Anhydrous 25 mg Colour: Approved colour used
Cefpodoxime 100 mg Suspension	Each 5 ml of the Reconstituted Suspension contains: Cefpodoxime Proxetil I.P Eq. to Cefpodoxime 100 mg Colour: Approved colour used
Cefpodoxime 50 mg Suspension	Each 5 ml of the Reconstituted Suspension contains: Cefpodoxime Proxetil I.P Eq. to Cefpodoxime 50 mg Colour: Approved colour used
Cefpodoxime 25 mg Suspension	Each ml of the Reconstituted Suspension contains: Cefpodoxime Proxetil I.P Eq. to Cefpodoxime 25 mg Colour: Approved colour used
Clarithromycin I.P 125 mg Suspension	Each 5 ml of the Reconstituted Suspension contains: Clarithromycin I.P 125 mg Colour: Approved colour used
Amoxicillin 125 mg Suspension	Each 5 ml of the Reconstituted Suspension contains: Amoxicillin Trihydrate I.P Eq. to Amoxicillin 125 mg Colour: Approved colour used
Amoxicillin 250 mg Suspension	Each 5 ml of the Reconstituted Suspension contains: Amoxicillin Trihydrate I.P Eq. to Amoxicillin 250 mg Colour: Approved colour used
Linezolid I.P 100 mg Suspension	Each 5 ml of the Reconstituted oral Suspension contains: Linezolid I.P 100 mg Colour: Approved colour used